D 101.11:11-5821-261-35
P
TM 11-5821-261-35P, DS, GS,...

TECHNICAL MANUAL

DS, GS, AND DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LIST

RADIO SET AN/ARC-116
FSN 5821-935-5073

This copy is a reprint which includes current pages from Changes 1 through 3.

HEADQUARTERS, DEPARTMENT OF THE ARMY

A910095694

FEBRUARY 1971

CHANGE
No. 3

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *13 December 1974*

Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools List RADIO SET AN/ARC-116 (FSN 5821-935-5073)

TM 11-5821-261-35P, 2 February 1971, is changed as follows:

Page 7. Items numbers 10 through 13 from top. Delete these items in their entirety.

Page 34. Item numbers 6 and 7 from top. Delete these items in their entirety.

Page 63. Delete the following FSN's.
5821-091-9153
5821-091-9156
5821-134-7003
5821-177-2980

Page 64. Delete the following FSN.
5821-403-6900

Page 70. Delete the following reference number.
SM-B-617890

Page 71. Delete the following reference numbers.
SM-B-632139
SM-B-632150
SM-B-632340

Page 72. Delete the following reference numbers.
SM-B-692644
SM-B-692900

Page 75. Delete reference designation A1.

Page 80. Delete reference designation A2.

By Order of the Secretary of the Army:

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:
VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:
To be distributed in accordance DA Form 12-36, (qty rqr block no. 134), Direct and General Support Maintenance requirements for AN/ARC-116.

TM 11-5821-261-35P
C 2

CHANGE
NO. 2

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *10 August 1973*

Direct Support, General Support and Depot Maintenance Repair Parts and Special Tools List RADIO SET AN/ARC-116 (FSN 5821-935-5073)

TM 11-5821-261-35P, 2 February 1971, is changed as follows:

Page 3, paragraph 3, line 2. After "Sections II and III," add "The new source, maintenance, and recoverability codes are explained at the end of subparagraph *a*(3)".

Page 4, paragraph 3a(3). At the end of subparagraph (3), add:

NOTE

The new source, maintenance, and recoverability codes are explained below.

(a) Source code. Indicates the manner of acquiring support items for maintenance, repair or overhaul of end items. Source codes are:

Code	*Explanation*
PA—	Item procured and stocked for anticipated or known usage.
PB—	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC—	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD—	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE—	Support equipment procured and stocked for initial issue or outfitting to specified mainentance repair activities.
PF—	Support equipment which will not be stocked but which will be centrally procured on demand.
PG—	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD—	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF—	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB—	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO—	Item to be manufactured or fabricated at organizational level.
MF—	Item to be manufactured or fabricated at direct support maintenance level.
MH—	Item to be manufactured or fabricated at general support maintenance level.
MD—	Item to be manufactured or fabricated at depot maintenance level.
AO—	Item to be assembled at organizational level.
AF—	Item to be assembled at direct support maintenance level.
AH—	Item to be assembled at general support maintenance level.
AD—	Item to be assembled at depot maintenance level.

Code — *Explanation*

XA— Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.

XB— Item is not procured or stocked. If not available through salvage, requisition.

XC— Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.

XD— Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(b) Maintenance code. Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows—

1. Use (third position). The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

Code — *Explanation*

O— Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

Code — *Explanation*

F— Support item is removed, replaced, used at the direct support maintenance level.

H— Support item is removed, replaced, used at the general support maintenance.

D— Support items that are removed, replaced, used at depot only.

2. Repair (fourth position). The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code—

Code — *Explanation*

O— The lowest maintenance level capable of complete repair of the support item is the organizational level.

F— The lowest maintenance level capable of complete repair of the support item is direct support.

H— The lowest maintenance level capable of complete repair of the support item is general support.

D— The lowest maintenance level capable of complete repair of the support item is the depot level.

L— Repair restricted to designated Specialized Repair Activity.

Z— Non-repairable. No repair is authorized.

B— No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows—

Code — *Explanation*

Z— Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.

O— Repairable item. When uneconomically repairable, condemn and dispose at organizational level.

F— Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.

H— Repairable item. When uneconomically repairable, condemn and dispose at the general support level.

D— Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.

L— Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.

A— Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

Page 8, reference designation MP10, column (1). Change "PF " to "PAFDA".

Reference designation A2, column (1). Change "PH " to "PAHDA".

Page 19, reference designation A2, column (1). Change "PH " to "PAHDA".

Reference designation A3, column (1). Change "PH " to "PAHDA".

Reference designation A4, column (1). Change "PH " to "PAHDA".

Page 20, reference designation A5, column (1). Change "PH " to "PAHDA".

Reference designation A6, column (1). Change "PH " to "PAHDA".

Page 24, reference designation A5, column (1). Change "PF " to "PAFDA".

Reference designation A5, column (2). Change "5821-777-3406" to "5821-177-3406".

Reference designation A6, column (1). Change "PF " to "PAFDA".

Page 25, reference designation A7, column (1). Change "PF " to "PAFDA".

Reference designation A7, column (1). Change "PF " to "PAFDA".

Reference designation A7, column (1). Change 'PF " to "PAFDA."

Reference designation A8, column (1). Change "PF " to "PAFDA".

Reference designation A8, column (1). Change "PF " to "PAFDA".

Reference designation A16, column (1). Change "PF " to "PAFDA".

Reference designation A16, column (1). Change "PF " to "PAFDA".

Reference designation A9, column (1). Change "PF " to "PAFDA".

Reference designation A15, column (1). Change "PF " to "PFADA".

Reference designation A10, column (1). Change "PF " to "PFADA".

Reference designation A10, column (1). Change "PF " to "PAFDA".

Reference designation A14, column (1). Change "PF " to "PAFDA".

Reference designation A14, column (1). Change "PF " to "PAFDA".

Reference designation A11, column (1). Change "PF " to "PAFDA".

Reference designation A11, column (1). Change "PF " to "PAFDA".

Page 27, reference designation A13, column (1). Change to "PF " to "PAFDA".

Reference designation A13, column (1). Change "PF " to "PAFDA".

Reference designation A12, column, (1). Change "PF " to "PAFDA".

Page 31, reference designation A2, column (1). Change "PH" to "PAHDA".

Page 34, reference designation A5, column (1). Change "PH" to "PAHDA".

Reference designation A5, column (1). Change "PH" to "PAHDA".

Reference designation A5, column (1). Change "PH " to "PAHDA".

Page 41, reference designation A4, column (1). Change "PH " to "PAHDA".

Page 42, reference designation Z1, column (1). Change "PH " to "PAHDA".

Page 44, reference designation A1, column (1). Change "PD" to PADDA".

Reference designation A1, column (1). Change "PD" to "PADDA".

Page 45, reference designation A2, column (1). Change "PD" to "PADDA".

Page 48, reference designation E10, column (1). Change "PH" to "PAHDA".

Page 49, reference desingation J17, column (1). Change "PH" to "PAHDA".

Reference designation A1, column (1). Change "PD" to "PADDA".

Page 50, reference designation A2, column (1). Change "PD" to "PADDA".

Page 51, reference designation A4. Make the following changes:

Column (1). "PD" to "PADDA".

Column (2). Change 5820-403-6902" to "5821-403-6902".

Reference designation A5, column (1). Change "PD" to "PADDA".

Reference designation A3, column (1). Change "PD" to "PADDA".

Page 61, section IV, heading. Below section heading add:

NOTE

LATEST FEDERAL STOCK NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX.

Page 65. After the last Federal stock number listed, add:

LATEST FEDERAL STOCK NUMBER ASSIGNMENTS

Stock Number	*Figure No.*	*Reference Designation*
5821-177-3406	2	A5
5821-403-6902	4	A4

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-36, (qty rqr block No. 134) Direct and General Support maintenance requirements for AN/ARC-116.

CHANGE
No. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., *28 February 1972*

Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools List

RADIO SET AN/ARC-116
(FSN 5821-935-5073)

TM 11-5821-261-35P, 2 February 1971, is changed as follows:

Pages 4 and 5 Paragraph 3*f* note, (1), (2), and (3). Delete and substitute the following:

f. 30-day DS/GS Maintenance Allowances, Columns 6 and 7.

NOTE

Separate columns for direct support (DS) and general support (GS) indicate the total range of repair parts authorized for use at the appropriate categories.

The allowance columns are divided into three subcolumns. An asterisk in these columns opposite the first appearance of each item indicates the item is authorized on an "as required" basis. Repair parts stockage at the DS/GS levels will be based on demand and determined in accordance with AR 710-2. Subsequent appearances of the same item will have the letters "REF" in the allowance columns.

Paragraph 3g. Delete and substitute the following:

g. One-Year Allowances Per 100 Equipments/Contingency Planning Purposes, Column 8. This column indicates items required to support 100 equipments for 1 year. An asterisk opposite the first appearance of each item indicates the range of items required.

Pages 4 and 5. Paragraph 3*h*, delete and substitute the following:

h. Depot Maintenance Allowance per 100 Equipments, column 9. This column indicates items authorized for depot maintenance of 100 equipments. An asterisk opposite the first appearance of each item indicates the range of items authorized on an "as required" basis. Subsequent appearances of the same item will have the letters "REF" in this column when shown as a supply item.

Page 5, paragraph 4*a*. Add TM 11-5821-259-35P, Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools Lists for Radio Set AN/ARC-114.

Page 6, paragraph 4*g*. Delete in its entirety.

Paragraph 7, line 7, change ATTN: AMSEL-ME-NMP to ATTN: AMSEL-MA-M.

The following changes are made in section II.

Column 1, SMR Code. Delete all crosshatch (#) symbols in the recoverability column.

Columns 6 through 9, Maintenance Allowances. Delete all stockage quantities and replace with asterisks.

Columns 1 through 10. Delete all items SMR coded X1H on pages 27 and 28 in their entirety.

Page 8, Column 1, item number 7 from the top. Delete recoverability code R.

Column 3, item number 12 from the top. Change item part number and Mfg Code from 30YY2069 (81073) to SM-A-595811-4 (80063).

Column 2, item numbers 14 and 17 from the top. Change FSN 5310-792-3548 to 5310-113-3841.

Column 2, item numbers 2 and 3 from the bottom. Change FSN 3020-102-6806 to 3020-102-6808.

Page 12, Column 2, item number 4 from the bottom. Change FSN 5930-168-4153 to 5930-459-4003.

Page 13, Column 2, item number 4 from the top. Change FSN 5315-880-9078 to 5315-797-5206.

Column 2, item number 14 from the top Change FSN 3020-195-5823 to 3020-195-5832.

Column 2, item number 3 from the bottom. Change FSN 3020-195-5823 to 3020-195-5833.

Page 15, Column 2, item number 5 from the top. Change FSN 5315-880-9078 to 5315-797-5206.

Page 19, Column 10*a*, item number 5 from the bottom. Change Figure Number 5 to 4.

Page 20, Column 2, item numbers 6 and 7 from the bottom. Change FSN 5365-191-9027 to 5365-191-4027.

Column 2, item number 10 from the bottom. Change FSN 5310-126-0014 to 5310-145-1979

Page 24, Column 1, item numbers 2 and 4 from the bottom. Add recoverability Code "T" to the SMR Code.

Column 2, item number 3 from the bottom. Change FSN 5821-777-3406 to 5821-177-3406.

Column 2, item number 4 from the top. Change FSN 5310-126-0014 to 5310-145-1979.

Page 25, Column 1, item numbers 1, 8, 9, 10, and 12 from the top. Add recoverability code "T" to the SMR code.

Column 2, item numbers 11 and 13 from the top. Change FSN 5821-689-6257 to 5821-177-3379.

Page 27, Column 2, item number 4 from the top. Add FSN 5821-177-3414.

Column 2, item number 9 from the top. Change FSN 5935-061-3276 to 5999-497-9274.

Column 2, item number 12 from the top. Change FSN 5310-126-0014 to 5310-145-1979.

Page 29, Column 1, item number 16 from the top. Change recoverability code "R" to "S."

Column 2, item numbers 5 and 18 from the top. Change FSN 5310-126-0014 to 5310-145-1979.

Page 30, Column 2, item number 5 from the top. Change FSN 5310-126-0014 to 5310-145-1979.

Column 10*b*, item numbers 1 and 2 from the bottom. Change the reference designation A3 to A2.

Page 31, Column 10*b*, item numbers 1 and 2 from the top. Change the reference designations A2 to A3.

Page 34, Column 1, item number 5 from the bottom. Add recoverability code "T" to the SMR code.

Page 37, Column 2, item number 10 from the top. Change FSN 5905-924-3289 to 5905-924-3287.

Page 41, Column 1, item number 8 from the bottom. Add the recoverability code "T" to the SMR code.

Page 42, Column 1, item number 4 from the top. Change the SMR Code MDH to PH.

Column 2, item number 6 from the bottom. Change FSN 5340-596-4646 to 5340-402-4646.

Page 43, label this blank page as left blank intentionally.

Page 45, Column 3, item number 11 from the top. Change the description to Cable, Assembly, R.F.

Page 47, Column 2, item number 2 from the bottom. Change FSN 5935-061-3276 to 5999-497-9274.

Column 2, item number 10 from the bottom. Change FSN 5905-197-4008 to 5905-197-4028.

Page 48, Column 2, item number 2 from the top. Change FSN 5935-1[illegible]926 to 5935-168-4126.

Column 2, item numbers 3 and 6 from the top. Change FSN 5935-061-3276 to 5999-497-9274.

Column 2, item number 9 from the top. Change FSN 5935-782-6165 to 5935-762-0412.

Page 49, Column 2, item number 8 from the top. Change FSN 5935-061-3276 to 5999-497-9274.

Column 2, item number 10 from the top. Change FSN 5935-168-4432 to 5821-168-3619.

Column 2, item number 3 from the bottom. Change FSN 6145-959-4490 to 6145-103-3057.

Page 50, Column 2, item number 1 from the bottom. Change FSN 5310-126-0014 to 5310-145-1979.

Page 51, Column 2, item numbers 7 through 11. Change FSN 5940-168-4272 to 5970-168-4272.

Column 2, item number 6 from the bottom. Change FSN 5310-126-0014 to 5310-145-1979.

Page 52, Column 10*b*, item number 1 from the top. Change the reference designation to H523.

Column 3, item number 9. Change description to Cable, Assembly, RF.

Page 60, Column 2, item numbers 4 and 5 from the bottom. Reverse the 2 FSN pertaining to these 2 items.

Column 3, item numbers 1 and 2 from the top. Add to the description: Authorized only in support of serial numbered sets 1 through 136 and add the model "P" to the usable on code column.

Column 3, item numbers 3 and 4 from the top. Add to the description: Authorized only in support of serial numbered sets 137—on and add the model "R" to the usable on code column.

The following changes are made to figures 6 and 8.

Page 91, Figure 6. Reverse the reference designations A2 with A3.

Page 95, Figure 8. Add note: Prefix all reference designations with A2.

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-31, direct and general support maintenance requirements for the OH-58 aircraft and DA Form 12-36, direct and general support maintenance requirements for the OH-6A and AH-56 aircraft.

TECHNICAL MANUAL
No. 11-5821-261-35P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *2 February 1971*

DS, GS, and Depot Maintenance Repair Parts and Special Tools List

RADIO SET AN/ARC-116

FSN 5821-935-5073

Current as of November 1970

		Paragraph	Page
SECTION I.	INTRODUCTION		
	Scope	1	3
	General	2	3
	Explanation of columns	3	3
	Special information	4	5
	How to locate repair parts	5	6
	Federal supply codes for manufacturers	6	6
	Recommendations for maintenance publication improvements	7	6
II.	REPAIR PARTS LIST		
	GROUP I RADIO SET, FRONT SECTION		7
	GROUP II RADIO SET, REAR SECTION		34
III.	SPECIAL TOOLS LIST		60
IV.	INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION		61
V.	INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER		75

*This manual supersedes so much of TM 11-5821-261-35, 12 December 1968 as pertains to repair parts and special tools list.

SECTION I.

INTRODUCTION

1. Scope

This manual lists repair parts, special tools, and test equipment required for the performance of direct support, general support, and depot maintenance of the Radio Set AN/ARC-116.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. Repair Parts—Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot levels.

b. Special Tools, Test and Support Equipment—Section III. A list of special tools, test and support equipment authorized for the performance of maintenance at the direct support, general support, and depot levels.

c. Federal Stock Number and Reference Number Index—Section IV. A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and reference designation.

d. Reference Designation Index—Section V. A list of reference designations in ascending alpha-numeric sequence cross-referenced to page number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in Sections II and III.

a. Source, Maintenance, and Recoverability Codes (SMR), Column 1:

(1) Source code, indicates the selection status and source for the listed item. For explanation of split source codes see paragraph 4. Source codes used are:

Code	Explanation
P	Repair parts which are stocked in or supplied from the GSA/DSA, or Army Supply System and authorized for use at indicated maintenance categories.
P2	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
P10	Assigned to items which are NSA design controlled: special tools, test measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic System.
M	Repair parts which are not procured or stocked but are to be manufactured in indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

Note. Source coding of selected hardware items has been excluded. These items are authorized "as required."

(2) Maintenance code, indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	Explanation
O	Organizational Maintenance
F	Direct Support Maintenance
H	General Support Maintenance
D	Depot Support Maintenance

(3) Recoverability code, indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Repair parts and assemblies that are economically repairable at DSU and GSU activities and normally are furnished by supply on an exchange basis.
S	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
U	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.

b. Federal Stock Number, Column 2. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description, Column 3. This column indicates the Federal item name and any additional description of the item required. A part number or other reference number is followed by the applicable 5-digit Federal Supply Code for manufacturers in parentheses. Dots . . . preceding the item name denote indenture relating a repair part to its next higher assembly. Attaching hardware is indented at the same level as the item it attaches. Identifications of the usable on codes included in Column 3 are:

Code	Used on
A	Serial Nos. 74 through 136
B	Serial Nos. 34 through 136
C	Serial Nos. 430–On
E	Serial Nos. 1 through 33
F	Serial Nos. 34–On
G	Serial Nos. 1 through 749
H	Serial Nos. 750–On
J	Serial Nos. 34 through 73
K	Serial Nos. 74–On
N	Serial Nos. 1 through 73
P	Serial Nos. 1 through 136
R	Serial Nos. 137–On

d. Unit of Measure (U/M), Column 4. A 2-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft., ea., pr., etc.

e. Quantity Incorporated in Unit, Column 5. This column indicates the quantity of the item used in an assembly. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (i.e., wire, shims, etc).

f. 30-Day DS/GS Maintenance Allowances, Columns 6 and 7.

NOTE

Allowances in GS columns are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths and multiplying the decimal factor by the parts quantity authorized in the 51–100 allowance column. *Example,* authorized allowance for 51–100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

g. 1-Year Allowances Per 100 Equipments Contingency Planning Purposes, Column 8. This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year. Subsequent appearances of the same item will have the letters "REF" in the allowance column.

h. Depot Maintenance Allowance Per 100 Equipments, Column 9. This column indicates the first appearance of each item, the total quan-

tity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

i. Illustration, Column 10. This column is divided as follows:

(1) Figure Number, Column 10a. Indicates the figure number of the illustration in which the item is shown.

(2) Item Number or Reference Designation, Column 10b. Indicates the reference designation used to reference the item in the illustration.

4. Special Information

a. The following publications pertain to the Radio Set AN/ARC-116 and its components.

TM 11-5821-261-20	Organizational Maintenance Manual for Radio Set AN/ARC-116
TM 11-5821-261-20P	Organizational Maintenance Repair Parts and Special Tools List for Radio Set AN/ARC-116
TM 11-5821-261-35	Direct Support, General Support, and Depot Maintenance Manual for Radio Set AN/ARC-116
TM 11-5965-215-15	Operator, Organizational, Direct Support, General Support and Depot Maintenance Manual for Headset-Microphone H-101A/U
TM 11-5965-215-15P	Organizational, Direct Support, General Support and Depot Maintenance Repair Parts and Special Tools List for Headset-Microphone H-101A/U
TM 11-6625-928-12	Organizational Maintenance Manual for Test Facilities Kit MK-994/AR
TM 11-6625-928-20P	Organizational Maintenance Repair Parts and Special Tools List for Test Facilities Kit MK-994/AR
TM 11-6625-928-35	Direct Support, General Support, and Depot Maintenance Manual for Test Facilities Kit MK-994/AR
TM 11-6625-2414-20	Operator and Organizational Maintenance Manual for Test Facilities Kit MK-1191/AR
TM 11-6625-2414-20P	Organizational Maintenance Repair Parts and Special Tools List for Test Facilities Kit MK-1191/AR
TM 11-6625-2414-45	General Support and Depot Maintenance Manual for Test Facilities Kit MK-1191/AR
TM 11-6625-2414-45P	Direct Support, General Support and Depot Maintenance Repair Parts and Special Tools List for Test Facilities Kit MK-1191/AR
TM 11-6625-2405-15	Operator, Organizational, Direct Support, General Support and Depot Maintenance Manual for Maintenance Accessories Kit MK-1192/ARM
TM 11-6625-2405-25P	Organizational, Direct Support, General Support and Depot Maintenance Repair Parts and Special Tools List for Maintenance Accessories Kit MK-1192/ARM

b. Items phantomed on illustrations are not available as a separate item of supply. When need for such hardware exists, the repair part which is attached will be requisitioned.

c. Repair parts mortality is computed from failure rates derived from experience factors with the individual parts in a variety of equipments. Variations in the specific application and periods of use of electronics equipment, the fragility of electronic piece parts, plus intangible material and quality factors intrinsic to the manufacture of electronic parts, do not permit mortality to be based on hours of end item use. However, long periods of continuous use under adverse conditions are likely to increase repair parts mortality.

d. Parts which require stockage, manufacture or assembly at a category of maintenance higher than that authorized for installation will indicate in the source column the higher category, i.e.; MD, AF, PH, etc.

e. Transistor sets, semiconductor sets, capacitor assemblies, and switches with multiple decks, all have multiple reference designations, therefore, a ± sign is shown in the reference designation column. The reference designations are given in the description column following the Federal manufacturers code number.

f. The word "OR" between items in the description column designates selected parts. Refer to Direct Support, General Support, and Depot Maintenance Manual for Radio Set AN/ARC-116, TM 11-5821-261-35 for replacement instructions.

g. THIS PUBLICATION CONTAINS REPAIR PARTS THAT DO NOT HAVE A RECOVERABILITY CODE, CONSEQUENTLY THEY WOULD NORMALLY BE CONSIDERED EXPENDABLE AT DIRECT/GENERAL SUPPORT. YOUR ATTENTION IS DIRECTED TO SB-11-621, DATED 2 MAY 1969 WITH CHANGE NO. 1, DATED 22 JULY 1969 WHICH REQUIRES THE RETURN TO THE DEPOT OF SELECTED "SLAE" COMPONENTS. TO ASSURE COMPLIANCE, THOSE ITEMS/EQUIVALENT HAVE BEEN IDENTIFIED IN THIS MANUAL WITH A CROSSHATCH (#) IN THE RECOVERABILITY COLUMN.

5. How to Locate Repair Parts

a. When Federal stock number or reference number is unknown:

(1) *First.* Using the table of contents, determine the functional group, i.e., Radio-Front, etc.

(2) *Second.* Find the illustration covering the item to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and reference designation of the repair part.

(4) *Fourth.* Refer to Section V, Reference Designation Cross-Reference to Page Number Index. This index lists the Reference Designators in alpha-numeric order. Locate the Reference Designator and go to the page listed in the Page No. column. On that page, locate the Reference Designator in the Item No. or Reference Designation column.

b. When Federal stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and reference designation.

(2) *Second.* Using the reference designators, locate the page number on the Reference Designation Cross-Reference to Page Number Index (Section V). Follow the procedure outlined in paragraph 5.*a.* (3).

c. When the reference designation is known:

(1) *First.* Locate the reference designation in the Index-Reference Designation Cross-Reference to Page Number.

(2) *Second.* Note the page number; then locate the item in the list by the page number.

6. Federal Supply Codes for Manufacturers

Code	*Manufacturer*
00011	Sylvania Electronic Systems Buffalo Operations
80063	Army Electronics Command Procurement and Production Directorate
80131	Electronic Industries Association
80205	National Aerospace Standards Committee Aeronautical Industries Association of America
81073	Grayhill Incorporated
81348	Federal Specifications Promulgated by Genal Service Adminsitration
81349	Military Specifications Promulgated by Standardization Div. Directorate of Logistic Services DSA
96906	Military Standards Promulgated by Standardization Div. Directorate of Logistic Service DSA

7. Recommendations for Maintenance Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user, is encouraged. Reports should be submitted on DA Form 2028 (Recommend Changes to Publications) and forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-ME-NMP-EM, Fort Monmouth, N.J. 07703.

SECTION II. REPAIR PARTS LIST

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
		GROUP I RADIO SET FRONT SECTION													
MD F		PLATE, IDENTIFICATION, SM-B-618836 (80063)	P	EA	1									1	MP1
MD F		PLATE, IDENTIFICATION, SM-B-618836-3 (80063)	P	EA	1									1	MP1
MD F		COVER, RADIO SET, SM-B-618393 (80063)		EA	1									1	MP2
	5305-022-6331	SCREW, SPECIAL, SM-B-618257 (80063)		EA	2	•	•	•	•	•	•	•	•	1	H1-2
	5305-113-8441	SCREW, MACHINE, 70A3810205-480 (00011) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION 70A3810206-480	P	EA	10	•	•	•	•	•	•	•	•	1	H3-12
P F	5305-054-5636	SCREW, MACHINE, 70A3810206-480 (00011)	R	EA	10	•	•	•	•	•	•	•	•	1	H3-12
	5305-054-6651	SCREW, MACHINE, MS51957-27 (96906)		EA	2	•	•	•	•	•	•	•	•	1	H13-14
	5310-126-0014	WASHER, FLAT, SM-C-617837-8 (80063)		EA	10	•	•	•	•	•	•	•	•	1	H346-355
	5310-929-6395	WASHER, LK, MS35338-136 (96906)		EA	4	•	•	•	•	•	•	•	•	1	H15-18
PH F S	5821-091-9153	RADIO-FRONT, SM-B-632139 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-692900	A	EA	1							6	6	1	A1
PH F S	5821-177-2980	RADIO-FRONT, SM-B-632340 (80063) DO NOT REQUISITION, PREFERRED ITEM IS SM-B-692900	J	EA	1									1	A1
PH F S	5821-134-7003	RADIO-FRONT, SM-B-692900 (80063)	R	EA	1				1	1	1	4	1	1	A1
PH F S	5821-091-9153	RADIO-FRONT, SM-B-617890 (80063) DO NOT REQUISITION PREFERRED ITEM IS SM-B-692900	E	EA	1									1	A1
P H S	5821-091-9154	CONTROL, FREQUENCY SELECTOR, SM-B-617892 (80063)		EA	1				1	1	1	5	1	2	A1
P H	5305-806-5888	SCREW, MACHINE, 70A3710442-480 (00011)		EA	2				•	•	•	•	•	2	H31-32
	5305-022-6331	SCREW, SPECIAL, SM-B-618257 (80063)		EA	1				REF	REF	REF	REF	REF	2	H394
	5310-933-8118	WASHER, LK, MS35338-135 (96906)		EA	2				•	•	•	•	•	2	H33, 47
	5310-115-6273	SCREW, SPECIAL, SM-B-618257-2 (80063)		EA	4				•	•	•	•	•	2	H395-398
P O	5355-880-5548	KNOB, ROUND, SM-C-617814 (80063)		EA	1	•	•	•	•	•	•	5	6	3	MP3
P O	5355-880-5548	KNOB, ROUND, SM-C-617814 (80063)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	3	MP4
P O	5355-880-5548	KNOB, ROUND, SM-C-617814 (80063)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	3	MP5

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code — Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
	5305-719-5346	... SETSCREW, MS51963-35 (96906)	EA	6	*	*	*	*	*	*	*	*	3	H323-324
P O	5355-880-5549	... KNOB, ROUND, SM-C-618047 (80063)	EA	1	*	*	*	*	*	*	5	7	3	MP6
	5305-717-6950	... SETSCREW, MS51963-9 (96906)	EA	2	*	*	*	*	*	*	*	*	3	H325-326
P O	5355-880-5546	... KNOB, CONTROL, SM-D-595979-3 (80063)	EA	1	*	*	*	*	*	*	5	7	3	MP7
	5305-719-5342	... SETSCREW, MS51963-34 (96906)	EA	1	*	*	*	*	*	*	*	*	3	H235
	5305-719-5349	... SETSCREW, MS51963-37 (96906)	EA	1	*	*	*	*	*	*	*	*	3	H462
A F R		... PANEL, INDICATING, SM-E-617896 (80063)	EA	1										A1
	5310-115-6273	... SCREW, SPECIAL, SM-B-618257-2 (80063)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	3	H19-21
	5310-929-6395	... WASHER, LK, MS35338-136 (96906)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	3	H22-24
P F	5821-944-1947	.... PANEL, INDICATING, SM-E-617896-1 (80063)	EA	1	*	*	*	*	*	*	5	2	3	MP9
P F #	5821-091-9145	.... WIRING PLATE AND LAMP ASSEMBLY, SM-E-617896-2 (80063)	EA	1	2	2	3	2	2	2	40	25	3	MP10
P F	5930-059-2856	... SWITCH, PUSH, 30YY2069 (81073)	EA	1	*	2	2	*	2	2	12	15	3	S7
P F	5905-057-8733	... RESISTOR, VAR, SM-A-597813-3 (80063)	EA	1	*	2	2	*	2	2	12	8	3	R44
	5310-792-3548	... NUT, MTG, SM-B-617939-3 (80063)	EA	1	*	*	*	*	*	*	*	*	3	H459
P F	5310-150-4187	... WASHER, FLAT, SM-C-617837-10 (80063)	EA	1	*	*	*	*	*	*	*	*	3	H431
P F	5905-057-8737	... RESISTOR, VAR, SM-A-597813-5 (80063)	EA	1	*	2	2	*	2	2	12	8	3	R43
	5310-792-3548	... NUT, MTG, SM-B-617939-3 (80063)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	3	H460
	5310-113-8412	... WASHER, LK, SM-B-595971-1 (80063)	EA	1	*	*	*	*	*	*	*	*	3	H461
P H #	5821-091-9151	... TUNING MATRIX 1, SM-B-618497 (80063)	EA	1				1	2	2	19	10	3	A2
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	EA	2				*	*	*	*	*	3	H25-26
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	EA	2				*	*	*	*	*	3	H27-28
P H	3020-102-3768	... CHAIN, DRIVE SWITCH, SM-B-617829-5 (80063)	EA	1				*	*	*	4	1	3	MP24
P H	3020-102-6806	... SPROCKET, IDLER, SM-D-618535-3 (80063)	EA	1				*	*	*	5	2	3	MP11
P H	3020-102-6806	... SPROCKET, IDLER, SM-D-618535-3 (80063)	EA	1				REF	REF	REF	REF	REF	3	MP66
P H	5985-110-9288	... SHAFT ASSY, SM-B-618008 (80063)	EA	1				*	*	*	5	2	3	MP13

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code — Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
	5340-598-1493	... RING, RETAINING, MS16632-4018 (96906)	EA	1				*	*	*	*	*	3	H29
P H	5340-113-3851	... SHIM, SM-C-618053-4 (80063)	EA	V				*	*	*	5	10	3	MP12
P H	5821-168-3625	... SHAFT, IDLER, SM-C-617864 (80063)	EA	1				*	*	*	4	1	3	MP14
	5305-054-5647	... SCREW, MACHINE, MS51957-13 (96906)	EA	1				*	*	*	*	*	3	H30
	5310-126-0022	... WASHER, FLAT, MS16213-57 (96906)	EA	1				*	*	*	*	*	3	H105
P H	5821-091-9160	... SUPPORT, BRG, SM-B-618398 (80063)	EA	1				*	*	*	4	1	3	MP15
	5310-934-9748	... NUT, HEX, MS35649-244 (96906)	EA	2				*	*	*	*	*	3	H35-36
	5305-770-2579	... SCREW, MACHINE, MS51959-15 (96906)	EA	2				*	*	*	*	*	3	H111-112
	5310-895-6211	... WASHER, FLAT, MS15795-803 (96906)	EA	2				*	*	*	*	*	3	H37-38
	5310-933-8118	... WASHER, LK, MS35338-135 (96906)	EA	2				REF	REF	REF	REF	REF	3	H117-118
MD H		... PLATE, MOUNTING-RESISTOR, SM-C-618889-2 (80063)	EA	1									3	MP16
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	EA	3				REF	REF	REF	REF	REF	3	H119-121
	5310-928-2690	... WASHER, LOCK, MS35338-134 (96906)	EA	3				REF	REF	REF	REF	REF	3	H127-129
P H	5310-792-3555	... WASHER, TURNS COUNTING, SM-C-618048-1 (80063)	EA	1				*	*	*	5	2	3	MP17
P H	5310-792-3555	... WASHER, TURNS COUNTING, SM-C-618048-1 (80063)	EA	1				REF	REF	REF	REF	REF	3	MP18
	5340-721-8187	... RING, RETAINING, MS16624-1018 (96906)	EA	1				*	*	*	*	*	3	H122
P H	5310-113-8415	... WASHER, TURNS COUNTING, SM-C-618048-2 (80063)	EA	1				*	*	*	4	1	3	MP19
P H	5340-113-3851	... SHIM, SM-C-618053-4 (80063)	EA	V				REF	REF	REF	REF	REF	3	MP8
P H	5821-091-9150	... RING, STOP, SM-C-618049-2 (80063)	EA	1				*	*	*	4	1	3	MP20
	5305-717-6950	... SETSCREW, MS51963-9 (96906)	EA	1				REF	REF	REF	REF	REF	3	H39-40
P H	5821-168-3627	... SHAFT, DRIVE, SM-C-617868 (80063)	EA	1				*	*	*	4	1	3	MP22
	5340-598-1493	... RING, RETAINING, MS16632-4018 (96906)	EA	1				REF	REF	REF	REF	REF	3	H41
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)	EA	V				*	*	2	10	20	3	MP107
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)	EA	V				REF	REF	REF	REF	REF	3	MP108
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)	EA	V				REF	REF	REF	REF	REF	3	MP109

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP110
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP111
P H	5340-113-3851	... SHIM, SM-C-618053-4 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP81
P H	5821-168-3628	... SHAFT ASSY, SM-B-618419 (80063)		EA	1				*	*	*	4	1	3	MP23
	5340-598-1493	... RING, RETAINING, MS16632-4018 (96906)		EA	1				REF	REF	REF	REF	REF	3	H130
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP112
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP113
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP114
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP115
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP116
P H	5340-113-3851	... SHIM, SM-C-618053-4 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP101
P H	5821-168-3629	... SHAFT, DRIVE, SM-C-617865 (80063)		EA	1				*	*	*	4	1	3	MP25
	5340-598-1493	... RING, RETAINING, MS16632-4018 (96906)		EA	1				REF	REF	REF	REF	REF	3	H42
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	1				REF	REF	REF	REF	REF	3	MP117
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP118
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP119
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP120
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP121
P H	5821-489-6115	... PANEL, FRONT, SM-B-618014 (80063)		EA	1				*	*	*	4	1	3	MP64
	5305-054-5647	... SCREW, MACHINE, MS51957-13 (96906)		EA	4				REF	REF	REF	REF	REF	3	H440-443
	5310-595-6211	... WASHER, FLAT, MS15795-803 (96906)	P	EA	2				REF	REF	REF	REF	REF	3	H444-445
	5310-933-8118	... WASHER, LK, MS35338-135 (96906)		EA	4				REF	REF	REF	REF	REF	3	H448-451
P H	5315-797-5205	... PIN, LOCK-ROTARY, SM-C-617870-1 (80063)		EA	1				*	*	*	4	3	3	MP26
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)		EA	2				REF	REF	REF	REF	REF	3	H43-44
	5310-595-6761	... WASHER, FLAT, MS15795-802 (96906)		EA	2				*	*	*	*	*	3	H131-132

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)		EA	2				REF	REF	REF	REF	REF	3	H358-359
P H	6680-150-6505	... COUNTER, ROTATING, SM-D-595977 (80063)		EA	1				*	*	*	4	1	3	MP27
	5340-886-1471	... RING, RETAINING, MS16632-4012 (96906)		EA	1				*	*	*	*	*	3	H45
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				*	*	*	5	16	3	MP28
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP29
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP30
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP31
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP32
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP33
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP34
P H	5340-178-1408	... SHIM, SM-C-618053-5 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP35
P H	3020-102-3767	... GEAR, HELICAL, SM-D-617888-1 (80063)		EA	1				*	*	*	4	9	3	MP39
P H	5305-803-0063	... SCREW, MACHINE, 70A8300403-210 (00011)	R	EA	2				*	*	*	*	*	3	H356-357
P H	3120-116-1474	... BEARING, SHOULDER, SM-C-618064 (80063)		EA	1				*	*	*	4	1	3	MP41
	5310-143-5649	... WASHER, FLAT, SM-C-596378-2 (80063)		EA	1				*	*	*	*	*	3	H34
P H	3120-938-5558	... BEARING, SLEEVE, SM-C-618066-1 (80063)		EA	1				*	*	*	4	1	3	MP40
P H	3020-401-8148	... GEAR HELICAL, SM-D-618067 (80063)		EA	1				*	*	*	4	5	3	MP42
	5305-843-2841	... SETSCREW, 70A8300203-210 (00011)		EA	2				*	*	*	*	*	3	H360-361
P H	3020-102-3767	... GEAR, HELICAL, SM-D-617888-1 (80063)		EA	1				REF	REF	REF	REF	REF	3	MP43
P H	5305-803-0068	... SCREW, MACHINE, 70A8300403-210 (00011)	R	EA	2				REF	REF	REF	REF	REF	3	H362-363
P H	3120-938-5558	... BEARING, SLEEVE, SM-C-618066-1 (80063)		EA	1				REF	REF	REF	REF	REF	3	MP44
P H	3120-809-6560	... BEARING, SLEEVE, SM-C-618066-3 (80063)		EA	1				*	*	*	4	7	3	MP36
P H	2030-195-5831	... GEAR, CLUSTER, SM-D-617880 (80063)		EA	1				*	*	*	4	5	3	MP45
P H	5315-797-5206	... PIN, LOCK, SM-B-595940-1 (80063)		EA	1				*	*	*	5	9	3	H46

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code / Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P H	5930-116-2787	... SWITCH, ROT., SM-B-617809-1 (80063)	EA	1				*	*	*	5	15	3	S3
	5305-929-6457	... SCREW, MACHINE, NAS1635-00-5 (80205)	EA	2				*	*	*	*	*	3	H51-52
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				2	2	2	65	66	3	CR11
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR12
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR13
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR14
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR15
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR16
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR17
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR18
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR19
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR20
P H	5970-134-0907	... INSULATOR SW, SM-C-597677 (80063)	EA	1				*	*	*	4	3	3	MP46
MD H		... PLATE, SUPPORT, SM-B-617839 (80063)	EA	1									3	MP47
MD H		... PLATE, MOUNTING, SM-B-617883 (80063)	EA	1									3	MP48
	5305-054-5645	... SCREW, MACHINE, MS51957-10 (96906)	EA	2				*	*	*	*	*	3	H57-58
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	EA	2				REF	REF	REF	REF	REF	3	H59-60
P H	5895-704-9698	... GEAR, SPUR, SM-B-595947 (80063)	EA	1				*	*	*	5	6	3	MP49
P H	5365-191-4024	... SPACER, TUBULAR, SM-C-617878-1 (80063)	EA	1				*	*	*	5	7	3	MP50
P H	5365-191-4024	... SPACER, TUBULAR, SM-C-617878-1 (80063)	EA	1				REF	REF	REF	REF	REF	3	MP51
P H	5930-168-4153	... DRIVER, SWITCH, SM-D-617841 (80063)	EA	1				*	*	*	4	1	3	MP52
P H	3040-091-9134	... ACTUATOR, SWITCH, SM-D-617842-1 (80063)	EA	1				*	*	*	4	1	3	MP53
P H	5365-191-4026	... SHIM, SM-C-618053-7 (80063)	EA	V				*	*	*	4	9	3	MP38
	5310-143-5680	... WASHER, SPRING, SM-B-597932-4 (80063)	EA	1				*	*	*	4	13	3	MP37

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P H	5930-168-4430	... SWITCH, ROT., ASSY, SM-C-618069 (80063)		EA	1				*	*	*	5	15	3	S4
P H	3020-181-3162	... CHAIN, DRIVE, SWITCH, SM-B-617829-3 (80063)		EA	1				*	*	*	4	1	3	MP54
P H	3020-106-9893	... SPROCKET, DRIVE, SM-C-618063 (80063)		EA	1				*	*	*	4	1	3	MP55
	5315-880-9078	... PIN, LOCK, SM-B-595940-1 (80063)		EA	1				REF	REF	REF	REF	REF	3	H48
P H	5930-116-2769	... SWITCH, ROT., ASSY, SM-C-618218 (80063)		EA	1				*	*	*	5	15	3	S6
P H	3040-181-3190	... SHAFT, PINION, SM-C-618077 (80063)		EA	1				*	*	*	4	1	3	MP56
	5340-598-1493	... RING, RETAINING, MS16632-4018 (96906)		EA	2				REF	REF	REF	REF	REF	3	H50, 61
P H	5340-113-3848	... SHIM, SM-C-518053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP122
P H	5340-113-3848	... SHIM, SM-C-518053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP123
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP124
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP125
P H	5340-113-3848	... SHIM, SM-C-618053-1 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP126
P H	5340-113-3851	... SHIM, SM-C-618053-4 (80063)		EA	V				REF	REF	REF	REF	REF	3	MP98
P H	3020-195-5823	... LINK, CONNECTING, SM-C-618016 (80063)		EA	1				*	*	*	4	1	3	MP57
P H	5305-113-8441	... SCREW, MACHINE, 70A3810205-480 (00011)		EA	1				REF	REF	REF	REF	REF	3	H364
P H	5930-168-4152	... DRIVER, TUNER SWITCH, SM-C-618017 (80063)		EA	1				*	*	*	4	1	3	MP58
	5305-843-2841	... SETSCREW, 70A8300203-210 (00011)	P	EA	2				REF	REF	REF	REF	REF	3	H366-367
P H	5305-803-0068	... SCREW, MACHINE, 70A8300403-210 (00011)	R	EA	2				REF	REF	REF	REF	REF	3	H366-367
P H	5930-408-8753	... SWITCH, ROT., ASSY, SM-C-618056 (80063)		EA	1				*	*	*	5	15	3	S5
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)		EA	1				REF	REF	REF	REF	REF	3	CR21
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)		EA	1				REF	REF	REF	REF	REF	3	CR22
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)		EA	1				*	2	2	33	65	3	R22
P H	3020-195-5823	... GEAR, SPUR, SM-D-617871 (80063)		EA	1				*	*	*	4	4	3	MP59
	5305-717-6950	... SCREW, MACHINE, MS51963-9 (96906)		EA	1				REF	REF	REF	REF	REF	3	H368
P H	5895-704-9698	... GEAR, SPUR, SM-B-595947 (80063)		EA	1				REF	REF	REF	REF	REF	3	MP63

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5930-408-8749	... SWITCH, ROT., ASSY, SM-C-617805 (80063) A1A1S1-A, -B, -C, -D		EA	1				•	•	•	5	15	3	±
P H	5905-480-5070	... RESISTOR, FXD, RN50E1011D (81349)		EA	1				•	•	•	5	7	3	R2
P H	5905-481-0201	... RESISTOR, FXD, RN50E8660F (81349)		EA	1				•	•	•	5	7	3	R3
P H	5905-195-8385	... RESISTOR, FXD, RN50E7410D (81349)		EA	1				•	•	•	5	7	3	R4
P H	5905-195-8379	... RESISTOR, FXD, RN50E6420D (81349)		EA	1				•	•	•	5	7	3	R5
P H	5905-195-8376	... RESISTOR, FXD, RN50E5490F (81349)		EA	1				•	•	•	5	7	3	R6
P H	5905-433-1818	... RESISTOR, FXD, RN50E4750F (81349)		EA	1				•	•	•	5	7	3	R7
P H	5905-195-8370	... RESISTOR, FXD, RN50E4070D (81349)		EA	1				•	•	•	5	7	3	R8
P H	5905-433-8368	... RESISTOR, FXD, RN50E3480F (81349)		EA	1				•	•	•	5	7	3	R9
P H	5905-433-8368	... RESISTOR, FXD, RN50E3010F (81349)		EA	1				•	•	•	5	7	3	R10
P H	5905-480-6849	... RESISTOR, FXD, RN50E2580D (81349)		EA	1				•	•	•	5	7	3	R11
P H	5905-195-8367	... RESISTOR, FXD, RN50E1131F (81349)		EA	1				•	•	•	5	7	3	R24
P H	5905-195-6776	... RESISTOR, FXD, RN50E9760F (81349)		EA	1				•	•	•	5	7	3	R25
P H	5905-195-8386	... RESISTOR, FXD, RN50E8350D (81349)		EA	1				•	•	•	5	7	3	R26
P H	5905-433-5755	... RESISTOR, FXD, RN50E7150F (81349)		EA	1				•	•	•	5	7	3	R27
P H	5905-195-8378	... RESISTOR, FXD, RN50E6120D (81349)		EA	1				•	•	•	5	7	3	R28
P H	5905-195-8374	... RESISTOR, FXD, RN50E5170D (81349)		EA	1				•	•	•	5	7	3	R29
P H	5905-150-5343	... RESISTOR, FXD, RN50E4370D (81349)		EA	1				•	•	•	5	7	3	R30
P H	5905-471-1834	... RESISTOR, FXD, RN50E3700D (81349)		EA	1				•	•	•	5	7	3	R31
P H	3020-195-5834	... GEAR AND ACTUATOR, SM-B-618001 (80063)		EA	1				•	•	•	4	1	3	MP60
P H	5930-408-8750	... SWITCH, ROT., ASSY, SM-C-618261 (80063) A1A1S1-E, -F, -G, -H		EA	1				•	•	•	5	15	3	±
P H	3020-195-5835	... GEAR, CLUSTER, SM-B-617866 (80063)		EA	1				•	•	•	4	1	3	MP61
	5305-717-6955	... SETSCREW, MS51963-1 (96906)	R	EA	1				•	•	•	•	•	3	H370
P H	5340-727-5153	... STRAP, MS17821-4-9 (96906)	R	EA	1				•	•	•	4	13	3	MP99

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code / Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5940-847-3138	... TERMINAL, LUG, SM-B-595953-2 (80063)	EA	1				*	*	*	4	13	3	E1
	5305-054-5648	... SCREW, MACHINE, MS51957-14 (96906)	EA	2				*	*	*	*	*	3	H421-422
	5310-933-8118	... WASHER, LK, MS35338-135 (96906)	EA	2				REF	REF	REF	REF	REF	3	H425-426
P H	3020-195-5838	... GEAR AND SPROCKET, SM-D-618011 (80063)	EA	1				*	*	*	4	1	3	MP65
P H	5315-880-9078	... PIN, LOCK, SM-B-595940-1 (80063)	EA	1				REF	REF	REF	REF	REF	3	H433
P H	5930-408-8752	... SWITCH, ROT., ASSY, SM-C-618262 (80063)	EA	1				*	*	*	5	15	3	S2
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R13
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R14
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R15
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R16
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R17
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R18
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R19
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R20
P H	5905-982-0937	... RESISTOR, FXD, RN55C1002F (81349)	EA	1				REF	REF	REF	REF	REF	3	R21
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR1
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR2
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR3
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR4
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR5
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR6
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR7
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR8
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR9
P H	5961-887-5181	... SEMICONDUCTOR DEVICE, 1N4531 (80131)	EA	1				REF	REF	REF	REF	REF	3	CR10

Next page number is 18.

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code / Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY OS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP ENTQTY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	3020-401-8107	... GEAR, CLUSTER, SM-D-618010 (80063)	EA	1				*	*	*	4	1	3	MP67
P H	5315-843-7988	... PIN, SPRING-TUBULAR, MS16562-3 (96906)	EA	1				*	*	*	4	3	3	H458
P H	5340-223-6650	... SHAFT, PINION, SM-D-617880 (80063)	EA	1				*	*	*	4	1	3	MP68
P H	5935-134-5607	... CONNECTOR, RECEPTACLE, SM-A-617906-9 (80063)	EA	1				*	*	*	4	14	3	J9
	5305-145-0631	... SCREW, MACHINE, 70A3810210-480 (00011)	EA	3				*	*	*	*	*	3	H436-437
	5310-126-0014	... WASHER, FLAT, SM-C-617837-8 (80063)	EA	2				REF	REF	REF	REF	REF	3	H438-439
P H	5935-062-1608	... CONTACT, ELECTRICAL, SM-A-617935-1 (80063)	EA	12				*	2	2	13	90	3	J9-1-12
XI H		... CONNECTOR AND WIRE, SM-B-618591 (80063) P	EA	1									3	P5
P H	5935-134-5298	... CONNECTOR, RECEPTACLE, SM-A-617934-2 (80063) R	EA	1				*	*	*	5	12	3	P5
P H	5935-062-1608	... CONTACT, ELECTRICAL, SM-A-617935-1 (80063) R	EA	52				REF	REF	REF	REF	REF	3	P5-1-52
X1 H		... CHASSIS AND PLATE, SM-B-632135 (80063)	EA	1										MP21
X1 H		.... CHASSIS AND PLATE ASSY, SM-D-632136-102 (80063)	EA	1									3	MP1
	5305-054-5649	.... SCREW, MACHINE, MS51957-15 (96906)	EA	2				*	*	*	*	*	3	H1-2
	5310-933-8118	.... WASHER, LK, MS35338-135 (96906)	EA	2				REF	REF	REF	REF	REF	3	H3-4
X1 H		.... CHASSIS AND PLATE ASSY, SM-D-632136-101, (80063)	EA	1									3	MP2
	5305-068-5412	..... SCREW, MACHINE, MS16995-4 (96906)	EA	8				*	*	*	*	*	3	H1-8
P H 3	5821-091-9159	.. ELECTRONIC COMPONENT ASSY-RF FRONT END, SM-B-618340 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-692925 P	EA	1									2	A3
P H 3	5821-404-5973	.. ELECTRONIC COMPONENT ASSY-RF FRONT END, SM-B-692925 (80063) R	EA	1				1	2	2	15	7	2	A3
	5305-054-5637	.. SCREW, MACHINE, MS51957-3 (96906) R	EA	3				*	*	*	*	*	2	H399-401
	5310-143-5663	.. WASHER, FLAT, SM-C-617837-3 (80063) R	EA	2				*	*	*	*	*	2	H403-404
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	EA	3				REF	REF	REF	REF	REF	2	H407-409
MD H		... COVER AND INSERT ASSY-TUNER, SM-B-618387 (80063)	EA	1									4,5	MP69

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code / Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
	5305-054-5636	SCREW, MACHINE, MS51957-2 (96906)	EA	16				REF	REF	REF	REF	REF	4,5	H62-77
	5310-595-6761	WASHER, FLAT, MS15795-802 (96906)	EA	3				REF	REF	REF	REF	REF	4,5	H341-343
	5310-928-2690	WASHER, LK, MS35338-134 (96906)	EA	16				REF	REF	REF	REF	REF	4,5	H80-95
P H	5340-998-0661	CLAMP, LOOP, SM-B-618683-4 (80063) R	EA	1				*	*	*	5	12	4	MP62
	5310-938-2013	NUT, HEX, MS35649-224 (96906) R	EA	1				*	*	*	*	*	4	H427
	5305-054-5637	SCREW, MACHINE, MS51957-3 (96906) R	EA	1				REF	REF	REF	REF	REF	4	H428
	5310-595-6761	WASHER, FLAT, MS15795-802 (96906) R	EA	2				REF	REF	REF	REF	REF	4	H424-425
	5310-928-2690	WASHER, LK, MS35338-134 (96906) R	EA	1				REF	REF	REF	REF	REF	4	H430
P H	5821-091-9149	ARM AND BEARING, SM-B-618383 (80063)	EA	1				*	*	*	4	1	4,5	MP70
	5305-054-5636	SCREW, MACHINE, MS51957-2 (96906)	EA	1				REF	REF	REF	REF	REF	4,5	H96
	5310-595-6761	WASHER, FLAT, MS15795-802 (96906) P	EA	1				REF	REF	REF	REF	REF	5	H97
	5310-928-2690	WASHER, LK, MS35338-134 (96906)	EA	1				REF	REF	REF	REF	REF	4,5	H98
	5305-717-6955	SETSCREW, MS51963-1 (96906)	EA	2				REF	REF	REF	REF	REF	4,5	H344-345
XI H		COVER AND BRACKET ASSY, SM-B-618338 (80063)	EA	1									4,5	MP71
	5305-054-5636	SCREW, MACHINE, MS51957-2 (96906)	EA	4				REF	REF	REF	REF	REF	4,5	H99-102
	5310-595-6761	WASHER, FLAT, MS15795-802 (96906)	EA	2				REF	REF	REF	REF	REF	4,5	H103-104
	5310-928-2690	WASHER, LK, MS35338-134 (96906)	EA	4				REF	REF	REF	REF	REF	4,5	H106-109
P H	5310-379-9718	GASKET, RADIO FREQUENCY, SM-C-692929 (80063) R	EA	1				*	*	*	4	10	5	MP176
P H #	5821-142-5417	CIRCUIT CARD ASSEMBLY, AGC/NOISE SOURCE SM-B-618433 (80063)	EA	1				1	2	2	16	8	4,5	A2
P H #	5821-142-5418	OSCILLATOR AND DOUBLER GUARD RECEIVER, SM-B-618148 (80063)	EA	1				1	2	2	16	8	4,5	A3
P H	5955-168-7402	CRYSTAL, UNIT, QUARTZ, SM-A-618690-915 (80063)	EA	1				*	*	2	8	4	4,5	Y1
P H #	5821-142-5416	RF AMPLIFIER GUARD RECEIVER, SM-B-618145 (80063)	EA	1				1	2	2	16	8	4,5	A4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P H #	5821-142-5415	... CIRCUIT CARD ASSEMBLY, OUTPUT, GUARD, SM-B-618480 (80063)		EA	1				1	2	2	16	8	4,5	A5
P H #	5821-142-5414	... CIRCUIT CARD ASSEMBLY, MAIN, SM-B-618385 (80063)		EA	1				1	2	2	16	8	4,5	A6
P H	5995-056-8850	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-1 (80063)		EA	1				*	*	2	8	35	4,5	P12
P H	5995-056-8848	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-2 (80063)		EA	1				*	*	2	8	35	4,5	J7
P H	5995-056-8848	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-2 (80063)		EA	1				REF	REF	REF	REF	REF	4,5	J8
P H	5995-056-8848	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-2 (80063)		EA	1				REF	REF	REF	REF	REF	4,5	J11
P H	5325-182-9661	... EYELET, SM-B-595933-5 (80063)		EA	1				*	*	2	10	4	4,5	MP104
P H	5325-182-9661	... EYELET, SM-B-595933-5 (80063)		EA	1				REF	REF	REF	REF	REF	4,5	MP105
P H	5325-182-9661	... EYELET, SM-B-595933-5 (80063)		EA	1				REF	REF	REF	REF	REF	4,5	MP106
P H	5325-182-9661	... EYELET, SM-B-595933-5 (80063)		EA	1				REF	REF	REF	REF	REF	4,5	MP189
X1 H		.. CIRCUIT CARD AND CHASSIS, SM-B-618377 (80063)	P	EA	1									5	A1
P H	5821-[illegible]-6112	... PLATE AND CONTACT, SM-B-692946 (80063)	R	EA	1				*	*	2	16	8	4	MP72
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	4	H570-571
	5305-054-5639	... SCREW, MACHINE, MS51957-5 (96906)	R	EA	2				*	*	*	*	*	4	H572-573
	5310-126-0014	... WASHER, FLAT, SM-C-617837-7 (80063)	R	EA	2				*	*	*	*	*	4	H574-575
	5310-595-6761	... WASHER, FLAT, MS15795-802 (96906)	R	EA	2				REF	REF	REF	REF	REF	4	H576-577
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	R	EA	4				REF	REF	REF	REF	REF	4	H578-581
P H	5365-191-9027	... SPACER, SWITCH, SM-C-692945 (80063)	R	EA	1				*	*	*	4	4	4	MP178
P H	5365-191-9027	... SPACER, SWITCH, SM-C-692945 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	MP179
P H	5905-922-7215	... RESISTOR, FXD, RC056F103K (81349)	R	EA	1				*	*	2	10	28	4	R4
P H	5905-922-7215	... RESISTOR, FXD, RC056F103K (81349)	R	EA	1				REF	REF	REF	REF	REF	4	R5
P H	5905-922-7215	... RESISTOR, FXD, RC056F103K (81349)	R	EA	1				REF	REF	REF	REF	REF	4	R6
P H	5905-922-7215	... RESISTOR, FXD, RC056F103K (81349)	R	EA	1				REF	REF	REF	REF	REF	4	R7
X1 H		... RESISTOR, FXD, RC076F470K (81349)	R	EA	1										R11

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
X1 H		... BUSHING, SM-B-597806-3 (80063)	R	EA	1										E52
X1 H		... BUSHING, SM-B-597806-3 (80063)	R	EA	1										E66
X1 H		... SEMICONDUCTOR SET, SM-A-595833-17 (80063) A1A3CR3-4, 6-7	R	EA	1										*
X1 H		... SEMICONDUCTOR SET, SM-A-595833-17 (80063) A1A3CR8-9, 10-11	R	EA	1										*
X1 H		... WASHER, FLAT, SM-C-596378-19 (80063)	R	EA	4										H582-585
X1 H		... COIL, RADIO FREQUENCY, SM-A-595835-109 (80063)	R	EA	1										L1
X1 H		... COIL, RADIO FREQUENCY, SM-A-595835-109 (80063)	R	EA	1										L2
X1 H		... COIL, RADIO FREQUENCY, SM-A-595835-109 (80063)	R	EA	1										L3
X1 H		... COIL, RADIO FREQUENCY, SM-A-595835-109 (80063)	R	EA	1										L23
X1 H		... COIL, RADIO FREQUENCY, SM-A-595835-109 (80063)	R	EA	1										L24
X1 H		... COIL, RADIO FREQUENCY, SM-A-595835-109 (80063)	R	EA	1										L25
X1 H		... CHASSIS-CAVITY 4, SM-E-618337 (80063)	R	EA	1										MP182
X1 H		... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2										H586-587
X1 H		... CAPACITOR, SM-A-617948-1 (80063)	R	EA	1										C26
X1 H		... LEAD, ELECTRICAL SM-B-632296 (80063)	R	EA	1										W4
X1 H		... COIL, SM-A-617938-2 (80063)	R	EA	1										L21
X1 H		... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1										C27
X1 H		... TERMINAL, SM-A-617937-2 (80063)	R	EA	1										E67
X1 H		... CHASSIS-CAVITY 3, SM-E-618327 (80063)	R	EA	1										MP183
X1 H		... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2										H588-589
X1 H		... RF AMP TYPE 3 MAIN RECEIVER, SM-B-692698 (80063)	R	EA	1										A7
X1 H		... SCREW, MACHINE, NAS1635-00-3 (80205)	R	EA	2										H590-591
X1 H		... WASHER, FLAT, MS15795-801 (96906)	R	EA	2										H592-593

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY OS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO OR REFERENCE DESIGNATION
X1 H		... WASHER, LK, NAS1640-0 (80205)	R	EA	2										H594-595
X1 H		... CAPACITOR, SM-A-617948-1 (80063)	R	EA	1										C19
X1 H		... LEAD, ELECTRICAL, SM-B-632296 (80063)	R	EA	1										W3
X1 H		... COIL, SM-A-617938-2 (80063)	R	EA	1										L17
X1 H		... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1										C20
X1 H		... TERMINAL, SM-A-617937-2 (80063)	R	EA	1										E60
X1 H		... CHASSIS-CAVITY 2, SM-E-618327 (80063)	R	EA	1										MP184
X1 H		... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2										H113-114
X1 H		... RF AMP TYPE 2 MAIN RECEIVER, SM-B-618485 (80063)	R	EA	1										A8
X1 H		... SCREW, MACHINE, NAS1635-00-3 (80205)	R	EA	2										H596-597
X1 H		... WASHER, FLAT, MS15795-801 (96906)	R	EA	2										H598-599
X1 H		... WASHER, LK, NAS1640-0 (80205)	R	EA	2										H600-601
X1 H		... CAPACITOR, SM-A-617948-1 (80063)	R	EA	1										C12
X1 H		... LEAD, ELECTRICAL, SM-B-632296 (80063)	R	EA	1										W2
X1 H		... COIL, SM-B-617938-2 (80063)	R	EA	1										L9
X1 H		... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1										C13
X1 H		... TERMINAL, SM-A-617937-2 (80063)	R	EA	1										E53
P H	5910-458-5804	... CAPACITOR, SM-A-595776-102 (80063)	R	EA	1				*	*	2	8	8	4	C47
X1 H		... CHASSIS-CAVITY 1, SM-B-692023 (80063)	R	EA	1										MP185
X1 H		... SCREW, MACHINE MS51957-2 (96906)	R	EA	2										H195
X1 H		... RF AMP TYPE 1 MAIN RECEIVER, SM-B-618363 (80063)	R	EA	1										A9
X1 H		... SCREW, MACHINE, NAS1635-00-3 (80205)	R	EA	2										H602-603
X1 H		... WASHER, FLAT, MS15745-801 (96906)	R	EA	2										H604-605
X1 H		... WASHER, LK, NAS1640-0 (80205)	R	EA	2										H606-607

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
X1 H		... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1										C4
X1 H		... LEAD, ELECTRICAL, SM-B-632296 (80063)	R	EA	1										W1
X1 H		... COIL, SM-A-617938-1 (80063)	R	EA	1										L5
X1 H		... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1										C5
X1 H		... TERMINAL, SM-A-617937-2 (80063)	R	EA	1										E43
X1 H		... TERMINAL, SM-A-617937-3 (80063)	R	EA	1										E44
X1 H		... TERMINAL, SM-A-617937-3 (80063)	R	EA	1										E45
P H	5935-247-8406	... CONNECTOR, PLUG, SM-A-617920-6 (80063)	R	EA	1				*	*	*	5	14	4	P6
P H	5935-062-1608	... CONTACT, ELECTRICAL, SM-A-617935-1 (80063)	R	EA	10				REF	REF	REF	REF	REF	4	P6-1-10
P H	5821-168-3620	... SUPPORT, SM-C-692930 (80063)	R	EA	1				*	*	*	4	1	4	MP186
P H	5975-985-6570	... STRAP, MS17821-3-9 (96906)	R	EA	1				*	*	*	4	14	4	MP187
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				*	2	2	27	36	4	C35
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C36
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C37
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C38
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C39
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C40
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C41
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C42
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C43
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C44
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C45
P H	5910-782-4981	... CAPACITOR, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	4	C46
X1 H		... CIRCUIT CARD ASSEMBLY, BOARD AND CONTACT ASSEMBLY, SM-B-618332 (80063)	R	EA	1										A10

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP ENTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
XI H		... RIVET, TUBULAR, SM-A-595946-4 (80063)	R	EA	2				*	*	*	*	*		H608-609
P H	[illegible]	... FRONT END INTERCONNECT BOARD, SM-B-618601 (80063)	R	EA	1				*	*	2	8	3	4	A11
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	4	H610-611
	5310-126-0014	... WASHER, FLAT, SM-C-617837-7 (80063)	R	EA	2				REF	REF	REF	REF	REF	4	H612-613
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	R	EA	2				REF	REF	REF	REF	REF	4	H614-615
XI H		... TERMINAL, SM-A-617937-1 (80063)	R	EA	1										E73
XI H		... CLIP, SM-C-617360 (80063)	R	EA	4										MP188
XI H		... RIVET, TUBULAR, SM-B-595946-11 (80063)	R	EA	8										H616-623
XI H		... CHASSIS, ELECTRICAL EQUIPMENT, SM-E-618326-2 (80063)	R	EA	1										MP190
P F	[illegible]	.. COVER, MARKED, SM-B-692938 (80063)	K	EA	1	*	*	*	*	*	*	4	1	2	MP75
P F	[illegible]	.. COVER AND SHIELD, SM-B-632142 (80063)	N	EA	1	*	*	*	*	*	*	4	1	2	MP75
	5305-054-5637	.. SCREW, MACHINE, MS51957-3 (96906)		EA	12	REF	REF	REF	REF	REF	REF	REF	REF	2	H133-143, 434
	5310-595-6761	.. WASHER, FLAT, MS15795-802 (96906)		EA	11	REF	REF	REF	REF	REF	REF	REF	REF	2	H410-420
	5310-595-6761	.. WASHER, FLAT, MS15795-802 (96906)	R	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	2	H435
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)		EA	11	REF	REF	REF	REF	REF	REF	REF	REF	2	H144-154
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	R	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	2	H446
MD H		.. CLAMP, WIRE, SM-B-618862 (80063)		EA	1									2	MP136
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)		EA	1				REF	REF	REF	REF	REF	2	H452
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)		EA	1				REF	REF	REF	REF	REF	2	H453
P F #	5821-018-8665	.. CIRCUIT CARD ASSEMBLY-SWITCHED FILTERS, SM-B-632200 (80063)	F	EA	1	1	2	2	1	2	2	15	7	2	A5
P F #	[illegible]	.. CIRCUIT CARD ASSEMBLY-SWITCHED FILTERS, SM-B-618627 (80063)	E	EA	1	1	1	1	1	1	1	1	1	2	A5
P F #	5821-018-8667	.. CIRCUIT CARD ASSEMBLY-DIVIDERS, 10 MC OSC, PH DET, SM-B-632186 (80063)	F	EA	1	1	2	2	1	2	2	15	7	2	A6
P F #	[illegible]	.. CIRCUIT CARD ASSEMBLY-DIVIDERS, 10 MC OSC, PH DET, SM-B-618635 (80063)	E	EA	1	1	1	1	1	1	1	1	1	2	A6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P F #	5821-142-5555	.. CIRCUIT CARD ASSEMBLY - VCO AND DIGITAL/ANALOG CONV, SM-B-632334 (80063)	R	EA	1	1	2	2	1	2	2	15	7	2	A7
P F #	5821-018-8668	.. CIRCUIT CARD ASSEMBLY - VCO AND DIGITAL/ANALOG CONV, SM-B-632216 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-632334	B	EA	1									2	A7
P F #	5821-142-2805	.. CIRCUIT CARD ASSEMBLY - VCO AND DIGITAL/ANALOG CONV, SM-B-618631 (80063)	E	EA	1	1	1	1	1	1	1	1	1	2	A7
P F #	5821-142-5550	.. CIRCUIT CARD ASSEMBLY - 59.9 MC IF AMP, GUARD SM-B-632205 (80063)	R	EA	1	1	2	2	1	2	2	12	5	2	A8
P F #	5821-142-5541	.. CIRCUIT CARD ASSEMBLY - 59.9 MC IF AMP AND MIXER, SM-B-632189 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-632205	P	EA	1									2	A8
P F #	5821-142-5541	.. CIRCUIT CARD ASSEMBLY - 59.9 MC IF AMP AND MIXER, SM-B-632189 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-692719	P	EA	1									2	A16
P F #	5821-403-6895	.. CIRCUIT CARD ASSEMBLY -59.9 MC IF AMP, MAIN, SM-B-692719 (80063)	R	EA	1	1	2	2	1	2	2	12	5	2	A16
P F #	5821-689-6273	.. CIRCUIT CARD ASSEMBLY - IF AMP, SM-B-618278 (80063)		EA	2	2	2	2	2	2	2	19	10	2	A9
P F #	5821-689-6273	.. CIRCUIT CARD ASSEMBLY - IF AMP, SM-B-618278 (80063)		EA	REF	REF	REF	REF	REF	REF	REF	REF	REF	2	A15
P F #	5821-689-6257	.. CIRCUIT CARD ASSEMBLY - 2ND IF, DET AND AGC AMP, SM-B-632330 (80063)	F	EA	2	2	2	2	2	2	2	19	10	2	A10
P F #	5821-689-6257	.. CIRCUIT CARD ASSEMBLY - 2ND IF, DET AND AGC AMP, SM-B-596103 (80063) DO NOT REQUISITION, PREFERRED ITEM IS SM-B-632330	E	EA	2									2	A10
P F #	5821-689-6257	.. CIRCUIT CARD ASSEMBLY - 2ND IF, DET AND AGC AMP, SM-B-632330 (80063)	F	EA	REF	REF	REF	REF	REF	REF	REF	REF	REF	2	A14
P F #	5821-689-6257	.. CIRCUIT CARD ASSEMBLY - 2ND IF, DET AND AGC AMP, SM-B-596103 (80063) DO NOT REQUISITION, PREFERRED ITEM IS SM-B-632330	E	EA	REF									2	A14
P F #	5821-091-9142	.. CIRCUIT CARD ASSEMBLY - SQUELCH CKT, SM-B-632009 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-692739	P	EA	2									2	A11
P F #	5821-403-6901	.. CIRCUIT CARD ASSEMBLY - SQUELCH CKT, SM-B-692739 (80063)	R	EA	2	2	2	2	2	2	2	19	10	2	A11

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P F #	5821-091-9142	.. CIRCUIT CARD ASSEMBLY - SQUELCH CKT, SM-B-632009 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-692739	P	EA	REF	REF	REF	REF	REF	REF	REF	REF	REF	2	A13
P F #	5821-403-6901	.. CIRCUIT CARD ASSEMBLY - SQUELCH CKT, SM-B-692739 (80063)	R	EA	REF	REF	REF	REF	REF	REF	REF	REF	REF	2	A13
P F #	5821-727-4246	.. CIRCUIT CARD ASSEMBLY - AUDIO AMPL, SM-B-618180 (80063)		EA	1	1	2	2	1	2	2	12	5	2	A12
P H #		.. CHASSIS, WIRED, SM-B-618018 (80063) DO NOT REQUISITION, PREFERRED ITEM IS SM-B-632140	E	EA	1									2	A4
P H S	5821-091-9155	.. CHASSIS, WIRED, SM-B-632140 (80063)	A	EA	1				1	1	1	1	1	2	A4
P H T	5821-091-9155	.. CHASSIS, WIRED, SM-B-632338 (80063) DO NOT REQUISITION, PREFERRED ITEM IS SM-B-632140	J	EA	1									2	A4
P H S	5821-403-6894	.. CHASSIS, WIRED, SM-B-692889 (80063)	R	EA	1				1	2	2	12	5	2	A4
P H	5935-134-5608	... CONNECTOR, RECEPTACLE, SM-A-617906-10 (80063)		EA	1				•	•	•	5	14	6	P9
P H	5935-061-3276	... CONTACT, ELECTRICAL, SM-A-617935-2 (80063)		EA	12				•	2	2	13	180	6	P9-1-12
P H	5821-489-6117	... BUFFER - AMPLIFIER, SM-B-605919 (80063)	R	EA	1				1	1	2	10	4	6	A1
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	6	H213-214
	5310-126-0014	... WASHER, FLAT, SM-C-617837-7 (80063)	R	EA	4				REF	REF	REF	REF	REF	6	H231-234
X1 H		.... COVER, BUFFER AMPLIFIER ASSEMBLY, SM-C-693186 (80063)	R	EA	1										MP196
X1 H		.... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-2 (80063)	R	EA	1										J18
X1 H		.... EYELET, SM-B-595933-9 (80063)	R	EA	1										MP197
X1 H		.... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-1 (80063)	R	EA	1										P19
X1 H		.... EYELET, SM-B-595933-9 (80063)	R	EA	1										MP198
X1 H		.... CAPACITOR, FEED, SM-A-617926-102 (80063)	R	EA	1										C8
X1 H		.... TRANSISTOR, SM-A-618652-2 (80063)	R	EA	1										Q1
X1 H		.... TRANSISTOR, SM-A-618652-2 (80063)	R	EA	1										Q2

(1) SM-C	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO OR REFERENCE DESIGNATION
X1 H		.... INSULATOR, SM-B-597802-2 (80063)	R	EA	1										MP199
X1 H		.... INSULATOR, SM-B-597802-2 (80063)	R	EA	1										MP200
X1 H		.... SEMICONDUCTOR DEVICE, 1N4532 (80131)	R	EA	1										CR1
X1 H		.... SEMICONDUCTOR DEVICE, 1N4532 (80131)	R	EA	1										CR2
X1 H		.... CAPACITOR, FXD, SM-A-595783-108 (80063)	R	EA	1										C1
X1 H		.... CAPACITOR, FXD, SM-A-595783-114 (80063)	R	EA	1										C4
X1 H		.... CAPACITOR, FXD, SM-A-595783-20 (80063)	R	EA	1										C7
X1 H		.... CAPACITOR, FXD, SM-A-595783-29 (80063)	R	EA	1										C2
X1 H		.... CAPACITOR, FXD, SM-A-617901-102 (80063)	R	EA	1										C3
X1 H		.... CAPACITOR, FXD, SM-A-617901-102 (80063)	R	EA	1										C5
X1 H		.... CAPACITOR, FXD, SM-A-617901-102 (80063)	R	EA	1										C6
X1 H		.... RESISTOR, FXD, RC05GF180J (81349)	R	EA	1										R1
X1 H		.... RESISTOR, FXD, RC05GF182J (81349)	R	EA	1										R2
X1 H		.... RESISTOR, FXD, RC05GF221J (81349)	R	EA	1										R6
X1 H		.... RESISTOR, FXD, RC05GF242J (81349)	R	EA	1										R5
X1 H		.... RESISTOR, FXD, RC05GF272J (81349)	R	EA	1										R3
X1 H		.... RESISTOR, FXD, RC05GF511J (81349)	R	EA	1										R4
X1 H		.... TRANSFORMER, RADIO FREQUENCY, SM-A-618676-1 (80063)	R	EA	1										T1
X1 H		.... PRINTED WIRING BOARD - BUFFER AMPLIFIER, SM-C-605921 (80063)	R	EA	1										E1
X1 H		.... SPACER, BUFFER AMPLIFIER ASSEMBLY, SM-C-693188 (80063)	R	EA	1										MP201
X1 H		.... SPACER, BUFFER AMPLIFIER ASSEMBLY, SM-C-693188 (80063)	R	EA	1										MP202
X1 H		.... PLATE, MOUNTING, SM-C-693187 (80063)	R	EA	1										MP203
P H	5995-056-8848	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	J19

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY OS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P H	5995-056-8850	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	P18
P H	5935-134-5297	... CONNECTOR, RECEPTACLE, SM-A-617934-1 (80063)		EA	1				*	*	*	5	28	6	J5
	5310-938-2013	... NUT, HEX, MS35649-224 (96906)		EA	2				REF	REF	REF	REF	REF	6	H155-156
	5305-054-5640	... SCREW, MACHINE, MS51957-6 (96906)		EA	2				*	*	*	*	*	6	H157-158
	5310-126-0014	... WASHER, FLAT, SM-C-617837-7 (80063)		EA	4				REF	REF	REF	REF	REF	6	H159-126
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)		EA	2				REF	REF	REF	REF	REF	6	H163-164
P H	5999-142-5733	... CONTACT, ELECTRICAL, SM-A-617935-4 (80063)		EA	52				*	2	2	19	598	6	J5-1-52
P H	5995-102-3821	... CABLE AND SHIELD, SM-B-618395 (80063)		EA	1				*	*	*	5	2	6	MP127
	5305-929-6421	... SCREW, MACHINE, NAS1635-00-3 (80205)		EA	2				REF	REF	REF	REF	REF	6	H165-166
	5310-804-0141	... WASHER, FLAT, MS15795-801 (96906)		EA	2				REF	REF	REF	REF	REF	6	H167-168
X1 H		... COVER, RCVR, SM-B-618864 (80063)		EA	1									6	MP78
	5305-054-5640	... SCREW, MACHINE, MS51957-6 (96906)		EA	4				REF	REF	REF	REF	REF	6	H199-202
	5305-948-4042	... SCREW, MACHINE, MS35275-204 (96906)		EA	4				*	*	*	*	*	6	H454-457
MD H		... PLATE, INSULATOR, SM-D-618443 (80063)		EA	1									6	MP77
X1 H		... CONNECTOR, ASSEMBLY, SM-B-618281 (80063)	P	EA	1									6	MP76
P H R	5935-156-3696	... CONNECTOR, ASSEMBLY, SM-B-692875 (80063)	R	EA	1				*	*	2	8	14	6	MP76
	5305-054-5638	... SCREW, MACHINE, MS51957-4 (96906)		EA	4				REF	REF	REF	REF	REF	6	H209-212
P H	5310-126-0014	... WASHER, FLAT, SM-C-617837-7 (80063)		EA	4				REF	REF	REF	REF	REF	6	H169-171, 230
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	R	EA	4				REF	REF	REF	REF	REF	6	H218-221
P H	5905-156-6581	.... RESISTOR, VAR, SM-A-595863-202 (80063)	R	EA	1				*	*	2	8	8	6	R10
P H	5935-111-1881	.... CONNECTOR, ELECTRICAL SM-A-595807-1 (80063)	R	EA	1				*	2	2	13	21	6	XA2
	5310-150-4415	.... WASHER, FLAT, SM-C-596378-19 (80063)	R	EA	2				*	*	*	*	*	6	H1-2
P H	5935-134-5298	.... CONNECTOR, RECEPTACLE, SM-A-617934-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	J3
	5310-150-4115	.... WASHER, FLAT, SM-C-596378-19 (80063)	R	EA	2				REF	REF	REF	REF	REF	6	H3-4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY OS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5999-142-5718	.... CONTACT, ELECTRICAL, SM-A-617935-7 (80063)	R	EA	38				*	2	2	19	120	6	J3-1-38
P H	5935-168-4129	.... CONNECTOR, PLUG, SM-A-617920-5 (80063)	R	EA	1				*	*	*	5	28	6	J6
	5310-938-2013	.... NUT, HEX, MS35649-224 (96906)	R	EA	2				REF	REF	REF	REF	REF	6	H5-6
	5305-054-5637	.... SCREW, MACHINE, MS51957-3 (96906)	R	EA	2				REF	REF	REF	REF	REF	6	H7-8
	5 10-126-0014	.... WASHER, FLAT, SM-C-617837-7 (80063)	R	EA	4				REF	REF	REF	REF	REF	6	H9, 9A, 10, 10A
P H	5999-142-5717	.... CONTACT, ELECTRICAL, SM-A-617935-6 (80063)	R	EA	11				*	2	2	12	33	6	J6-1-11
X1 H		.... PRINTED WIRING BOARD, INTERCONNECTION, SM-D-692873 (80063)	R	EA	1										E1
P H	5340-998-0661	... CLAMP, LOOP, SM-B-618683-4 (80063)	R	EA	3				REF	REF	REF	REF	REF	6	MP149 MP150, 152
X1 H		... COVER, SYNTHESIZER, SM-B-618073 (80063)		EA	1									6	MP79
	5305-054-5638	... SCREW, MACHINE, MS51957-4 (96906)		EA	2				REF	REF	REF	REF	REF	6	H224-225
	5305-054-5639	... SCREW, MACHINE, MS51957-5 (96906)		EA	4				REF	REF	REF	REF	REF	6	H226-229
MD H	5970-168-4271	... INSULATOR, SM-C-692753 (80063)	R	EA	1									6	MP146
P H	5910-056-4859	... CAPACITOR, FXD, SM-A-617901-103 (80063)		EA	1				*	*	2	10	6	6	C28
P H	5995-056-8848	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-2 (80063)		EA	1				REF	REF	REF	REF	REF	6	J12
P H	5995-056-8850	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-1 (80063)		EA	1				REF	REF	REF	REF	REF	6	P7
P H	5995-056-8850	... CABLE ASSEMBLY, RADIO, FREQUENCY, SM-A-597837-1 (80063)		EA	1				REF	REF	REF	REF	REF	6	P10
P H	5995-056-8850	... CABLE ASSEMBLY, RADIO FREQUENCY, SM-A-597837-1 (80063)		EA	1				REF	REF	REF	REF	REF	6	P11
P H	5940-944-5019	... TERMINAL, LUG, SM-A-617928-2 (80063)		EA	1				*	*	2	8	15	6	MP193
P H	5821-168-7398	... PRINTED CABLE ASSEMBLY, SM-C-618287 (80063)		EA	1				*	*	*	5	2	6	W1
P H	5821-168-7397	... PRINTED CABLE ASSEMBLY, SM-D-618641 (80063)		EA	1				*	*	*	5	2	6	W2
X1 H		... CONNECTOR ASSEMBLY, SYNTHESIZER, SM-B-617996 (80063)	E	EA	1									6	A3
P H	5821-168-4268	... CONNECTOR ASSEMBLY, SYNTHESIZER, SM-B-632322 (80063)	F	EA	1				*	*	2	8	7	6	A3

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5821-177-3504	... CONNECTOR ASSEMBLY, RECEIVER, SM-D-632010 (80063)	K	EA	1				*	*	*	5	2	6	A2
X1 H		... CONNECTOR ASSEMBLY, RECEIVER, SM-B-617963 (80063)	N	EA	1									6	A2
P H	5940-168-3375	... STRIP, GROUNDING, SM-C-618888 (80063)	R	EA	1				*	*	*	5	2	6	MP137
X1 H		... STRIP, GROUNDING, SM-C-632177 (80063)	P	EA	1									6	MP137
P H	5940-168-3375	... STRIP, GROUNDING, SM-C-618888 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	MP138
X1 H		... STRIP, GROUNDING, SM-C-632177 (80063)	P	EA	1									6	MP138
P H	5940-168-3377	... STRIP, GROUNDING, SM-C-632137 (80063)	R	EA	1				*	*	*	5	2	6	MP139
X1 H		... STRIP, GROUNDING, SM-C-632178 (80063)	P	EA	1									6	MP139
P H	5940-168-3377	... STRIP, GROUNDING, SM-C-632137 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	MP140
X1 H		... STRIP, GROUNDING, SM-C-632178 (80063)	P	EA	1									6	MP140
P H	5940-168-3376	... STRIP, GROUNDING, SM-C-632138 (80063)	R	EA	1				*	*	*	5	2	6	MP141
X1 H		... STRIP, GROUNDING, SM-C-632179 (80063)	P	EA	1									6	MP141
P H	5940-168-3376	... STRIP, GROUNDING, SM-C-632138 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	MP142
X1 H		... STRIP, GROUNDING, SM-C-632179 (80063)	P	EA	1									6	MP142
MD H		... PLATE, INSULATOR, SM-B-692903 (80063)	F	EA	1										MP147
MD H		... PLATE, INSULATOR, SM-B-692903 (80063)	F	EA	1										MP148
P H	5935-111-1881	... CONNECTOR, ELECTRICAL, SM-A-595807-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA8
P H	5935-111-1881	... CONNECTOR, ELECTRICAL, SM-A-595807-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA9
P H	5935-111-1881	... CONNECTOR, ELECTRICAL, SM-A-595807-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA10
P H	5935-111-1881	... CONNECTOR, ELECTRICAL, SM-A-595807-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA14
P H	5935-111-1881	... CONNECTOR, ELECTRICAL, SM-A-595807-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA15
P H	5935-111-1881	... CONNECTOR, ELECTRICAL, SM-A-595807-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA16
P H	5935-168-4125	... CONNECTOR, ELECTRICAL, SM-A-595807-2 (80063)	R	EA	1				*	*	2	8	9	6	XA11
P H	5935-168-4125	... CONNECTOR, ELECTRICAL, SM-A-595807-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA12
P H	5935-168-4125	... CONNECTOR, ELECTRICAL, SM-A-595807-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	6	XA13

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5320-680-4039	... RIVET, TUBULAR, SM-A-595946-5 (80063)	R	EA	18				•	•	•	•	•	6	H236-247, 463-468
P H	5310-181-6034	... WASHER, FLAT, SM-C-617837-12 (80063)	R	EA	18				•	•	•	•	•	6	H469-486
P H	5310-224-9388	... WASHER, FLAT, SM-C-596378-20 (80063)	R	EA	36				•	•	•	•	•	6	H487-522
X1 H		... CHASSIS, ELECTRICAL EQUIPMENT - MN, SM-B-618070 (80063)	P	EA	1										MP80
X1 H		... CHASSIS, ELECTRICAL EQUIPMENT - MN, SM-B-618729 (80063)	R	EA	1										MP80
		GROUP II RADIO SET REAR SECTION													
PH F S	5821-091-9156	. RADIO SET SUBASSEMBLY, TRANSMITTER/REGULATOR SECTION, SM-B-632150 (80063)	P	EA	1				1	1	1	4	1	1	A2
PH F S	5821-403-6900	. RADIO SET SUBASSEMBLY, TRANSMITTER/REGULATOR SECTION, SM-B-692644 (80063)	R	EA	1				1	1	1	4	1	1	A2
	5305-410-6549	. SCREW, EXTERNALLY RELIEVED BODY, SM-C-692567 (80063)		EA	4	•	•	•	•	•	•	•	•	7, 8	H248-251
	5310-043-1754	. WASHER, LK, MS35337-79 (96906)		EA	4	•	•	•	•	•	•	•	•	7, 8	H256-259
P H #	5821-091-9146	.. MODULATOR AND CARRIER CONTROL ASSEMBLY, SM-B-632148 (80063)	B	EA	1				1	1	1	1	1	2	A5
P H #		.. MODULATOR AND CARRIER CONTROL ASSEMBLY, SM-B-618572 (80063) DO NOT REQUISITION, PREFERRED ITEM IS SM-B-632148	E	EA	1									2	A5
P H #	5821-403-6899	.. MODULATOR AND CARRIER CONTROL ASSEMBLY, SM-B-692846 (80063)	R	EA	1				1	2	2	13	6	2	A5
X1 H		... CIRCUIT CARD ASSEMBLY - MODULATOR AND CARRIER CONTROL 1, SM-B-618489 (80063)	E	EA	1									7	A1
X1 H		... CIRCUIT CARD ASSEMBLY - MODULATOR AND CARRIER CONTROL 1, SM-B-632021 (80063)	B	EA	1									7	A1
X1 H		... CIRCUIT CARD ASSEMBLY NO. 1, MODULATOR AND CARRIER CONTROL, SM-B-692714 (80063)	R	EA	1									8	A1
P H	5305-774-9700	... SCREW, MACHINE, 70A3115006-480 (00011)		EA	4				•	•	•	•	•	7, 8	H123-126

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER TOO EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-180-8691	.... RESISTOR, FILM, RLR05C182JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8693	.... RESISTOR, FILM, RLR05C202JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8694	.... RESISTOR, FILM, RLR05C222JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8695	.... RESISTOR, FILM, RLR05C242JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8700	.... RESISTOR, FILM, RLR05C272JM (81349)	R	EA	1				*	2	2	13	20	8	R33
		OR													
P H	5905-180-8702	.... RESISTOR, FILM, RLR05C302JM (81349)	R	EA	1				*	2	2	13	20	8	R33
		OR													
P H	5905-180-8705	.... RESISTOR, FILM, RLR05C332JM (81349)	R	EA	1				*	2	2	13	20	8	R33
		OR													
P H	5905-180-8707	.... RESISTOR, FILM, RLR05C362JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8714	.... RESISTOR, FILM, RLR05C392JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8716	.... RESISTOR, FILM, RLR05C432JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8718	.... RESISTOR, FILM, RLR05C472JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8720	.... RESISTOR, FILM, RLR05C512JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8722	.... RESISTOR, FILM, RLR05C562JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8725	.... RESISTOR, FILM, RLR05C622JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													
P H	5905-180-8732	.... RESISTOR, FILM, RLR05C682JM (81349)	R	EA	1				*	*	2	10	13	8	R33
		OR													

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP ENTITY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-180-8738	.... RESISTOR, FILM, RLR05C752JM (81349)	R	EA	1				•	•	2	10	13	8	R33
		OR													
P H	5905-180-8742	.... RESISTOR, FILM, RLR05C822JM (81349)	R	EA	1				•	•	2	10	13	8	R33
		OR													
P H	5905-180-8748	.... RESISTOR, FILM, RLR05C912JM (81349)	R	EA	1				•	•	2	10	13	8	R33
		OR													
P H	5905-180-8668	.... RESISTOR, FILM, RLR05C103JM (81349)	R	EA	1				•	•	2	10	13	8	R33
		OR													
P H	5905-180-8671	.... RESISTOR, FILM, RLR05C113JM (81349)	R	EA	1				•	•	•	5	7	8	R33
		OR													
P H	5905-180-8676	.... RESISTOR, FILM, RLR05C123JM (81349)	R	EA	1				•	•	•	5	7	8	R33
		OR													
P H	5905-180-8679	.... RESISTOR, FILM, RLR05C133JM (81349)	R	EA	1				•	•	•	5	7	8	R33
		OR													
P H	5905-180-8682	.... RESISTOR, FILM, RLR05C153JM (81349)	R	EA	1				•	•	•	5	7	8	R33
P H	5340-168-7219	... SPACER, THREADED, SM-B-618466 (80063)		EA	1				•	•	•	5	7	7,8	MP191
P H	5340-168-7219	... SPACER, THREADED, SM-B-618466 (80063)		EA	1				REF	REF	REF	REF	REF	7,8	MP192
	5305-929-6421	.. SCREW, MACHINE, NAS1635-00-3 (80205)		EA	2				REF	REF	REF	REF	REF	7,8	H115-116
X1 H		... BRACKET, MTG, SM-B-618464 (80063)	P	EA	1									7	MP177
X1 H		... BRACKET, MTG, SM-B-692824 (80063)	R	EA	1									8	MP177
	5305-929-6421	... SCREW, MACHINE, NAS1635-00-3 (80205)		EA	2				REF	REF	REF	REF	REF	7,8	H159-160
X1 H		.. CIRCUIT CARD ASSEMBLY - MODULATOR AND CARRIER CONTROL 2, SM-B-618492 (80063)	E	EA	1										A2
X1 H		.. CIRCUIT CARD ASSEMBLY - MODULATOR AND CARRIER CONTROL 2, SM-B-632024 (80063)	B	EA	1									7	A2
X1 H		... CIRCUIT CARD ASSEMBLY - MODULATOR AND CARRIER CONTROL 2, SM-B-692820 (80063)	R	EA	1									8	A2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-10	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR SPARES PER EQUIP CNTGCY	(9) DEPOT MAINT SPARES PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-948-8451	.... RESISTOR, FXD, RC05GF511J (81349)	P	EA	1				REF	REF	REF	REF	REF	7	R23
		OR													
P H	5905-914-2090	.... RESISTOR, FXD, RC05GF561J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-947-7841	.... RESISTOR, FXD, RC05GF621J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-945-5291	.... RESISTOR, FXD, RC05GF681J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-917-0403	.... RESISTOR, FXD, RC05GF751J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-905-7634	.... RESISTOR, FXD, RC05GF821J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-947-7838	.... RESISTOR, FXD, RC05GF911J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-923-3534	.... RESISTOR, FXD, RC05GF102J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-897-0395	.... RESISTOR, FXD, RC05GF112J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-924-3289	.... RESISTOR, FXD, RC05GF122J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-947-5427	.... RESISTOR, FXD, RC05GF132J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-924-3317	.... RESISTOR, FXD, RC05GF152J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-917-5522	.... RESISTOR, FXD, RC05GF162J (81349)	P	EA	1				*	*	*	5	7	7	R23
		OR													
P H	5905-917-5523	.... RESISTOR, FXD, RC05GF182J (81349)	P	EA	1				REF	REF	REF	REF	REF	7	R23
		OR													
P H	5905-945-6957	.... RESISTOR, FXD, RC05GF222J (81349)	P	EA	1				*	*	*	5	7	7	R23

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-180-8700	.... RESISTOR, FILM, RLR05C272JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8702	.... RESISTOR, FILM, RLR05C302JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8705	.... RESISTOR, FILM, RLR05C332JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8707	.... RESISTOR, FILM, RLR05C362JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8714	.... RESISTOR, FILM, RLR05C392JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8716	.... RESISTOR, FILM, RLR05C432JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8718	.... RESISTOR, FILM, RLR05C472JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8720	.... RESISTOR, FILM, RLR05C512JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8722	.... RESISTOR, FILM, RLR05C562JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8725	.... RESISTOR, FILM, RLR05C622JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8732	.... RESISTOR, FILM, RLR05C682JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8738	.... RESISTOR, FILM, RLR05C752JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8742	.... RESISTOR, FILM, RLR05C822JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8748	.... RESISTOR, FILM, RLR05C912JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6
		OR													
P H	5905-180-8660	.... RESISTOR, FILM, RLR05C103JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-180-8701	.... RESISTOR, FILM, RLR05C273JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8704	.... RESISTOR, FILM, RLR05C303JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8706	.... RESISTOR, FILM, RLR05C333JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8713	.... RESISTOR, FILM, RLR05C363JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8715	.... RESISTOR, FILM, RLR05C393JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8717	.... RESISTOR, FILM, RLR05C433JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8719	.... RESISTOR, FILM, RLR05C473JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8721	.... RESISTOR, FILM, RLR05C513JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8724	.... RESISTOR, FILM, RLR05C563JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8729	.... RESISTOR, FILM, RLR05C623JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8733	.... RESISTOR, FILM, RLR05C683JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8740	.... RESISTOR, FILM, RLR05C753JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													
P H	5905-180-8743	.... RESISTOR, FILM, RLR05C823JM (81349)	R	EA	1				*	*	*	5	7	8	R7
		OR													

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-180-8749	.... RESISTOR, FILM, RLR05C913JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8669	.... RESISTOR, FILM, RLR05C104JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8672	.... RESISTOR, FILM, RLR05C114JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8677	.... RESISTOR, FILM, RLR05C124JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8680	.... RESISTOR, FILM, RLR05C134JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8683	.... RESISTOR, FILM, RLR05C154JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8688	.... RESISTOR, FILM, RLR05C164JM (81349)	R	EA	1				•	•	•	5	7	8	R7
		OR													
P H	5905-180-8692	.... RESISTOR, FILM, RLR05C184JM (81349)	R	EA	1				•	•	•	5	7	8	R7
P H	5905-180-8737	.... RESISTOR, FILM, RLR05C751JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8742	.... RESISTOR, FILM, RLR05C821JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8745	.... RESISTOR, FILM, RLR05C911JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8667	.... RESISTOR, FILM, RLR05C102JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8670	.... RESISTOR, FILM, RLR05C112JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8673	.... RESISTOR, FILM, RLR05C122JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8678	.... RESISTOR, FILM, RLR05C132JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5905-180-8681	.... RESISTOR, FILM, RLR05C152JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8686	.... RESISTOR, FILM, RLR05C162JM (81349)	R	EA	1				•	•	•	5	7	8	R27
		OR													
P H	5905-180-8691	.... RESISTOR, FILM, RLR05C182JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
		OR													
P H	5905-180-8693	.... RESISTOR, FILM, RLR05C202JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
		OR													
P H	5905-180-8694	.... RESISTOR, FILM, RLR05C222JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
		OR													
P H	5905-180-8695	.... RESISTOR, FILM, RLR05C242JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
		OR													
P H	5905-180-8700	.... RESISTOR, FILM, RLR05C272JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
		OR													
P H	5905-180-8702	.... RESISTOR, FILM, RLR05C302JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
		OR													
P H	5905-180-8705	.... RESISTOR, FILM, RLR05C332JM (81349)	R	EA	1				REF	REF	REF	REF	REF	8	R27
P H	5910-904-0519	.. CAPACITOR, FXD, M26655/2-0146 (81349)	P	EA	1				•	•	•	4	9	7	C6
P H #	5821-091-9143	.. CIRCUIT CARD ASSEMBLY - POWER SUPPLY, SM-B-618769 (80063)	P	EA	1				1	1	1	1	1	7	A4
P H #	5821-254-6359	.. CIRCUIT CARD ASSEMBLY - POWER SUPPLY, SM-B-692691 (80063)	R	EA	1				1	2	2	12	5	8	A4
	5305-054-5637	.. SCREW, MACHINE, MS51957-3 (96906)		EA	3				REF	REF	REF	REF	REF	7,8	H263-265
P H	5305-400-8533	.. SCREW, MACHINE, 70A3210434-480 (00011)		EA	1				•	•	•	•	•	7,8	H266
	5305-054-5648	.. SCREW, MACHINE, MS51957-14 (96906)	P	EA	3				REF	REF	REF	REF	REF	7	H260-262
P H	5305-054-5652	.. SCREW, MACHINE, 70A3810420-480 (00011)	R	EA	2				•	•	•	•	•	8	H260-261
	5310-595-6761	.. WASHER, FLAT, MS15795-902 (96906)	P	EA	3				REF	REF	REF	REF	REF	7	H267-269
	5310-595-6761	.. WASHER, FLAT, MS15795-802 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H267-268
	5310-595-6211	.. WASHER, FLAT, MS15795-803 (96906)		EA	1				REF	REF	REF	REF	REF	7,8	H270

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)		EA	3				REF	REF	REF	REF	REF	7, 8	H271-273
	5310-933-8118	.. WASHER, LK, MS35338-135 (96906)		EA	1				REF	REF	REF	REF	REF	7, 8	H274
	5310-933-8118	.. WASHER, LK, MS35338-135 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H161-162
MO H	5940-549-7247	.. INSULATOR, SM-C-692922 (80063)	R	EA	1									8	MP155
P H	5940-944-5019	.. TERMINAL, LUG, SM-A-617928-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	E2
P H	5940-168-5347	. LUG, GROUNDING, SM-B-618033 (80063)	P	EA	1				•	•	•	5	2	7	C1 C
P H	5935-762-0414	.. CONNECTOR, PLUG, SM-A-595802-4 (80063)	P	EA	1					•	•	5	3	7	P13
P H	5935-811-7488	.. CONNECTOR, PLUG, SM-A-595802-2 (80063)	P	EA	1				•	•	•	5	3	7	P14
P H	5935-168-5128	.. CONNECTOR, PLUG, SM-A-617906-16 (80063)	R	EA	1				•	•	2	10	6	8	P16
P H	5935-062-1608	. CONTACT, ELECTRICAL, SM-A-617935-1 (80063)	R	EA	3				REF	REF	REF	REF	REF	8	P16-1-3
P H	5821-168-5018	.. SUPPORT, SM-C-692960-3 (80063)	R	EA	1				•	•	•	5	2	8	MP171
MO H		.. PLATE, CONNECTOR MOUNTING, SM-B-692920 (80063)	R	EA	1									8	MP156
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H564-565
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H566-567
P H A	5915-102-6809	.. RADIO FREQUENCY COUPLER AND FILTER, SM-A-617933 (80063)		EA	1				•	2	2	13	6	7, 8	Z1
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)	P	EA	3				REF	REF	REF	REF	REF	7	H275-277
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H275-276
	5305-054-5637	.. SCREW, MACHINE, MS51957-3 (96906)	P	EA	1				REF	REF	REF	REF	REF	7	H278
	5310-595-6761	.. WASHER, FLAT, MS15795-802 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H568-569
P H	5340-596-4646	.. SPACER, THREADED, SM-C-596013-15 (80063)	R	EA	1				•	•	•	5	7	8	MP153
P H	5340-596-4646	.. SPACER, THREADED, SM-C-596013-15 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP154
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H279-280
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	P	EA	4				REF	REF	REF	REF	REF	7	H279-282
P H	5340-168-7104	.. CLAMP, CONNECTOR, SM-C-618584 (80063)	P	EA	1				•	•	•	5	6	7	MP145
P H	5340-178-1541	.. CLIP, GROUND, SM-C-618861 (30063)	P	EA	1				•	•	•	5	6	7	MP95

SECTION II. REPAIR PARTS LIST (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P H	5340-178-1541	.. CLIP, GROUND, SM-C-618861 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	MP96
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)	P	EA	2				REF	REF	REF	REF	REF	7	H178-179
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	P	EA	2				REF	REF	REF	REF	REF	7	H180-181
P H	5999-409-1515	.. CONTACT, ELECTRICAL, SM-A-618664-1 (80063)	P	EA	1				•	•	•	5	12	7	MP180
P H	5999-409-1515	.. CONTACT, ELECTRICAL, SM-A-618664-1 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	MP181
P H	5821-044-1948	.. EXCITER ASSEMBLY, SM-B-632154 (80063)	P	EA	1				1	1	1	1	1	7	A1
P H	5821-477-2958	.. EXCITER ASSEMBLY, SM-B-692972 (80063)	R	EA	1				1	2	2	12	5	8	A1
	5305-942-2169	.. SCREW, MACHINE, MS35275-235 (96906)		EA	2				•	•	•	•	•	7, 8	H283-284
	5310-043-1754	.. WASHER, LK, MS35337-79 (96906)	P	EA	2				REF	REF	REF	REF	REF	7	H285-286
	5310-929-6395	.. WASHER, LK, MS35338-136 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H285-286
MD H		... COVER, SM-C-618425 (80063)		EA	1									9	MP82
	5305-940-9442	... SCREW, MACHINE, NAS1635-00-2 (80205)		EA	6				•	•	•	•	•	9	H287-292
P D	5910-111-4935	... CAPACITOR, FEED, SM-A-617926-102 (80063)		EA	1								REF	9	C1
P D	5910-111-4935	... CAPACITOR, FEED, SM-A-617926-102 (80063)		EA	1								REF	9	C2
P D	5821-091-9144	... CIRCUIT CARD ASSEMBLY - INPUT AMPLIFIER, SM-B-632015 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-605924	P	EA	1								5	9	A1
P D	5821-409-4316	... CIRCUIT CARD ASSEMBLY - INPUT AMPLIFIER, SM-B-605924 (80063)	R	EA	1								5	9	A1
	5305-054-5637	... SCREW, MACHINE, MS51957-3 (96906)		EA	1								REF	9	H293
P D	5340-793-1667	... SPACER, SM-B-618430 (80063)		EA	1								14	9	MP83
P D	5340-793-1667	... SPACER, SM-B-618430 (80063)		EA	1								REF	9	MP133
P D	5340-793-1667	... SPACER, SM-B-618430 (80063)		EA	1								REF	9	MP134
P D	5961-938-5157	... HEAT SINK, SM-A-595872-3 (80063)		EA	1								1	9	MP84
P D	5961-938-5157	... HEAT SINK, SM-A-595872-3 (80063)		EA	1								REF	9	MP204
	5305-054-5644	... SCREW, MACHINE, MS51957-11 (96906)		EA	2								•	9	H295-296

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P D	5935-168-6128	.... CONNECTOR, RECEPTACLE AND PLUG, PRINTED WIRING, SM-A-617906-16 (80063)	R	EA	1								REF	9	P15
P D	5935-062-1608	.... CONTACT, ELECTRICAL, SM-A-617935-1 (80063)	R	EA	2								REF	9	P15-1,2
P D	5821-168-3618	.... PLATE, ELECTRICAL - CONTACT MOUNTING SUPPORT, WIRING - CONNECTOR, SM-C-692960-3 (80063)	R	EA	1								REF	9	MP172
		.... EXCITER OUTPUT AND CHASSIS ASSEMBLY	P												A2
		.... EXCITER OUTPUT AND CHASSIS ASSEMBLY	R												A2
P D	5910-168-3373	..... CAPACITOR, FXD, SM-A-595687-135 (80063)	P	EA	1								15	9	C1
P D	5910-168-3373	..... CAPACITOR, FXD, SM-A-595687-135 (80063)	P	EA	1								REF	9	C3
P D	5910-168-3351	..... CAPACITOR ASSEMBLY, FXD, SM-A-693014-2 (80063) A2A1A2C1, 3	R	PR	1								15	9	1
P D	5961-168-4761	..... TRANSISTOR, SM-A-597849-3 (80063)		EA	1								3	9	Q1
P D	5340-793-1661	..... SPACER, THREADED, SM-B-617264-2 (80063)		EA	1								4	9	MP86
P D	5995-056-8850	..... CONNECTOR, ELECTRICAL - COAXIAL, SM-A-597837-1 (80063)		EA	1								REF	9	P4
P D	5821-104-4631	..... CIRCUIT CARD ASSEMBLY, EXCITER OUTPUT, SM-B-597632 (80063)	N	EA	1								4	9	A2
P D	5821-104-4631	..... CIRCUIT CARD ASSEMBLY, EXCITER OUTPUT, SM-B-632278 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-B-605930	A	EA	1								4	9	A2
P D	5821-104-4117	..... CIRCUIT CARD ASSEMBLY, EXCITER OUTPUT SM-B-605930 (80063)	R	EA	1								4	9	A2
	5340-793-1667	..... SPACER, THREADED, SM-B-618430 (80063)		EA	1								REF	9	MP87
	5305-054-5637	..... SCREW, MACHINE, MS51957-3 (96906)		EA	1								REF	9	H298
X1 D		..... CHASSIS, ELECTRICAL EQUIPMENT - EXCITER, SM-E-618424 (80063)		EA	1									9	MP89
P H	5340-168-7220	.. PLUG - BUTTON, SM-C-632346 (80063)	R	EA	1				•	•	•	5	2	8	MP157
X1 H		.. CHASSIS, ELECTRICAL EQUIPMENT, POWER SUPPLY, SM-E-618427 (80063)	P	EA	1									7	MP90
X1 H		.. CHASSIS, ELECTRICAL EQUIPMENT, POWER SUPPLY, SM-B-692906 (80063)	R	EA	1									8	MP90

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
	5305-054-5654	.. SCREW, MACHINE, MS51957-20 (96906)		EA	3				•	•	•	•	•	7, 8	H299-301
	5310-933-8118	.. WASHER, LK, MS35338-135 (96906)		EA	3				REF	REF	REF	REF	REF	7, 8	H302-304
P H	5945-929-9969	.. RELAY, COAXIAL, SM-A-617905-1 (80063) REQUISITION UNTIL SUPPLY IS EXHAUSTED, THEN REQUISITION SM-A-617905-2	P	EA	1				•	•	2	8	9	7	K1
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)	P	EA	2				REF	REF	REF	REF	REF	7	H305-306
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	P	EA	2				REF	REF	REF	REF	REF	7	H307-308
P H	5910-056-4859	.. CAPACITOR, FXD, SM-A-617901-103 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	C2
P H	5910-056-4859	.. CAPACITOR, FXD, SM-A-617901-103 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	C3
P H	5910-056-4859	.. CAPACITOR, FXD, SM-A-617901-103 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	C4
P H	5961-926-0220	.. TRANSISTOR, 2N3792 (80131)	P	EA	1				•	2	2	12	3	7	Q1
	5305-054-5639	.. SCREW, MACHINE, MS51957-5 (96906)	P	EA	1				REF	REF	REF	REF	REF	7	H309
	5305-054-5640	.. SCREW, MACHINE, MS51957-6 (96906)	P	EA	1				REF	REF	REF	REF	REF	7	H310
	5310-938-2013	.. NUT, HEX, MS35649-224 (96906)	P	EA	1				REF	REF	REF	REF	REF	7	H311
	5310-143-5663	.. WASHER, FLAT, SM-C-617837-3 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	H392
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	P	EA	1				REF	REF	REF	REF	REF	7	H393
P H	5999-762-2668	.. HEAT SINK, SM-A-617944-1 (80063)	P	EA	1				•	•	•	4	1	7	MP91
P H	5940-168-3347	.. LUG, GROUNDING, SM-B-618033 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	E2
P H	5970-144-8072	.. INSULATOR, BUSHING, SM-C-596085-7 (80063)	P	EA	1				•	•	•	4	18	7	MP72
P H	5970-144-8072	.. INSULATOR, BUSHING, SM-C-596085-7 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	MP74
P H	5940-847-3138	.. TERMINAL, LUG, SM-B-595953-2 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	E1
	5305-054-5646	.. SCREW, MACHINE, MS51957-12 (96906)	P	EA	1				•	•	•	•	•	7	H312
P O	5920-903-1008	.. FUSE, SM-A-595876-2 (80063)		EA	1	2	2	3	2	2	2	40	75	7	F1
P H	5920-902-6827	.. FUSEHOLDER, SM-A-595875 (80063)	P	EA	1				•	•	2	10	12	7	XF1
P O	5920-110-7800	... CAP, SM-A-595875-1 (80063)		EA	1	•	•	2	•	•	2	8	3	7	MP102
X1 H		... BODY, SM-A-595875-3 (80063)		EA	1										MP103

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P O	5920-903-1008	.. FUSE, SM-A-595876-2 (80063)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	7,8	F1 SPARE
P H	5340-122-7159	.. CLIP, SPARE FUSE, NAS1464-026-02C (80205)		EA	1				•	•	•	5	2	7,8	MP93
	5305-054-5636	.. SCREW, MACHINE, MS51957-2 (96906)		EA	1				REF	REF	REF	REF	REF	7,8	H313
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)		EA	1				REF	REF	REF	REF	REF	7,8	H314
P H	5935-728-5606	.. CONNECTOR, RECEPTACLE, ELECTRICAL, SM-A-595805-1 (80063)	P	EA	1				•	•	2	8	14	7	J2
MD H		.. PLATE, MOUNTING, CONNECTOR AND FUSEHOLDER, SM-C-618441 (80063)	P	EA	1									7	MP92
	5305-054-5637	.. SCREW, MACHINE, MS51957-3 (96906)	P	EA	6				REF	REF	REF	REF	REF	7	H315-320
	5310-928-2690	.. WASHER, LK, MS35338-134 (96906)	P	EA	6				REF	REF	REF	REF	REF	7	H327-332
P H	5935-111-6047	.. CONNECTOR, RECEPTACLE, MS27335TB18-32P (96906)	P	EA	1				•	•	•	5	14	7	J1
	5305-054-5647	.. SCREW, MACHINE, MS51957-13 (96906)	P	EA	4				REF	REF	REF	REF	REF	7	H333-336
	5310-933-8118	.. WASHER, LK, MS35338-135 (96906)	P	EA	4				REF	REF	REF	REF	REF	7	H337-340
P H	5910-168-3374	.. CAPACITOR, SM-A-595790-1 (80063)	P	EA	1				•	•	2	8	8	7	C1
P H	5905-197-4008	.. RESISTOR, RE60G20R5 (81349)	R	EA	1				•	•	•	5	7	8	R1
P H	5305-618-2080	.. SCREW, MACHINE, 70A3215106-480 (00011)	R	EA	2				•	•	•	•	•	8	H55-56
	5310-995-7166	.. WASHER, FLAT, NAS1640-1 (80205)	R	EA	2				•	•	•	•	•	8	H78-79
P H	5975-985-6570	.. STRAP, MS17821-3-9 (96906)		EA	1				REF	REF	REF	REF	REF	7,8	MP143
P D	5821-044-1950	. CONNECTOR AND WIRE ASSEMBLY, SM-B-618502 (80063)	P	EA	1								1	7	P3
P H S	5821-091-9157	.. HEAT SINK, POWER AMPLIFIER AND DRIVER ASSEMBLY, SM-B-618440 (80063)	P	EA	1				•	•	•	•	•	1	A2
P H S	5821-134-6983	.. POWER AMPLIFIER AND CABLE ASSEMBLY, SM-B-618604 (80063)	R	EA	1				1	2	2	15	7	1	A2
P H	5935-134-5297	... CONNECTOR BODY, RECEPTACLE AND PLUG, SM-A-617934 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	P3
P H	5935-061-3276	... CONTACT, ELECTRICAL, CONNECTOR, SM-A-617935-2 (80063)	R	EA	36				REF	REF	REF	REF	REF	8	P3-1-36
P H	5821-168-3621	... SUPPORT, WIRING - CONNECTOR, SM-C-632342 (80063)	R	EA	1				•	•	•	4	1	8	MP161

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 50-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P H	5975-985-6570	... STRAP, MS17821-3-9 (96906)	R	EA	1				REF	REF	REF	REF	REF	8	MP162
P H	[illegible]	... CONNECTOR, RECEPTACLE AND PLUG, PRINTED WIRING, SM-A-617906-15 (80063)	R	EA	1				*	*	*	4	1	8	J16
P H	5935-061-3276	... CONTACT, ELECTRICAL, CONNECTOR, SM-A-617935-2 (80063)	R	EA	3				REF	REF	REF	REF	REF	8	J16-1-3
P H	[illegible]	... SUPPORT, SM-C-692960-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP173
P H	[illegible]	... CONNECTOR, RECEPTACLE AND PLUG, PRINTED WIRING, SM-A-617906-17 (80063)	R	EA	1				*	*	*	4	1	8	J15
P H	5935-061-3276	... CONTACT, ELECTRICAL, CONNECTOR, SM-A-617935-2 (80063)	R	EA	2				REF	REF	REF	REF	REF	8	J15-1-2
P H	[illegible]	... SUPPORT, SM-C-692960-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP174
P H	5935-762-0414	... CONNECTOR, PLUG, ELECTRICAL, SM-A-595802-4 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	P13
P H	5935-782-6165	... CONNECTOR, PLUG, ELECTRICAL, SM-A-595802-3 (80063)	R	EA	1				*	*	*	4	1	8	P14
P H	[illegible]	... RELAY, COAXIAL, SM-A-617905-2 (80063)	R	EA	1				*	*	2	10	18	8	K1
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H305-306
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H307-308
P H	[illegible]	... PRINTED WIRING BOARD - RELAY INTERCONNECTING, SM-C-692996 (80063)	R	EA	1				*	*	*	4	1	8	E10
P H	5910-782-4981	... CAPACITOR, FXD, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	C46
P H	5910-782-4981	... CAPACITOR, FXD, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	C47
P H	5910-782-4981	... CAPACITOR, FXD, SM-A-595791-3 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	C48
MD H		... PLATE, CAPACITOR MOUNTING, SM-C-692752 (80063)	R	EA	1									8	MP164
P H	5961-926-0220	... TRANSISTOR, 2N3792 (80131)	R	EA	1				REF	REF	REF	REF	REF	8	Q7
	5305-054-5639	... SCREW, MACHINE, MS51957-5 (96906)	R	EA	1				REF	REF	REF	REF	REF	8	H309
	5305-054-5638	... SCREW, MACHINE, MS51957-4 (96906)	R	EA	1				REF	REF	REF	REF	REF	8	H310
	5310-938-2013	... NUT, HEX, MS35649-224 (96906)	R	EA	1				REF	REF	REF	REF	REF	8	H311
	5310-543-4652	... WASHER, LK, MS35333-69 (96906)	R	EA	1				*	*	*	*	*	8	H392
MD H		... GUIDE, WIRING, SM-B-692936 (80063)	R	EA	1									8	MP169

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) [illegible]	(9) DEPOT MAINT	(10) [illegible] FIG NO	(10) [illegible] ITEM NO
P H	5999-762-2668	... HEAT SINK, SM-A-617944-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP91
P H	5340-168-3167	.. LUG, GROUNDING, SM-B-618033 (80063)	P	EA	1				REF	REF	REF	REF	REF	8	Q1-C
P H	5970-144-8072	... INSULATOR, BUSHING, SM-C-596085-7 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP73
P H	5970-168-2346	... INSULATOR, SPACER, SM-C-617742-2 (80063)	R	EA	1				•	•	•	•	•	8	MP74
P H	5935-168-3187	... CONNECTOR, RECEPTACLE AND PLUG, PRINTED WIRING, SM-A-617906-13 (80063)	R	EA	1				•	•	•	5	14	8	J17
	5305-934-0147	... SCREW, MACHINE, NAS1635-00-4 (80205)	R	EA	2				•	•	•	•	•	8	H352-353
	5310-804-0141	... WASHER, FLAT, MS15795-801 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H53-54
P H	5935-061-3276	... CONTACT, ELECTRICAL CONNECTOR, SM-A-617935-2 (80063)	R	EA	14				REF	REF	REF	REF	REF	8	J17-1-14
MD H		... PLATE, SHIELD, CONNECTOR, SM-B-692935 (80063)	R	EA	1									8	MP170
P H	5315-168-4452	... SUPPORT, WIRING - CONNECTOR, SM-C-692960-2 (80063)	R	EA	1				•	•	•	4	1	8	MP175
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								45	7	C3
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								REF	8	C3
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	P	EA	1								45	7	C4
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	R	EA	1								REF	8	C4
P D	5961-011-6767	... TRANSISTOR, SM-A-597849-1 (80063)		EA	1								3	7,8	Q1
	5310-792-3554	... NUT, MTG - SPL, SM-C-617791-4 (80063)		EA	1								•	7,8	H371
P D	5821-104-4632	... CIRCUIT CARD ASSEMBLY, DRIVER, SM-B-597650 (80063)		EA	1								5	7,8	A1
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)		EA	3								REF	7,8	H372-374
	5310-143-5663	... WASHER, FLAT, SM-C-617837-3 (80063)		EA	3								REF	7,8	H375-377
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)		EA	3								REF	7,8	H378-380
P D	8145-959-4490	... CABLE, RADIO FREQUENCY, RG178B/U (81349)		FT	V								13	7,8	Z1
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								REF	7	C24
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								REF	7	C26

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP CNTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								REF	7	C28
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								REF	7	C30
P D	5910-111-1913	... CAPACITOR, FXD, SM-A-595867-131 (80063)	P	EA	1								REF	7	C32
P D	5910-168-3344	... CAPACITOR ASSEMBLY, SM-A-693014-1 (80063) A2A2C14, 24	R	EA	1								10	8	±
P D	5910-168-3344	... CAPACITOR ASSEMBLY, SM-A-693014-1 (80063) A2A2C16, 26	R	EA	1								REF	8	±
P D	5910-168-3344	... CAPACITOR ASSEMBLY, SM-A-693014-1 (80063) A2A2C18, 28	R	EA	1								REF	8	±
P D	5910-168-3344	... CAPACITOR ASSEMBLY, SM-A-693014-1 (80063) A2A2C20, 30	R	EA	1								REF	8	±
P D	5910-168-3344	... CAPACITOR ASSEMBLY, SM-A-693014-1 (80063) A2A2C22, 32	R	EA	1								REF	8	±
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	P	EA	1								REF	7	C14
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	P	EA	1								REF	7	C16
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	P	EA	1								REF	7	C18
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	P	EA	1								REF	7	C20
P D	5910-111-1912	... CAPACITOR, FXD, SM-A-595867-129 (80063)	P	EA	1								REF	7	C22
P D	5910-857-9192	... CAPACITOR, FXD, CK06CW103M (81349)		EA	1								8	7, 8	C39
P D	5961-126-7031	... TRANSISTOR, SET, SM-A-597849-2 (80063) A2A2Q2-6		EA	1								5	7, 8	±
	5310-792-3554	... NUT, MTG-SPL, SM-C-617791-4 (80063)		EA	5								REF	7, 8	H381-385
P D	5821-477-9955	... CIRCUIT CARD ASSEMBLY - POWER SPLITTER SM-B-692856 (80063)	R	EA	1								4	8	A2
P D	5821-168-4319	... CIRCUIT CARD ASSEMBLY, POWER AMPLIFIER, UPPER, SM-B-597654 (80063)	P	EA	1								4	7	A2
	5305-054-5642	... SCREW, MACHINE, MS51957-8 (96906)	P	EA	5								*	7	H182-186
	5305-054-5637	... SCREW, MACHINE, MS51957-3 (96906)	R	EA	5								REF	8	H182-186
	5310-126-0014	... WASHER, FLAT, SM-C-617837-7 (80063)		EA	5								REF	7, 8	H187-191

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number B Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPRD EQUIP CNTGCY	(9) DEPOT MAINT ALWPRD 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)		EA	5								REF	7,8	H230-234
P D	5970-179-3365	... INSULATOR, SPACER, SM-C-617742 (80063)	P	EA	1								13	7	MP128
P D	5970-179-3365	... INSULATOR, SPACER, SM-C-617742 (80063)	P	EA	1								REF	7	MP129
P D	5970-179-3365	... INSULATOR, SPACER, SM-C-617742 (80063)	P	EA	1								REF	7	MP130
P D	5970-179-3365	... INSULATOR, SPACER, SM-C-617742 (80063)	P	EA	1								REF	7	MP131
P D	5970-179-3365	... INSULATOR, SPACER, SM-C-617742 (80063)	P	EA	1								REF	7	MP132
P D	[illegible]	... INSULATOR, BUSHING, SM-C-692894 (80063)	R	EA	1								13	8	MP128
P D	[illegible]	... INSULATOR, BUSHING, SM-C-692894 (80063)	R	EA	1								REF	8	MP129
P D	[illegible]	... INSULATOR, BUSHING, SM-C-692894 (80063)	R	EA	1								REF	8	MP130
P D	[illegible]	... INSULATOR, BUSHING, SM-C-692894 (80063)	R	EA	1								REF	8	MP131
P D	[illegible]	... INSULATOR, BUSHING, SM-C-692894 (80063)	R	EA	1								REF	8	MP132
P D	[illegible]	... SCREW, SPECIAL, SM-C-692895 (80063)	R	EA	5								*	8	H528-532
P D	[illegible]	... WASHER, FLAT, SM-C-596378-21 (80063)	R	EA	5								*	8	H533-537
	5310-058-2950	... WASHER, FLAT, MS35337-77 (96906)	R	EA	5								*	8	H538-542
P D	5821-104-4630	.. CIRCUIT CARD ASSEMBLY, LOWER, POWER AMPLIFIER, SM-B-617745 (80063)	P	EA	1								4	7	A4
P D	5820-403-6902	... CIRCUIT CARD ASSEMBLY, POWER AMPLIFIER, SM-B-692838 (80063)	R	EA	1								4	8	A4
P D	5821-104-4633	... CIRCUIT CARD ASSEMBLY, OUTPUT MATCHING NETWORK, SM-B-617750 (80063)		EA	1								4	7,8	A5
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)		EA	2								REF	7,8	H386-387
	5310-125-0014	... WASHER, FLAT, SM-C-617837-3 (80063)		EA	2								REF	7,8	H388-389
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)		EA	2								REF	7,8	H390-391
P D	[illegible]	... CIRCUIT CARD ASSEMBLY, PEAK RF DETECTOR, SM-B-692842 (80063)	R	EA	1								3	8	A3
P D	[illegible]	... SCREW, MACHINE, 70A3715010-480 (00011)	R	EA	1								*	8	H110
	5305-054-5635	... SCREW, MACHINE, MS51957-1 (96906)	R	EA	1								*	8	H543
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	R	EA	1								REF	8	H544

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALWPER EQUIP ENTGCY	(9) DEPOT MAINT ALWPER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
P D	5320-177-4117	... WASHER, LK, SM-B-693005 (80063)	R	EA	1								REF	8	4523
P D	5975-168-4433	... CLAMP, CABLE, SM-C-618868 (80063)		EA	1								1	7, 8	MP169
	5305-054-5646	... SCREW, MACHINE, MS51957-12 (96906)		EA	1								REF	7, 8	H192
	5310-933-8118	... WASHER, LK, MS35338-135 (96906)		EA	1								REF	7, 8	H193
P D	5340-168-7104	... CLAMP, CONNECTOR, SM-C-618584 (80063)		EA	1								REF	7, 8	MP88
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)		EA	1								REF	7, 8	H194
	5310-143-5663	... WASHER, FLAT, SM-C-617837-3 (80063)	P	EA	1								REF	7	H207
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)		EA	1								REF	7, 8	H208
P D	5995-056-8848	... CONNECTOR, ELECTRICAL - COAXIAL, SM-A-597837-2 (80063)		EA	1								REF	7, 8	J4
MD H		... GASKET, RADIO FREQUENCY SHIELDING, SM-D-618867 (80063)	P	EA	1									7	MP97
MD H		... GASKET, RADIO FREQUENCY SHIELDING, SM-D-692809 (80063)	R	EA	1									8	MP97
	5305-253-5603	... SCREW, DRIVE, MS21318-1 (96906)		EA	2								*	7, 8	H321-322
P H	5340-168-7220	... PLUG-BUTTON, SM-C-632346 (80063)	P	EA	1				REF	REF	REF	REF	REF	7	MP85
MD H		... STRAP, SM-B-692908 (80063)	R	EA	1									8	MP160
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H549-550
P H	5975-985-6570	... STRAP, MS17821-3-9 (96906)	R	EA	1				REF	REF	REF	REF	REF	8	MP163
P H	5340-178-1541	... CLIP, GROUND, SM-C-618861 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP158
P H	5340-178-1541	... CLIP, GROUND, SM-C-618861 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP159
	5305-054-5636	... SCREW, MACHINE, MS51957-2 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H545-546
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H547-548
P H	5999-409-1515	... CONTACT, ELECTRICAL - WIRE MESH, SM-A-618664-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP180
P H	5999-409-1515	... CONTACT, ELECTRICAL - WIRE MESH, SM-A-618664-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP181
P H	5935-223-2833	... CONNECTOR, RECEPTACLE, ELECTRICAL, SM-A-618678-1 (80063)	R	EA	1				*	*	*	5	14	8	J1
	5305-054-5647	... SCREW, MACHINE, MS51957-13 (96906)	R	EA	4				REF	REF	REF	REF	REF	8	H333-336

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR ALW PER EQUIP ENTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO	(b) ITEM NO OR REFERENCE DESIGNATION
	5310-933-8118	... WASHER, LK, MS35338-135 (96906)	R	EA	4				REF	REF	REF	REF	REF	8	H337-340
P H	5330-150-9433	... GASKET, CONNECTOR - RADIO FREQUENCY, SM-C-692614 (80063)	R	EA	1				•	•	•	•	•	8	MP165
P H	5935-168-4161	... ADAPTER, CONNECTOR, SM-D-692755 (80063)	R	EA	1				•	•	•	4	12	8	MP166
	5305-054-5647	... SCREW, MACHINE, MS51957-13 (96906)	R	EA	2				REF	REF	REF	REF	REF	8	H556-557
	5305-925-4774	... SCREW, MACHINE, MS35275-214 (96906)	R	EA	2				•	•	•	•	•	8	[illegible]
	5310-933-8118	... WASHER, LK, MS35338-135 (96906)	R	EA	4				REF	REF	REF	REF	REF	8	H560-563
MD H		... GASKET, ADAPTER, RADIO FREQUENCY CONNECTOR, SM-C-692771 (80063)	R	EA	1									8	MP167
P H	5940-847-3138	... TERMINAL, LUG, SM-B-595953-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	E1
	5305-054-5646	... SCREW, MACHINE, MS51957-12 (96906)	R	EA	1				REF	REF	REF	REF	REF	8	H312
P H	5910-168-3174	... CAPACITOR, SM-A-595790-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	C45
P H	5935-728-5606	... CONNECTOR, RECEPTACLE, ELECTRICAL, SM-A-595805-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	J2
P O	5920-903-1008	... FUSE, SM-A-595876-2 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	F1
P H	5920-902-6827	... FUSEHOLDER, SM-A-595875 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	XF1
P H	5920-110-7800	.... CAP, SM-A-595875-1 (80063)	R	EA	1				REF	REF	REF	REF	REF	8	MP102
X1 H		.... BODY, SM-A-595875-3 (80063)	R	EA	1				REF	REF	REF	REF	REF		MP103
MD H		... PLATE, MOUNTING, CONNECTOR AND FUSEHOLDER, SM-C-618441 (80063)	R	EA	1									8	MP92
	5305-054-5637	... SCREW, MACHINE, MS51957-3 (96906)	G	EA	6				REF	REF	REF	REF	REF	7	H315-320
P H	5305-724-4820	... SCREW, MACHINE, 70A3710206-480 (00011)	H, R	EA	6				•	•	•	•	•	7,8	H315-320
	5310-928-2690	... WASHER, LK, MS35338-134 (96906)	G	EA	6				REF	REF	REF	REF	REF	7	H327-332
P H	5340-793-1671	... BUSHING, GROUNDING, SM-B-618442 (80063)	R	EA	1				•	•	•	4	1	8	MP168
X1 D		... CHASSIS, ELECTRICAL EQUIPMENT - HEATSINK, SM-E-618426 (80063)	P	EA	1										MP100
X1 D		.. CHASSIS, ELECTRICAL EQUIPMENT - HEATSINK, SM-E-692576 (80063)	R	EA	1										MP100
P H	6145-523-1270	WIRE, ELECTRICAL, MIL-W-583, TYPE T2, 28 AWG (81349)		FT	V				•	•	•	•	•		W1

Next page number is 60.

SECTION III. SPECIAL TOOLS LIST

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code — Usable On Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(9) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO OR REFERENCE DESIGNATION
--F--	5821-091-9153	RADIO SET, FRONT, SM-B-617890 (80063)	EA	1	1	1	2	1	1	2	2	2	1	
--F--	5821-091-9156	RADIO SET, REAR, SM-B-632150 (80063)	EA	1	1	1	2	1	1	2	2	2	7	
--F--	5821-134-7003	RADIO SET, FRONT, SM-B-692900 (80063)	EA	1	1	1	2	1	1	2	2	2	1	
--F--	5821-403-6900	RADIO SET, REAR, SM-B-692644 (80063)	EA	1	1	1	2	1	1	2	2	2	8	
--F--	6625-179-1699	MAINTENANCE ACCESSORIES KIT, MK-1192/ ARM, SM-D-664533 (80063) *	EA	1									10	
--H--	6625-179-2528	TEST FACILITIES KIT, MK-1191/AR, SM-B-625821 (80063) *	EA	1									11	
--F--	6625-802-7191	TEST FACILITIES KIT, MK-994/AR, SM-B-625661 (80063) *	EA	1									12	
--H--	5821-168-3614	VSWR LOAD, 10:1, 73-164209-1 (14850)	EA	1				1	1	2	2	2	13	
--H--	5821-168-3615	VSWR LOAD, 3:1, 73-164209-2 (14850)	EA	1				1	1	2	2	2	13	
--H--		2.5 OHM, 10 WATT RESISTOR RW78U2R5F (83549)	EA	1				1	1	2	2	2		
--H--	5821-168-3613	RESISTANCE BOX, R-6 AI-11100D (14850)	EA	1				1	1	2	2	2	13	
--H--	5821-168-3612	RESISTANCE BOX, R-7 AI-11101D (14850)	EA	1				1	1	2	2	2	13	

▶ **NOTE:** For authorized quantities, refer to TM 11-5821-259-35P, Section III, Special Tools List, Radio Set AN/ARC-114.

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION

Stock Number	Figure No.	Reference Designation
3020-102-3767	3	A1A1MP39
3020-102-3767	3	A1A1MP43
3020-102-3768	3	A1A1MP24
3020-102-6808	3	A1A1MP11
3020-102-6808	3	A1A1MP66
3020-106-9893	3	A1A1MP55
3040-091-9134	3	A1A1MP53
3120-116-1474	3	A1A1MP41
3120-809-6560	3	A1A1MP36
5305-054-5635	8	A2A2H543
5305-054-5636	6	A1A4H213-214
5305-054-5636	2	A1H452
5305-054-5636	7, 8	A2A2H194
5305-054-5636	8	A2A2H305-306
5305-054-5636	7, 8	A2A2H372-374
5305-054-5636	7, 8	A2A2H386-387
5305-054-5636	8	A2A2H545-546
5305-054-5636	8	A2A2H549-550
5305-054-5636	7	A2H178-179
5305-054-5636	8	A2H275-276
5305-054-5636	7	A2H275-277
5305-054-5636	7	A2H305-306
5305-054-5636	7, 8	A2H313
5305-054-5636	8	A2H564-565
5305-054-5637	4	A1A3H428
5305-054-5637	6	A1A4MP76H7-8
5305-054-5637	2	A1H133-143
5305-054-5637	2	A1H399-401
5305-054-5637	2	A1H434
5305-054-5637	9	A2A1A2H298
5305-054-5637	9	A2A1H293
5305-054-5637	8	A2A2H182-186
5305-054-5637	7	A2A2H315-320
5305-054-5637	7, 8	A2H263-265
5305-054-5637	7	A2H278
5305-054-5637	7	A2H315-320
5305-054-5638	6	A1A4H209-212
5305-054-5638	6	A1A4H224-225
5305-054-5638	8	A2A2H310
5305-054-5639	4	A1A3H572-579
5305-054-5639	6	A1A4H226-229
5305-054-5639	8	A2A2H309
5305-054-5639	7	A2H309
5305-054-5640	6	A1A4H157-158
5305-054-5640	6	A1A4H199-200
5305-054-5642	7	A2A2H182-186
5305-054-5644	9	A2A1H295-296
5305-054-5645	3	A1A1H57-58
5305-054-5646	7, 8	A2A2H192
5305-054-5646	8	A2A2H312
5305-054-5646	7	A2H312
5305-054-5647	3	A1A1H30
5305-054-5647	3	A1A1H440-443
5305-054-5647	8	A2A2H333-336
5305-054-5647	8	A2A2H556-557
5305-054-5647	7	A2H333-336
5305-054-5648	3	A1A1H421-422
5305-054-5648	7	A2H260-262
5305-054-5649	3	A1A1MP21H1-2
5305-054-5654	7, 8	A2H299-301
5305-054-6651	1	H13-14
5305-068-5412	3	A1A1MP21MP2H1-8
5305-113-3441	1	H3-12
5305-145-0631	3	A1A1H346-347
5305-253-5603	7, 8	A2A2H321-322
5305-410-6549	7, 8	A2H248-251
5305-717-6950	3	A1A1H39-40
5305-717-6950	3	A1A1H325-326
5305-717-6950	3	A1A1H368
5305-717-6955	3	A1A1H370
5305-717-6955	4, 5	A1A3H344-345
5305-719-5342	3	A1A1H235
5305-719-5346	3	A1A1H323-324
5305-719-5349	3	A1A1H462
5305-770-2579	3	A1A1H111-112
5305-843-2841	3	A1A1H360-361
5305-843-2841	3	A1A1H366-367
5305-925-4774	8	A2A2H558-559
5305-929-6421	6	A1A4H165-166
5305-929-6421	7, 8	A2A5H115-116
5305-929-6421	7, 8	A2A5H159-160
5305-929-6457	3	A1A1H51-52
5305-934-0147	8	A2A2H552-553
5305-940-9442	9	A2A1H287-292

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Stock Number	Figure No.	Reference Designation
5305-942-2169	7, 8	A2H283-284
5305-948-4042	6	A1A4H454-457
5310-043-1754	7, 8	A2H256-259
5310-043-1754	7	A2H285-286
5310-054-5640	7	A2H310
5310-058-2950	8	A2A2H538-542
5310-113-8412	3	A1A1H461
5310-113-8415	3	A1A1MP19
5310-115-6273	3	A1A1H19-21
5310-115-6273	2	A1H395-398
5310-126-0014	3	A1A1H438-439
5310-126-0014	4	A1A3H574-575
5310-126-0014	4	A1A3H612-613
5310-126-0014	6	A1A4H123-126
5310-126-0014	6	A1A4H169-171
5310-126-0014	6	A1A4H230
5310-126-0014	6	A1A4H231-234
5310-126-0014	6	A1A4MP76H9-9A, 10-10A
5310-126-0014	7, 8	A2A2H187-191
5310-126-0014	7, 8	A2A2H388-389
5310-126-0014	1	H346-355
5310-126-0022	3	A1A1H105
5310-143-5649	3	A1A1H34
5310-143-5663	2	A1H403-404
5310-143-5663	7	A2A2H207
5310-143-5663	7, 8	A2A2H375-377
5310-143-5663	7	A2H392
5310-143-5680	3	A1A1MP37
5310-543-4652	8	A2A2H392
5310-595-6211	3	A1A1H37-38
5310-595-6211	3	A1A1H444-445
5310-595-6211	7, 8	A2H270
5310-595-6761	3	A1A1H131-132
5310-595-6761	5	A1A3H97
5310-595-6761	4, 5	A1A3H102-104
5310-595-6761	4, 5	A1A3H341-343
5310-595-6761	4	A1A3H424
5310-595-6761	4	A1A3H429
5310-595-6761	4	A1A3H576-577
5310-595-6761	2	A1H410-420
5310-595-6761	2	A1H435
5310-595-6761	8	A2H267-268
5310-595-6761	7	A2H267-269
5310-595-6761	8	A2H568-569
5310-792-3548	3	A1A1H459-460
5310-792-3548	3	A1A1H460
5310-792-3554	7, 8	A2A2H371
5310-792-3554	7, 8	A2A2H381-385
5310-792-3555	3	A1A1MP17-18
5310-804-0141	6	A1A4H167-168
5310-804-0141	8	A2A2H53-54
5310-928-2690	3	A1A1H27-28
5310-928-2690	3	A1A1H59-60
5310-928-2690	3	A1A1H127-129
5310-928-2690	3	A1A1H358-359
5310-928-2690	4, 5	A1A3H80-95
5310-928-2690	4, 5	A1A3H98
5310-928-2690	4, 5	A1A3H106-109
5310-928-2690	4	A1A3H430
5310-928-2690	4	A1A3H578-581
5310-928-2690	4	A1A3H614-615
5310-928-2690	6	A1A4H163-164
5310-928-2690	6	A1A4H218-221
5310-928-2690	2	A1H144-154
5310-928-2690	2	A1H407-409
5310-928-2690	2	A1H446
5310-928-2690	2	A1H453
5310-928-2690	7, 8	A2A2H208
5310-928-2690	7, 8	A2A2H230-234
5310-928-2690	8	A2A2H307-308
5310-928-2690	7	A2A2H327-332
5310-928-2690	7, 8	A2A2H378-380
5310-928-2690	7, 8	A2A2H390-391
5310-928-2690	8	A2A2H544
5310-928-2690	8	A2A2H547-548
5310-928-2690	7	A2H180-181
5310-928-2690	7, 8	A2H271-273
5310-928-2690	8	A2H279-280
5310-928-2690	7	A2H279-282
5310-928-2690	7	A2H307-308
5310-928-2690	7, 8	A2H314
5310-928-2690	7	A2H327-332
5310-928-2690	7	A2H393
5310-928-2690	8	A2H566-567
5310-929-6395	3	A1A1H22-24

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Stock Number	Figure No.	Reference Designation
5310-929-6395	8	A2H285-286
5310-929-6395	1	H15-18
5310-933-8118	3	A1A1H117-118
5310-933-8118	3	A1A1H425-426
5310-933-8118	3	A1A1H448-451
5310-933-8118	3	A1A1MP21H3-4
5310-933-8118	2	A1H33
5310-933-8118	2	A1H47
5310-933-8118	7, 8	A2A2H193
5310-933-8118	8	A2A2H337-340
5310-933-8118	8	A2A2H560-563
5310-933-8118	8	A2H161-162
5310-933-8118	7, 8	A2H274
5310-933-8118	7, 8	A2H302-304
5310-933-8118	7	A2H337-340
5310-934-9748	3	A1A1H35-36
5310-938-2013	4	A1A3H427
5310-938-2013	6	A1A4H155-156
5310-938-2013	6	A1A4MP76H5-6
5310-938-2013	8	A2A2H311
5310-938-2013	7	A2H311
5310-995-7166	8	A2H78-79
5315-797-5205	3	A1A1MP26
5315-797-5206	3	A1A1H46
5315-843-7988	3	A1A1H458
5315-880-9078	3	A1A1H48
5315-880-9078	3	A1A1H433
5340-113-3848	3	A1A1MP107-126
5340-113-3851	3	A1A1MP8, 12, 81, 98, 101
5340-122-7159	7, 8	A2MP93
5340-178-1408	3	A1A1MP28-35
5340-178-1541	8	A2A2MP158-159
5340-178-1541	7	A2MP95-96
5340-598-1493	3	A1A1H29, 41, 42, 50, 61, 130
5340-721-8187	3	A1A1H122
5340-727-5153	3	A1A1MP99
5340-793-1661	9	A2A1A2MP86
5340-793-1667	9	A2A1A2MP87
5340-793-1667	9	A2A1MP83, 133, 134
5340-793-1671	8	A2A2MP168
5340-886-1471	3	A1A1H45
5340-998-0661	4	A1A3MP62
5355-880-5546	3	A1A1MP7
5355-880-5548	3	A1A1MP3-5
5355-880-5549	3	A1A1MP6
5820-403-6902	8	A2A2A4
5821-018-8665	2	A1A5
5821-018-8667	2	A1A6
5821-018-8668	2	A1A7
5821-044-1948	7	A2A1
5821-044-1950	7	A2P3
5821-091-9142	2	A1A11
5821-091-9142	2	A1A13
5821-091-9143	7	A2A4
5821-091-9144	9	A2A1A1
5821-091-9145	3	A1A1A1MP10
5821-091-9146	2	A2A5
5821-091-9149	4, 5	A1A3MP70
5821-091-9150	3	A1A1MP20
5821-091-9151	3	A1A1A2
5821-091-9153	1	A1
5821-091-9154	2	A1A1
5821-091-9155	2	A1A4
5821-091-9156	1	A2
5821-091-9157	1	A2A2
5821-091-9159	2	A1A3
5821-091-9160	3	A1A1MP15
5821-104-4630	7	A2A2A2
5821-104-4630	7	A2A2A4
5821-104-4631	9	A2A1A2A2
5821-104-4632	7, 8	A2A2A1
5821-104-4633	7, 8	A2A2A5
5821-134-6983	1	A2A2
5821-134-7003	1	A1
5821-142-5414	4, 5	A1A3A6
5821-142-5415	4, 5	A1A3A5
5821-142-5416	4, 5	A1A3A4
5821-142-5417	4, 5	A1A3A2
5821-142-5418	4, 5	A1A3A3
5821-142-5541	2	A1A8
5821-142-5541	2	A1A16
5821-142-5550	2	A1A8
5821-142-5555	2	A1A7
5821-177-2980	1	A1

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Stock Number	Figure No.	Reference Designation
5821-177-3504	6	A1A4A2
5821-254-6359	8	A2A4
5821-403-6894	2	A1A4
5821-403-6895	2	A1A16
5821-403-6899	2	A2A5
5821-403-6900	1	A2
5821-403-6901	2	A1A11
5821-403-6901	2	A1A13
5821-404-5973	2	A1A3
5821-689-6257	2	A1A10
5821-689-6257	2	A1A14
5821-689-6273	2	A1A9
5821-689-6273	2	A1A15
5821-727-4246	2	A1A12
5821-944-1947	3	A1A1A1MP9
5895-704-9698	3	A1A1MP49
5895-704-9698	3	A1A1MP63
5905-057-8733	3	A1A1R44
5905-057-8737	3	A1A1R43
5905-897-0395	7	A2A5A2R23
5905-905-7634	7	A2A5A2R23
5905-914-2090	7	A2A5A2R23
5905-917-0403	7	A2A5A2R23
5905-917-5522	7	A2A5A2R23
5905-917-5523	7	A2A5A2R23
5905-922-7215	4	A1A3R4
5905-922-7215	4	A1A3R5
5905-922-7215	4	A1A3R6
5905-922-7215	4	A1A3R7
5905-923-3534	7	A2A5A2R23
5905-924-3289	7	A2A5A2R23
5905-924-3317	7	A2A5A2R23
5905-945-5291	7	A2A5A2R23
5905-945-6957	7	A2A5A2R23
5905-947-5427	7	A2A5A2R23
5905-947-7838	7	A2A5A2R23
5905-947-7841	7	A2A5A2R23
5905-948-8451	7	A2A5A2R23
5905-982-0937	3	A1A1R13-22
5910-056-4859	6	A1A4C28
5910-056-4859	7	A2C2-4
5910-111-1912	7, 8	A2A2C4
5910-111-1912	7	A2A2C14, 16, 18, 20, 22
5910-111-1913	7, 8	A2A2C3
5910-111-1913	7	A2A2C24, 26, 28, 30, 32
5910-111-4935	9	A2A1C1, 2
5910-782-4981	4	A1A3C35-46
5910-782-4981	8	A2A2C46-48
5910-857-9192	7, 8	A2A2C39
5910-904-0519	7	A2C6
5915-102-6809	7, 8	A2Z1
5920-110-7792	-	A2A2XF1MP103
5920-110-7800	8	A2A2XF1MP102
5920-110-7800	7	A2XF1MP102
5920-902-6827	8	A2A2XF1
5920-902-6827	7	A2XF1
5920-903-1008	8	A2A2F1
5920-903-1008	7	A2F1
5920-903-1008	7, 8	A2F1 SPARE
5930-059-2856	3	A1A1S7
5930-116-2767	3	A1A1S3
5930-116-2769	3	A1A1S6
5935-061-3276	6	A1A4P9-1 thru -12
5935-061-3276	8	A2A2J15-1, -2
5935-061-3276	8	A2A2J16-1, -2, -3
5935-061-3276	8	A2A2J17-1 thru -14
5935-061-3276	8	A2A2P3-1 thru -36
5935-062-1608	3	A1A1J9-1 thru -12
5935-062-1608	3	A1A1P5-1 thru -52
5935-062-1608	4	A1A3P6-1 thru -10
5935-062-1608	9	A2A1P15-1, -2
5935-062-1608	8	A2A1P16-1, -2, -3
5935-111-1881	6	A1A4MP76XA2
5935-111-1881	6	A1A4XA8-10
5935-111-1881	6	A1A4XA14-16
5935-111-6047	7	A2J1
5935-134-5297	6	A1A4J5
5935-134-5297	8	A2A2P3
5935-134-5298	3	A1A1P5
5935-134-5298	6	A1A4MP76J3
5935-134-5607	3	A1A1J9
5935-134-5608	6	A1A4P9
5935-247-8406	4	A1A3P6

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Stock Number	Figure No.	Reference Designation
5935-728-5606	8	A2A2J2
5935-728-5606	7	A2J2
5935-762-0414	8	A2A2P13
5935-762-0414	7	A2P13
5935-782-6165	8	A2A2P14
5935-811-7488	7	A2P14
5940-549-7247	8	A2MP155
5940-847-3138	3	A1A1E1
5940-847-3138	8	A2A2E1
5940-847-3138	7	A2E1
5945-929-9969	7	A2K1
5950-059-5920	-	A1A3L1-3, 23-25
5961-011-6767	7, 8	A2A2Q1
5961-126-7031	7, 8	A2A2Q2-6
5961-887-5181	3	A1A1CR1-17, 19-22
5961-926-0220	8	A2A2Q7
5961-926-0220	7	A2Q1
5961-938-5157	9	A2A1MP84
5961-938-5157	9	A2A1MP204
5970-134-0907	3	A1A1MP46
5970-144-8072	8	A2A2MP73
5970-179-3365	7	A2A2MP128-132
5975-985-6570	4	A1A3MP187
5975-985-6570	8	A2A2MP162-163
5975-985-6570	7, 8	A2MP143
5985-110-9288	3	A1A1MP13
5995-056-8848	4, 5	A1A3J7, 8, 11
5995-056-8848	6	A1A4J12, 19
5995-056-8848	7, 8	A2A2J4
5995-056-8850	4, 5	A1A3P12
5995-056-8850	6	A1A4P7, 10, 11, 18
5995-056-8850	9	A2A1A2P4
5995-102-3821	6	A1A4MP127
5999-762-2668	8	A2A2MP91
5999-762-2668	7	A2MP91
6145-080-4383	-	W11
6145-236-9498	-	W7
6145-523-1270	-	W1
6145-577-3420	-	W9
6145-669-6564	-	W8
6145-669-6642	-	W6
6145-833-5236	-	W5
6145-838-9444	-	W10
6145-959-4490	7, 8	A2A2Z1

Reference No.	Mfg Code	Fig No.	Reference Designation
CK06CW103M	81349	7, 8	A2A2C39
MIL-W-583 TYPE T2, 28 AWG		--	W1
MIL-W-16878/4A, TYPE E, TFE JAC, 26 AWG, WHITE	81349	--	W2
MS15795-801	96906	--	A1A3H592-593, 598-599, 604-605
MS15795-801	96906	6	A1A4H167-168
MS15795-801	96906	8	A2A2H53-54
MS15795-802	96906	3	A1A1H131-132
MS15795-802	96906	5	A1A3H97
MS15795-802	96906	4, 5	A1A3H103-104, 341-343
MS15795-802	96906	4	A1A3424, 429, 576-577
MS15795-802	96906	2	A1H410-420, 435
MS15795-802	96906	8	A2H267-268
MS15795-802	96906	7	A2H267-269
MS15795-802	96906	8	A2H568-569
MS15795-803	96906	3	A1A1H37-38, 444-445
MS15795-803	96906	7, 8	A2H270
MS16213-57	96906	3	A1A1H105
MS16562-3	96906	3	A1A1H458
MS16624-1018	96906	3	A1A1H122
MS16632-4012	96906	3	A1A1H45
MS16632-4018	96906	3	A1A1H29, 41-42, 50, 61, 130
MS16995-4	96906	3	A1A1MP21MP2H1-8
MS17821-3-9	96906	4	A1A3MP187
MS17821-3-9	96906	7, 8	A2MP143

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
MS17821-3-9	96906	8	A2A2MP162-163
MS17821-4-9	96906	3	A1A1MP99
MS21318-1	96906	7,8	A2A2H321-322
MS27335TB18-32P	96906	7	A2J1
MS35275-204	96906	6	A1A4H454-457
MS35275-214	96906	8	A2A2H558-559
MS35275-235	96906	7,8	A2H283-284
MS35333-69	96906	8	A2A2H392
MS35337-77	96906	8	A2A2H538-542
MS35337-79	96906	7,8	A2H256-259
MS35337-79	96906	7	A2H285-286
MS35338	96906	7,8	A2A2H193
MS35338-134	96906	3	A1A1H27-28,59-60, 127-129, 358-359
MS35338-134	96906	4,5	A1A3H80-95, 98, 106-109
MS35338-134	96906	4	A1A3H430, 578-581, 614-615
MS35338-134	96906	6	A1A4H163-164, 218-221
MS35338-134	96906	2	A1H144-154, 407-409, 446, 453
MS35338-134	96906	7,8	A2A2H208, 230-234
MS35338-134	96906	8	A2A2H307-308
MS35338-134	96906	7	A2A2H327-332
MS35338-134	96906	7,8	A2A2H378-380, 390-391
MS35338-134	96906	8	A2A2H544, 547-548
MS35338-134	96906	7	A2H180-181
MS35338-134	96906	7,8	A2H271-273
MS35338-134	96906	7	A2H279-282
MS35338-134	96906	8	A2H279-280
MS35338-134	96906	7	A2H307-308
MS35338-134	96906	7,8	A2H314
MS35338-134	96906	7	A2H327-332,393
MS35338-134	96906	8	A2H566-567
MS35338-135	96906	3	A1A1H117-118, 425-426,448-451
MS35338-135	96906	3	A1A1MP21H3-4
MS35338-135	96906	2	A1H33, 47
MS35338-135	96906	8	A2A2H337-340, 560-563
MS35338-135	96906	8	A2H161-162
MS35338-135	96906	7,8	A2H274, 302-304
MS35338-135	96906	7	A2H337-340
MS35338-136	96906	3	A1A1H22-24
MS35338-136	96906	8	A2H285-286
MS35338-136	96906	1	H15-18
MS35649-244	96906	3	A1A1H35-36
MS35649-244	96906	4	A1A3H427
MS35649-244	96906	6	A1A4H155-156
MS35649-244	96906	6	A1A4MP76H5-6
MS35649-244	96906	8	A2A2H311
MS35649-244	96906	7	A2H311
MS51957-1	96906	8	A2A2H543
MS51957-2	96906	--	A1A3H113-114, 195, 586-589
MS51957-2	96906	6	A1A4H213-214
MS51957-2	96906	2	A1H452
MS51957-2	96906	7,8	A2A2H194
MS51957-2	96906	8	A2A2H305-306
MS51957-2	96906	7,8	A2A2H372-374, 386-387
MS51957-2	96906	8	A2A2H545-546, 549-550
MS51957-2	96906	7	A2H178-179, 275-277
MS51957-2	96906	8	A2H275-276
MS51957-2	96906	7	A2H305-306
MS51957-2	96906	7,8	A2H313
MS51957-2	96906	8	A2H564-565
MS51957-3	96906	4	A1A3H428
MS51957-3	96906	6	A1A4MP76H7-8
MS51957-3	96906	2	A1H133-143, 399-401
MS51957-3	96906	2	A1H434
MS51957-3	96906	9	A2A1A2H298
MS51957-3	96906	9	A2A1H293
MS51957-3	96906	8	A2A2H182-186
MS51957-3	96906	7	A2A2H315-320
MS51957-3	96906	7,8	A2H263-265
MS51957-3	96906	7	A2H278, 315-320
MS51957-4	96906	6	A1A4H209-212, 224-225
MS51957-4	96906	8	A2A2H310
MS51957-5	96906	4	A1A3H572-573

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
MS51957-5	96906	6	A1A4H226-229
MS51957-5	96906	8	A2A2H309
MS51957-5	96906	7	A2H309
MS51957-6	96906	6	A1A4H157-158
MS51957-6	96906	6	A1A4H199-200
MS51957-6	96906	7	A2H310
MS51957-8	96906	7	A2A2H182-186
MS51957-10	96906	3	A1A1H57-58
MS51957-11	96906	9	A2A1H295-296
MS51957-12	96906	7, 8	A2A2H192
MS51957-12	96906	8	A2A2H312
MS51957-12	96906	7	A2H312
MS51957-13	96906	3	A1A1H30, 440-443
MS51957-13	96906	8	A2A2H333-336, 556-557
MS51957-13	96906	7	A2H333-336
MS51957-14	96906	3	A1A1H421-422
MS51957-14	96906	7	A2H260-262
MS51957-15	96906	3	A1A1H111-112
MS51957-15	96906	3	A1A1MP21H1-2
MS51957-20	96906	7, 8	A2H299-301
MS51957-27	96906	1	H13-14
MS51963-1	96906	3	A1A1H370
MS51963-1	96906	4, 5	A1A3H344-345
MS51963-9	96906	3	A1A1H39-40, 325-326, 368
MS51963-34	96906	3	A1A1H235
MS51963-35	96906	3	A1A1H323-324
MS51963-37	96906	3	A1A1H462
M26655/2-0146	81349	7	A2C6
NAS1640-0	80205	--	A1A3H594-595, 600-601, 606-607
NAS1640-1	80205	8	A2H78-79
NAS1464-026-02C	80205	7, 8	A2MP93
NAS1635-00-2	80205	9	A2A1H287-292
NAS1635-00-3	80205	--	A1A3H590-591, 596-597, 602-603
NAS1635-00-3	80205	6	A1A4H165-166
NAS1635-00-3	80205	7, 8	A2A5H115-116, 159-160
NAS1635-00-4	80205	8	A2A2H552-553
NAS1635-00-5	80205	3	A1A1H51-52
QQ-W-343, TYPE S, 16 AWG, TINNED	81348	--	W5
QQ-W-343, TYPE S, 18 AWG, TINNED	81348	--	W6
QQ-W-343, TYPE S, 20 AWG, TINNED	81348	--	W7
QQ-W-343, TYPE S, 22 AWG, TINNED	81348	--	W8
QQ-W-343, TYPE S, 24 AWG, TINNED	81348	--	W9
QQ-W-343, TYPE S, 26 AWG, TINNED	81348	--	W10
RC05GF102J	81349	7	A2A5A2R23
RC05GF112J	81349	7	A2A5A2R23
RC05GF122J	81349	7	A2A5A2R23
RC05GF132J	81349	7	A2A5A2R23
RC05GF152J	81349	7	A2A5A2R23
RC05GF162J	81349	7	A2A5A2R23
RC05GF180J	81349	--	A1A4A1R1
RC05GF182J	81349	--	A1A4A1R2
RC05GF182J	81349	7	A2A5A2R23
RC05GF221J	81349	--	A1A4A1R6
RC05GF222J	81349	7	A2A5A2R23
RC05GF242J	81349	--	A1A4A1R5
RC05GF272J	81349	--	A1A4A1R3
RC05GF511J	81349	--	A1A4A1R4
RC05GF511J	81349	7	A2A5A2R23
RC05GF561J	81349	7	A2A5A2R23
RC05GF621J	81349	7	A2A5A2R23
RC05GF681J	81349	7	A2A5A2R23
RC05GF751J	81349	7	A2A5A2R23
RC05GF821J	81349	7	A2A5A2R23
RC05GF911J	81349	7	A2A5A2R23
RC056F103K	81349	4	A1A3R4-7
RC076F470K	81349	--	A1A3R11
RE60G20R5	81349	8	A2R1
RG178B/U	81349	7, 8	A2A2Z1
RG188A/U	81349	--	W11

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
RLR05C102JM	81349	8	A2A5A2R27
RLR05C103JM	81349	8	A2A5A1R33
RLR05C103JM	81349	8	A2A5A2R6
RLR05C104JM	81349	8	A2A5A2R7
RLR05C112JM	81349	8	A2A5A2R27
RLR05C113JM	81349	8	A2A5A1R33
RLR05C114JM	81349	8	A2A5A2R7
RLR05C122JM	81349	8	A2A5A2R27
RLR05C123JM	81349	8	A2A5A1R33
RLR05C124JM	81349	8	A2A5A2R7
RLR05C132JM	81349	8	A2A5A2R27
RLR05C133JM	81349	8	A2A5A1R33
RLR05C134JM	81349	8	A2A5A2R7
RLR05C152JM	81349	8	A2A5A2R27
RLR05C153JM	81349	8	A2A5A1R33
RLR05C154JM	81349	8	A2A5A2R7
RLR05C162JM	81349	8	A2A5A2R27
RLR05C164JM	81349	8	A2A5A2R7
RLR05C182JM	81349	8	A2A5A1R33
RLR05C182JM	81349	8	A2A5A2R27
RLR05C184JM	81349	8	A2A5A2R7
RLR05C202JM	81349	8	A2A5A1R33
RLR05C202JM	81349	8	A2A5A2R27
RLR05C222JM	81349	8	A2A5A1R33
RLR05C222JM	81349	8	A2A5A2R27
RLR05C242JM	81349	8	A2A5A1R33
RLR05C242JM	81349	8	A2A5A2R27
RLR05C272JM	81349	8	A2A5A1R33
RLR05C272JM	81349	8	A2A5A2R6
RLR05C272JM	81349	8	A2A5A2R27
RLR05C273JM	81349	8	A2A5A2R7
RLR05C302JM	81349	8	A2A5A1R33
RLR05C302JM	81349	8	A2A5A2R6
RLR05C302JM	81349	8	A2A5A2R27
RLR05C303JM	81349	8	A2A5A2R7
RLR05C332JM	81349	8	A2A5A1R33
RLR05C332JM	81349	8	A2A5A2R6
RLR05C332JM	81349	8	A2A5A2R27
RLR05C333JM	81349	8	A2A5A2R7
RLR05C362JM	81349	8	A2A5A1R33
RLR05C362JM	81349	8	A2A5A2R6
RLR05C363JM	81349	8	A2A5A2R7
RLR05C392JM	81349	8	A2A5A1R33
RLR05C392JM	81349	8	A2A5A2R6
RLR05C393JM	81349	8	A2A5A2R7
RLR05C432JM	81349	8	A2A5A1R33
RLR05C432JM	81349	8	A2A5A2R6
RLR05C433JM	81349	8	A2A5A2R7
RLR05C472JM	81349	8	A2A5A1R33
RLR05C472JM	81349	8	A2A5A2R6
RLR05C473JM	81349	8	A2A5A2R7
RLR05C512JM	81349	8	A2A5A1R33
RLR05C512JM	81349	8	A2A5A2R6
RLR05C513JM	81349	8	A2A5A2R7
RLR05C562JM	81349	8	A2A5A2R6
RLR05C563JM	81349	8	A2A5A2R7
RLR05C622JM	81349	8	A2A5A1R33
RLR05C622JM	81349	8	A2A5A2R6
RLR05C633JM	81349	8	A2A5A2R7
RLR05C682JM	81349	8	A2A5A1R33
RLR05C682JM	81349	8	A2A5A2R6
RLR05C683JM	81349	8	A2A5A2R7
RLR05C751JM	81349	8	A2A5A2R27
RLR05C752JM	81349	8	A2A5A1R33
RLR05C752JM	81349	8	A2A5A2R6
RLR05C753JM	81349	8	A2A5A2R7
RLR05C821JM	81349	8	A2A5A2R27
RLR05C822JM	81349	8	A2A5A1R33
RLR05C822JM	81349	8	A2A5A2R6
RLR05C823JM	81349	8	A2A5A2R7
RLR05C911JM	81349	8	A2A5A2R27
RLR05C912JM	81349	8	A2A5A2R6
RLR05C913JM	81349	8	A2A5A2R7
RN55C1002F	81349	3	A1A1R13-22
RN50E1011D	81349	3	A1A1R2
RN50E1131F	81349	3	A1A1R24
RN50E2580D	81349	3	A1A1R11
RN50E3010F	81349	3	A1A1R10
RN50E3480F	81349	3	A1A1R9
RN50E3700D	81349	3	A1A1R31
RN50E4070D	81349	3	A1A1R8
RN50E4370D	81349	3	A1A1R30
RN50E4750F	81349	3	A1A1R7
RN50E5170D	81349	3	A1A1R29

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
RN50E5490F	81349	3	A1A1R6
RN50E6120D	81349	3	A1A1R28
RN50E6420D	81349	3	A1A1R5
RN50E7150F	81349	3	A1A1R27
RN50E7410D	81349	3	A1A1R4
RN50E8350D	81349	3	A1A1R26
RN50E8660F	81349	3	A1A1R3
RN50E9760F	81349	3	A1A1R25
SM-A-595776-102	80063	4	A1A3C47
SM-A-595783-20	80063	--	A1A4A1C7
SM-A-595783-29	80063	--	A1A4A1C2
SM-A-595783-108	80063	--	A1A4A1C1
SM-A-595783-114	80063	--	A1A4A1C4
SM-A-595790-1	80063	8	A2A2C45
SM-A-595790-1	80063	7	A2C1
SM-A-595791-3	80063	--	A1A3C4-5, 13, 20, 27
SM-A-595791-3	80063	4	A1A3C35-46
SM-A-595791-3	80063	8	A2A2C46-48
SM-A-595802-2	80063	7	A2P14
SM-A-595802-3	80063	8	A2A2P14
SM-A-595802-4	80063	8	A2A2P13
SM-A-595802-4	80063	7	A2P13
SM-A-595805-1	80063	8	A2A2J2
SM-A-595805-1	80063	7	A2J2
SM-A-595807-1	80063	6	A1A4MP76XA2
SM-A-595807-1	80063	6	A1A4XA8-10, 14-16
SM-A-595807-2	80063	6	A1A4XA11-13
SM-A-595833-17	80063	--	A1A3CR3-4, 6-11
SM-A-595835-109	80063	--	A1A3L1-3, 23-25
SM-A-595863-202	80063	6	A1A4MP76R10
SM-A-595867-129	80063	7, 8	A2A2C4
SM-A-595867-129	80063	7	A2A2C14, 16, 18, 20, 22
SM-A-595861-131	80063	7, 8	A2A2C3
SM-A-595867-131	80063	7	A2A2C24, 26, 28, 30, 32
SM-A-595867-135	80063	9	A2A1A2C1, 3
SM-A-595872-3	80063	9	A2A1MP84, 204
SM-A-595875	80063	8	A2A2XF1
SM-A-595875-1	80063	8	A2A2XF1MP102
SM-A-595875-3	80063	--	A2A2XF1MP103
SM-A-595875	80063	7	A2XF1
SM-A-595875-1	80063	7	A2XF1MP102
SM-A-595875-3	80063	--	A2XF1MP103
SM-A-595876-2	80063	7	A2F1
SM-A-595876-2	80063	8	A2A2F1
SM-A-595876-2	80063	7, 8	A2 SPARE
SM-A-595946-4	80063	--	A1A3H608-609
SM-A-595946-5	80063	6	A1A4H236-247, 463-468
SM-A-597811-1	80063	--	W4
SM-A-597811-4	80063	--	W3
SM-A-597811-7	80063	--	W15
SM-A-597811-8	80063	--	W16
SM-A-597813-3	80063	3	A1A1R44
SM-A-597813-5	80063	3	A1A1R43
SM-A-597828-2	80063	--	W17
SM-A-597833-6	80063	--	W18
SM-A-597837-1	80063	4, 5	A1A3P12
SM-A-597837-1	80063	--	A1A4A1P19
SM-A-597837-1	80063	6	A1A4P7
SM-A-597837-1	80063	6	A1A4P10, 11, 18
SM-A-597837-1	80063	9	A2A1A2P4
SM-A-597837-2	80063	4, 5	A1A3J7-8, 11
SM-A-597837-2	80063	--	A1A4A1J18
SM-A-597837-2	80063	6	A1A4J12, 19
SM-A-597837-2	80063	7, 8	A2A2J4
SM-A-597849	80063	7, 8	A2A2Q1
SM-A-597849-2	80063	7, 8	A2A2Q2-6
SM-A-597849-3	80063	9	A2A1A2Q1
SM-A-617901-102	80063	--	A1A4A1C3, 5-6
SM-A-617901-103	80063	6	A1A4C28
SM-A-617901-103	80063	7	A2C2-4
SM-A-617905-1	80063	7	A2K1
SM-A-617905-2	80063	8	A2A2K1
SM-A-617906-9	80063	3	A1A1J9
SM-A-617906-10	80063	6	A1A4P9
SM-A-617906-13	80063	8	A2A2J17
SM-A-617906-15	80063	8	A2A2J16
SM-A-617906-16	80063	--	A2A1P15
SM-A-617906-16	80063	8	A2P16
SM-A-617906-17	80063	8	A2A2J15
SM-A-617920-5	80063	6	A1A4MP76J6

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
SM-A-617920-6	80063	4	A1A3P6
SM-A-617926-102	80063	--	A1A4A1C8
SM-A-617926-102	80063	9	A2A1C1-2
SM-A-617928-2	80063	6	A1A1MP193
SM-A-617928-2	80063	8	A2E2
SM-A-617933	80063	7, 8	A2Z1
SM-A-617934	80063	8	A2A2P3
SM-A-617934	80063	6	A1A4J5
SM-A-617934-2	80063	6	A1A4MP76J3
SM-A-617934-2	80063	3	A1A1P5
SM-A-617935-1	80063	3	A1A1J9-1 THRU -12, P5-1 THRU -52
SM-A-617935-1	80063	4	A1A3P6-1 THRU -10
SM-A-617935-1	80063	9	A2A1P15-1 THRU -2
SM-A-617935-1	80063	8	A2P16-1 THRU -3
SM-A-617935-2	80063	6	A1A4P9-1 THRU -12
SM-A-617935-2	80063	8	A2A2J15-1 THRU -2, J16-1 THRU -3, P3-1 THRU -36, J17-1 THRU -14
SM-A-617935-4	80063	6	A1A4J5-1 THRU -52
SM-A-617935-6	80063	6	A1A4MP76J6-1 THRU -11
SM-A-617935-7	80063	6	A1A4MP76J3-1 THRU -38
SM-A-617937-1	80063	--	A1A3E73
SM-A-617937-2	80063	--	A1A3E43, 53, 60, 67
SM-A-617937-3	80063	--	A1A3E44, 45
SM-A-617938-1	80063	--	A1A3L5
SM-A-617938-2	80063	--	A1A3L17, 21
SM-A-617943-24	80063	--	W12
SM-A-617943-26	80063	--	W13
SM-A-617944-1	80063	8	A2A2MP91
SM-A-617944-1	80063	7	A2MP91
SM-A-617948-1	80063	--	A1A3C12, 19, 26
SM-A-618145	80063	4, 5	A1A3A4
SM-A-618652-2	80063	--	A1A4A1Q1, 2
SM-A-618655-1	80063	--	W14
SM-A-618664-1	80063	8	A2A2MP180, 181
SM-A-618664-1	80063	7	A2MP180, 181
SM-A-618676-1	80063	--	A1A4A1T1
SM-A-618678-1	80063	8	A2A2J1
SM-A-618690-915	80063	4, 5	A1A3A3Y1
SM-A-692930	80063	4	A1A3MP186
SM-A-693014-1	80063	8	A2A2C14, 16, 18, 20, 22, 24, 26, 28, 30, 32
SM-A-693014-2	80063	9	A2A1A2C1, 3
SM-B-595933-5	80063	4, 5	A1A3MP104-106, 189
SM-B-595933-9	80063	--	A1A4A1MP197-198
SM-B-595940-1	80063	3	A1A1H46, 48, 433
SM-B-595946-11	80063	--	A1A3H616-623
SM-B-595947	80063	3	A1A1MP49, 63
SM-B-595953-2	80063	3	A1A1E1
SM-B-595953-2	80063	8	A2A2E1
SM-B-595953-2	80063	7	A2E1
SM-B-595971-1	80063	3	A1A1H461
SM-B-596103	80063	2	A1A10, 14
SM-B-597632	80063	9	A2A1A2A2
SM-B-597650	80063	7, 8	A2A2A1
SM-B-597654	80063	7	A2A2A2
SM-B-597802-2	80063	--	A1A4A1MP199-200
SM-B-597806-3	80063	--	A1A3E52, 66
SM-B-597932-4	80063	3	A1A1MP37
SM-B-605919	80063	6	A1A4A1
SM-B-605924	80063	9	A2A1A1
SM-B-605930	80063	9	A2A1A2A2
SM-B-617264-2	80063	9	A2A1A2MP86
SM-B-617745	80063	7	A2A2A4
SM-B-617750	80063	7, 8	A2A2A5
SM-B-617809-1	80063	3	A1A1S3
SM-B-617829-3	80063	3	A1A1MP54
SM-B-617829-5	80063	3	A1A1MP24
SM-B-617938-2	80063	--	A1A3L9
SM-B-617839	80063	3	A1A1MP47
SM-B-617866	80063	3	A1A1MP61
SM-B-617883	80063	3	A1A1MP48
SM-B-617890	80063	1	A1
SM-B-617392	80063	2	A1A1

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
SM-B-617939-3	80063	3	A1A1H459-460
SM-B-617963	80063	6	A1A4A2
SM-B-617996	80063	6	A1A4A3
SM-B-618001	80063	3	A1A1MP60
SM-B-618008	80063	3	A1A1MP13
SM-B-618014	80063	3	A1A1MP64
SM-B-618018	80063	2	A1A4
SM-B-618033	80063	8	A2A2Q1-C
SM-B-618033	80063	7	A2E2, A2Q1-C
SM-B-618070	80063	--	A1A4MP80
SM-B-618073	80063	6	A1A4MP79
SM-B-618148	80063	4, 5	A1A3A3
SM-B-618180	80063	2	A1A12
SM-B-618257-2	80063	3	A1A1H19-21
SM-B-618257-2	80063	2	A1H395-398
SM-B-618278	80063	2	A1A9, 15
SM-B-618281	80063	6	A1A4MP76
SM-B-618332	80063	--	A1A3A10
SM-B-618338	80063	4, 5	A1A3MP71
SM-B-618340	80063	2	A1A3
SM-B-618363	80063	--	A1A3A9
SM-B-618377	80063	5	A1A3A1
SM-B-618383	80063	4, 5	A1A3MP70
SM-B-618385	80063	4, 5	A1A3A6
SM-B-618387	80063	4, 5	A1A3MP69
SM-B-618393	80063	1	MP2
SM-B-618395	80063	6	A1A4MP127
SM-B-618398	80063	3	A1A1MP15
SM-B-618419	80063	3	A1A1MP23
SM-B-618430	80063	9	A2A1A2MP87, A2A1MP83, A2A1MP133-134
SM-B-618433	80063	4, 5	A1A3A2
SM-B-618440	80063	1	A2A2
SM-B-618442	80063	8	A2A2MP168
SM-B-618464	80063	7	A2A5MP177
SM-B-618466	80063	7, 8	A2A5MP191-192
SM-B-618480	80063	4, 5	A1A3A5
SM-B-618485	80063	--	A1A3A8
SM-B-618489	80063	7	A2A5A1
SM-B-618492	80063	--	A2A5A2
SM-B-618497	80063	3	A1A1A2
SM-B-618502	80063	7	A2P3
SM-B-618572	80063	2	A2A5
SM-B-618591	80063	3	A1A1P5
SM-B-618601	80063	4	A1A3A11
SM-B-618627	80063	2	A1A5
SM-B-618631	80063	2	A1A7
SM-B-618635	80063	2	A1A6
SM-B-618683-4	80063	4	A1A3MP62
SM-B-618683-4	80063	6	A1A4MP150
SM-B-618729	80063	--	A1A4MP80
SM-B-618769	80063	7	A2A4
SM-B-618836	80063	1	MP1
SM-B-618836-3	80063	1	MP1
SM-B-618862	80063	2	A1MP36
SM-B-618864	80063	6	A1A4MP78
SM-B-632009	80063	2	A1A11, 13
SM-B-632015	80063	9	A2A1A1
SM-B-632021	80063	7	A2A5A1
SM-B-632024	80063	7	A2A5A2
SM-B-632135	80063	--	A1A1MP21
SM-B-632139	80063	1	A1
SM-B-632140	80063	2	A1A4
SM-B-632142	80063	2	A1MP75
SM-B-632148	80063	2	A2A5
SM-B-632150	80063	1	A2
SM-B-632154	80063	7	A2A1
SM-B-632163	80063	--	A2A1A2
SM-B-632186	80063	2	A1A6
SM-B-632189	80063	2	A1A8, 16
SM-B-632200	80063	2	A1A5
SM-B-632205	80063	2	A1A8
SM-B-632216	80063	2	A1A7
SM-B-632278	80063	9	A2A1A2A2
SM-B-632296	80063	--	A1A3W1-4
SM-B-632322	80063	6	A1A4A3
SM-B-632330	80063	2	A1A10, 14
SM-B-632334	80063	2	A1A7
SM-B-632338	80063	2	A1A4
SM-B-632340	80063	1	A1
SM-B-692604	80063	1	A2A2

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
SM-B-692644	80063	1	A2
SM-B-692691	80063	8	A2A4
SM-B-692698	80063	--	A1A3A7
SM-B-692714	80063	8	A2A5A1
SM-B-692719	80063	2	A1A16
SM-B-692739	80063	2	A1A11, 13
SM-B-692820	80063	8	A2A5A2
SM-B-692824	80063	8	A2A5MP177
SM-B-692838	80063	8	A2A2A4
SM-B-692842	80063	8	A2A2A3
SM-B-692846	80063	2	A2A5
SM-B-692856	80063	8	A2A2A2
SM-B-692875	80063	6	A1A4MP76
SM-B-692889	80063	2	A1A4
SM-B-692900	80063	1	A1
SM-B-692903	80063	--	A1A4MP147-148
SM-B-692906	80063	8	A2MP9
SM-B-692908	80063	8	A2A2MP160
SM-B-692920	80063	8	A2MP156
SM-B-692923	80063	--	A1A3MP185
SM-B-692925	80063	2	A1A3
SM-B-692935	80063	8	A2A2MP170
SM-B-692936	80063	8	A2A2MP169
SM-B-692938	80063	2	A1MP75
SM-B-692946	80063	4	A1A3MP72
SM-B-692972	80063	8	A2A1
SM-B-692974	80063	--	A2A1A2
SM-B-693005	80063	8	A2A2H523
SM-C-596013-15	80063	8	A2MP153-154
SM-C-596085-7	80063	8	A2A2MP73-74
SM-C-596378-2	80063	3	A1A1H34
SM-C-596378-19	80063	--	A1A3H582-585
SM-C-596378-19	80063	6	A1A4MP76H1-4
SM-C-596378-20	80063	6	A1A4H487-522
SM-C-596378-21	80063	8	A2A2H533-537
SM-C-597677	80063	3	A1A1MP46
SM-C-605921	80063	--	A1A4A1E1
SM-C-617360	80063	--	A1A3MP188
SM-C-617742	80063	7	A2A2MP128-132
SM-C-617742-2	80063	8	A2A2MP74
SM-C-617791-4	80063	7, 8	A2A2H371, 381-385
SM-C-617805	80063	3	A1A1S1-A THRU D
SM-C-617814	80063	3	A1A1MP3-5
SM-C-617837-3	80063	4	A1A3H612-613
SM-C-617837-3	80063	2	A1H403-404
SM-C-617837-3	80063	7	A2A2H207, A2H392
SM-C-617837-3	80063	7, 8	A2A2H375-377, 388-389
SM-C-617837-7	80063	4	A1A3H574-575
SM-C-617837-7	80063	6	A1A4H123-126, 169-171, 230-234, A1A4MP76H9, 9A, 10, 10A
SM-C-617837-7	80063	7, 8	A2A2H187-191
SM-C-617837-8	80063	1	H346-355
SM-C-617837-8	80063	3	A1A1H438-439
SM-C-617837-10	80063	3	A1A1H431
SM-C-617837-12	80063	6	A1A4H469-486
SM-C-617864	80063	3	A1A1MP14
SM-C-617865	80063	3	A1A1MP25
SM-C-617868	80063	3	A1A1MP22
SM-C-617870-1	80063	3	A1A1MP26
SM-C-617878-1	80063	3	A1A1MP50-51
SM-C-618016	80063	3	A1A1MP57
SM-C-618017	80063	3	A1A1MP58
SM-C-618047	80063	3	A1A1MP6
SM-C-618048-1	80063	3	A1A1MP17-18
SM-C-618048-2	80063	3	A1A1MP19
SM-C-618049-2	80063	3	A1A1MP20
SM-C-618053-1	80063	3	A1A1MP107-126
SM-C-618053-4	80063	3	A1A1MP8, 12, 81, 98, 101
SM-C-618053-5	80063	3	A1A1MP28-35
SM-C-618053-7	80063	3	A1A1MP38
SM-C-618056	80063	3	A1A1S5
SM-C-618063	80063	3	A1A1MP55
SM-C-618064	80063	3	A1A1MP41
SM-C-618066-1	80063	3	A1A1MP40, 44
SM-C-618066-3	80063	3	A1A1MP36
SM-C-618069	80063	3	A1A1S4
SM-C-618077	80063	3	A1A1MP56
SM-C-618218	80063	3	A1A1S6
SM-C-618261	80063	3	A1A1S1-E THRU H

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No.	Mfg Code	Fig No.	Reference Designation
SM-C-618262	80063	3	A1A1S2
SM-C-618287	80063	6	A1A4W1
SM-C-618425	80063	9	A2A1MP82
SM-C-618441	80063	9	A2A2MP92
SM-C-618441	80063	7	A2MP92
SM-C-618584	80063	7, 8	A2A2MP88
SM-C-618584	80063	7	A2MP145
SM-C-618861	80063	8	A2A2MP158-159
SM-C-618861	80063	7	A2MP95-96
SM-C-618868	80063	7, 8	A2A2MP169
SM-C-618888	80063	6	A1A4MP137-138
SM-C-618889-2	80063	3	A1A1MP16
SM-C-632137	80063	6	A1A4MP139-140
SM-C-632138	80063	6	A1A4MP141-142
SM-C-632177	80063	6	A1A4MP137-138
SM-C-632178	80063	6	A1A4MP139-140
SM-C-632179	80063	6	A1A4MP141-142
SM-C-632342	80063	8	A2A2MP161
SM-C-632346	80063	7	A2A2MP85
SM-C-632346	80063	8	A2MP157
SM-C-692567	80063	7, 8	A2H247-251
SM-C-692614	80063	8	A2A2MP165
SM-C-692752	80063	8	A2A2MP164
SM-C-692753	80063	6	A1A4MP146
SM-C-692771	80063	8	A2A2MP167
SM-C-692894	80063	8	A2A2MP128-132
SM-C-692895	80063	8	A2A2H528-532
SM-C-692922	80063	8	A2MP155
SM-C-692925	80063	5	A1A3MP176
SM-C-692945	80063	4	A1A3MP178-179
SM-C-692960-2	80063	8	A2A2MP175
SM-C-692960-3	80063	9	A2A1MP172
SM-C-692960-3	80063	8	A2A2MP173-174, A2MP171
SM-C-692996	80063	8	A2A2E10
SM-C-693186	80063	--	A1A4A1MP196
SM-C-693187	80063	--	A1A4A1MP203
SM-C-693188	80063	--	A1A4A1MP201-202
SM-D-595977	80063	3	A1A1MP27
SM-D-595979-3	80063	3	A1A1MP7
SM-D-617841	80063	3	A1A1MP52
SM-D-617842-1	80063	3	A1A1MP53
SM-D-617860	80063	3	A1A1MP68
SM-D-617871	80063	3	A1A1MP59
SM-D-617880	80063	3	A1A1MP45
SM-D-617888-1	80063	3	A1A1MP39, 43
SM-D-618010	80063	3	A1A1MP67
SM-D-618011	80063	3	A1A1MP65
SM-D-618067	80063	3	A1A1MP42
SM-D-618443	80063	6	A1A4MP77
SM-D-618535-3	80063	3	A1A1MP11, 66
SM-D-618641	80063	6	A1A4W2
SM-D-618867	80063	7	A2A2MP97
SM-D-632010	80063	6	A1A4A2
SM-D-632136-101	80063	3	A1A1MP21MP2
SM-D-632136-102	80063	3	A1A1MP21MP1
SM-D-692755	80063	8	A2A2MP166
SM-D-692873	80063	--	A1A4MP76E1
SM-D-692909	80063	8	A2A2MP97
SM-E-617896	80063	--	A1A1A1
SM-E-617896-1	80063	3	A1A1A1MP9
SM-E-617896-2	80063	3	A1A1A1MP10
SM-E-618326-2	80063	--	A1A3MP190
SM-E-618327	80063	--	A1A3MP183-184
SM-E-618337	80063	--	A1A3MP182
SM-E-618424	80063	9	A2A1A2MP89
SM-E-618426	80063	--	A2A2MP100
SM-E-618427	80063	7	A2MP90
SM-E-692576	80063	--	A2A2MP100
1N4531	80131	3	A1A1CR1-17, 19-22
1N4532	80131	--	A1A4A1CR1-2
2N3792	80131	8	A2A2Q7
2N3792	80131	7	A2Q1
30YY2069	81073	3	A1A1S7
70A3115006-480	00011	7, 8	A2A5H123-126
70A3210434-480	00011	7, 8	A2H266
70A3215106-480	00011	8	A2H55-56
70A3710206-480	00011	7, 8	A2A2H315-320
70A3710442-480	00011	2	A1H31-32
70A3715010-480	00011	8	A2A2H110
70A3810205-480	00011	3	A1A1H264

SECTION IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION (CONTINUED)

Reference No	Mfg Code	Fig No.	Reference Designation
70A3810205-480	00011	1	H3-12
70A3810206-480	00011	1	H3-12
70A3810210-480	00011	3	A1A1H436-437
70A3810420-480	00011	8	A2H260-261
70A8300203-210	00011	3	A1A1H360-361, 366-367
70A8300403-210	00011	3	A1A1H356-357, 362-363, 366-367

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A1	7	A1A1H35	9	A1A1H357	11
A1A1	7	A1A1H36	9	A1A1H358	11
A1A1A1	8	A1A1H37	9	A1A1H359	11
A1A1A1MP9	8	A1A1H38	9	A1A1H360	11
A1A1A1MP10	8	A1A1H39	9	A1A1H361	11
A1A1A2	8	A1A1H40	9	A1A1H362	11
A1A1CR1	15	A1A1H41	9	A1A1H363	11
A1A1CR2	15	A1A1H42	10	A1A1H364	13
A1A1CR3	15	A1A1H43	10	A1A1H366	13
A1A1CR4	15	A1A1H44	10	A1A1H367	13
A1A1CR5	15	A1A1H45	11	A1A1H368	13
A1A1CR6	15	A1A1H46	11	A1A1H370	14
A1A1CR7	15	A1A1H48	13	A1A1H421	15
A1A1CR8	15	A1A1H50	13	A1A1H422	15
A1A1CR9	15	A1A1H51	12	A1A1H425	15
A1A1CR10	15	A1A1H52	12	A1A1H426	15
A1A1CR11	12	A1A1H57	12	A1A1H431	8
A1A1CR12	12	A1A1H58	12	A1A1H433	15
A1A1CR13	12	A1A1H59	12	A1A1H436	18
A1A1CR14	12	A1A1H60	12	A1A1H437	18
A1A1CR15	12	A1A1H61	13	A1A1H438	18
A1A1CR16	12	A1A1H105	9	A1A1H439	18
A1A1CR17	12	A1A1H111	9	A1A1H440	10
A1A1CR18	12	A1A1H112	9	A1A1H441	10
A1A1CR19	12	A1A1H117	9	A1A1H442	10
A1A1CR20	12	A1A1H118	9	A1A1H443	10
A1A1CR21	13	A1A1H119	9	A1A1H444	10
A1A1CR22	13	A1A1H120	9	A1A1H445	10
A1A1E1	15	A1A1H121	9	A1A1H448	10
A1A1H19	8	A1A1H122	9	A1A1H449	10
A1A1H20	8	A1A1H127	9	A1A1H450	10
A1A1H21	8	A1A1H128	9	A1A1H451	10
A1A1H22	8	A1A1H129	9	A1A1H458	18
A1A1H23	8	A1A1H130	10	A1A1H459	8
A1A1H24	8	A1A1H131	10	A1A1H460	8
A1A1H25	8	A1A1H132	10	A1A1H461	8
A1A1H26	8	A1A1H235	8	A1A1H462	8
A1A1H27	8	A1A1H323	8	A1A1J9	18
A1A1H28	8	A1A1H324	8	A1A1J9-1 thru -12	18
A1A1H29	9	A1A1H325	8	A1A1MP3	7
A1A1H30	9	A1A1H326	8	A1A1MP4	7
A1A1H34	11	A1A1H356	11	A1A1MP5	7

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A1A1MP6	8	A1A1MP36	11	A1A1MP113	10
A1A1MP7	8	A1A1MP37	12	A1A1MP114	10
A1A1MP8	9	A1A1MP38	12	A1A1MP115	10
A1A1MP11	8	A1A1MP39	11	A1A1MP116	10
A1A1MP12	9	A1A1MP40	11	A1A1MP117	10
A1A1MP13	8	A1A1MP41	11	A1A1MP118	10
A1A1MP14	9	A1A1MP42	11	A1A1MP119	10
A1A1MP15	9	A1A1MP43	11	A1A1MP120	10
A1A1MP16	9	A1A1MP44	11	A1A1MP121	10
A1A1MP17	9	A1A1MP45	11	A1A1MP122	13
A1A1MP18	9	A1A1MP46	12	A1A1MP123	13
A1A1MP19	9	A1A1MP47	12	A1A1MP124	13
A1A1MP20	9	A1A1MP48	12	A1A1MP125	13
A1A1MP21	18	A1A1MP49	12	A1A1MP126	13
A1A1MP21H1	18	A1A1MP50	12	A1A1P5	18
A1A1MP21H2	18	A1A1MP51	12	A1A1P5-1 thru -52	18
A1A1MP21H3	18	A1A1MP52	12	A1A1R2	14
A1A1MP21H4	18	A1A1MP53	12	A1A1R3	14
A1A1MP21MP1	18	A1A1MP54	13	A1A1R4	14
A1A1MP21MP2	18	A1A1MP55	13	A1A1R5	14
A1A1MP21MP2H1	18	A1A1MP56	13	A1A1R6	14
A1A1MP21MP2H2	18	A1A1MP57	13	A1A1R7	14
A1A1MP21MP2H3	18	A1A1MP58	13	A1A1R8	14
A1A1MP21MP2H4	18	A1A1MP59	13	A1A1R9	14
A1A1MP21MP2H5	18	A1A1MP60	14	A1A1R10	14
A1A1MP21MP2H6	18	A1A1MP61	14	A1A1R11	14
A1A1MP21MP2H7	18	A1A1MP63	13	A1A1R13	15
A1A1MP21MP2H8	18	A1A1MP64	10	A1A1R14	15
A1A1MP22	9	A1A1MP65	15	A1A1R15	15
A1A1MP23	10	A1A1MP66	8	A1A1R16	15
A1A1MP24	8	A1A1MP67	18	A1A1R17	15
A1A1MP25	10	A1A1MP68	18	A1A1R18	15
A1A1MP26	10	A1A1MP81	10	A1A1R19	15
A1A1MP27	11	A1A1MP98	13	A1A1R20	15
A1A1MP28	11	A1A1MP99	14	A1A1R21	15
A1A1MP29	11	A1A1MP101	10	A1A1R22	13
A1A1MP30	11	A1A1MP107	9	A1A1R24	14
A1A1MP31	11	A1A1MP108	9	A1A1R25	14
A1A1MP32	11	A1A1MP109	9	A1A1R26	14
A1A1MP33	11	A1A1MP110	10	A1A1R27	14
A1A1MP34	11	A1A1MP111	10	A1A1R28	14
A1A1MP35	11	A1A1MP112	10	A1A1R29	14

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A1A1R30	14	A1A3C19	22	A1A3H81	19
A1A1R31	14	A1A3C20	22	A1A3H82	19
A1A1R43	8	A1A3C26	21	A1A3H83	19
A1A1R44	8	A1A3C27	21	A1A3H84	19
A1A1S1A	14	A1A3C35	23	A1A3H85	19
A1A1S1B	14	A1A3C36	23	A1A3H86	19
A1A1S1C	14	A1A3C37	23	A1A3H87	19
A1A1S1D	14	A1A3C38	23	A1A3H88	19
A1A1S1E	14	A1A3C39	23	A1A3H89	19
A1A1S1F	14	A1A3C40	23	A1A3H90	19
A1A1S1G	14	A1A3C41	23	A1A3H91	19
A1A1S1H	14	A1A3C42	23	A1A3H92	19
A1A1S2	15	A1A3C43	23	A1A3H93	19
A1A1S3	12	A1A3C44	23	A1A3H94	19
A1A1S4	13	A1A3C45	23	A1A3H95	19
A1A1S5	13	A1A3C46	23	A1A3H96	19
A1A1S6	13	A1A3C47	22	A1A3H97	19
A1A1S7	8	A1A3E43	23	A1A3H98	19
A1A3	18	A1A3E44	23	A1A3H99	19
A1A3A1	20	A1A3E45	23	A1A3H100	19
A1A3A2	19	A1A3E52	21	A1A3H101	19
A1A3A3	19	A1A3E53	22	A1A3H102	19
A1A3A4	19	A1A3E60	22	A1A3H103	19
A1A3A5	20	A1A3E66	21	A1A3H104	19
A1A3A6	20	A1A3E67	21	A1A3H106	19
A1A3A7	21	A1A3E73	24	A1A3H107	19
A1A3A8	22	A1A3H62	19	A1A3H108	19
A1A3A9	22	A1A3H63	19	A1A3H109	19
A1A3A10	23	A1A3H64	19	A1A3H113	22
A1A3A11	24	A1A3H65	19	A1A3H114	22
A1A3A3Y1	19	A1A3H66	19	A1A3H195	22
A1A3CR3	21	A1A3H67	19	A1A3H341	19
A1A3CR4	21	A1A3H68	19	A1A3H342	19
A1A3CR6	21	A1A3H69	19	A1A3H343	19
A1A3CR7	21	A1A3H70	19	A1A3H344	19
A1A3CR8	21	A1A3H71	19	A1A3H345	19
A1A3CR9	21	A1A3H72	19	A1A3H424	19
A1A3CR10	21	A1A3H73	19	A1A3H427	19
A1A3CR11	21	A1A3H74	19	A1A3H428	19
A1A3C4	23	A1A3H75	19	A1A3H429	19
A1A3C5	23	A1A3H76	19	A1A3H430	19
A1A3C12	22	A1A3H77	19	A1A3H570	20
A1A3C13	22	A1A3H80	19	A1A3H571	20

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A1A3H572	20	A1A3H614	24	A1A3MP190	24
A1A3H573	20	A1A3H615	24	A1A3P6	23
A1A3H574	20	A1A3H616	24	A1A3P6-1 thru -10	23
A1A3H5	20	A1A3H617	24	A1A3P12	20
A1A3H576	20	A1A3H618	24	A1A3R4	20
A1A3H577	20	A1A3H619	24	A1A3R5	20
A1A3H578	20	A1A3H620	24	A1A3R6	20
A1A3H579	20	A1A3H621	24	A1A3R7	20
A1A3H580	20	A1A3H622	24	A1A3R11	20
A1A3H581	20	A1A3H623	24	A1A3W1	23
A1A3H582	21	A1A3J7	20	A1A3W2	22
A1A3H583	21	A1A3J8	20	A1A3W3	22
A1A3H584	21	A1A3J11	20	A1A3W4	21
A1A3H585	21	A1A3L1	21	A1A4	27
A1A3H586	21	A1A3L2	21	A1A4A1	27
A1A3H587	21	A1A3L3	21	A1A4A1CR1	28
A1A3H588	21	A1A3L5	23	A1A4A1CR2	28
A1A3H589	21	A1A3L9	22	A1A4A1C1	28
A1A3H590	21	A1A3L17	22	A1A4A1C2	28
A1A3H591	21	A1A3L21	21	A1A4A1C3	28
A1A3H592	21	A1A3L23	21	A1A4A1C4	28
A1A3H593	21	A1A3L24	21	A1A4A1C5	28
A1A3H594	22	A1A3L25	21	A1A4A1C6	28
A1A3H595	22	A1A3MP62	19	A1A4A1C7	28
A1A3H596	22	A1A3MP69	18	A1A4A1C8	27
A1A3H597	22	A1A3MP70	19	A1A4A1E1	28
A1A3H598	22	A1A3MP71	19	A1A4A1J18	27
A1A3H599	22	A1A3MP72	20	A1A4A1MP196	27
A1A3H600	22	A1A3MP104	20	A1A4A1MP197	27
A1A3H601	22	A1A3MP105	20	A1A4A1MP198	27
A1A3H602	22	A1A3MP106	20	A1A4A1MP199	28
A1A3H603	22	A1A3MP176	19	A1A4A1MP200	28
A1A3H604	22	A1A3MP178	20	A1A4A1MP201	28
A1A3H605	22	A1A3MP179	20	A1A4A1MP202	28
A1A3H606	22	A1A3MP182	21	A1A4A1MP203	28
A1A3H607	22	A1A3MP183	21	A1A4A1P19	27
A1A3H608	24	A1A3MP184	22	A1A4A1Q1	27
A1A3H609	24	A1A3MP185	22	A1A4A1Q2	27
A1A3H610	24	A1A3MP186	23	A1A4A1R1	28
A1A3H611	24	A1A3MP187	23	A1A4A1R2	28
A1A3H612	24	A1A3MP188	24	A1A4A1R3	28
A1A3H613	24	A1A3MP189	20	A1A4A1R4	28

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A1A4A1R5	28	A1A4H229	30	A1A4H483	34
A1A4A1R6	28	A1A4H230	29	A1A4H484	34
A1A4A1T1	28	A1A4H231	27	A1A4H485	34
A1A4A2	31	A1A4H232	27	A1A4H486	34
A1A4A3	30	A1A4H233	27	A1A4H487	34
A1A4C28	30	A1A4H234	27	A1A4H488	34
A1A4H123	29	A1A4H236	34	A1A4H489	34
A1A4H124	29	A1A4H237	34	A1A4H490	34
A1A4H125	29	A1A4H238	34	A1A4H491	34
A1A4H126	29	A1A4H239	34	A1A4H492	34
A1A4H155	29	A1A4H240	34	A1A4H493	34
A1A4H156	29	A1A4H241	34	A1A4H494	34
A1A4H157	29	A1A4H242	34	A1A4H495	34
A1A4H158	29	A1A4H243	34	A1A4H496	34
A1A4H163	29	A1A4H244	34	A1A4H497	34
A1A4H164	29	A1A4H245	34	A1A4H498	34
A1A4H165	29	A1A4H246	34	A1A4H499	34
A1A4H166	29	A1A4H247	34	A1A4H500	34
A1A4H167	29	A1A4H454	29	A1A4H501	34
A1A4H168	29	A1A4H455	29	A1A4H502	34
A1A4H169	29	A1A4H456	29	A1A4H503	34
A1A4H170	29	A1A4H457	29	A1A4H504	34
A1A4H171	29	A1A4H463	34	A1A4H505	34
A1A4H199	29	A1A4H464	34	A1A4H506	34
A1A4H200	29	A1A4H465	34	A1A4H507	34
A1A4H201	29	A1A4H466	34	A1A4H508	34
A1A4H202	29	A1A4H467	34	A1A4H509	34
A1A4H209	29	A1A4H468	34	A1A4H510	34
A1A4H210	29	A1A4H469	34	A1A4H511	34
A1A4H211	29	A1A4H470	34	A1A4H512	34
A1A4H212	29	A1A4H471	34	A1A4H513	34
A1A4H213	27	A1A4H472	34	A1A4H514	34
A1A4H214	27	A1A4H473	34	A1A4H515	34
A1A4H218	29	A1A4H474	34	A1A4H516	34
A1A4H219	29	A1A4H475	34	A1A4H517	34
A1A4H220	29	A1A4H476	34	A1A4H518	34
A1A4H221	29	A1A4H477	34	A1A4H519	34
A1A4H224	30	A1A4H478	34	A1A4H520	34
A1A4H225	30	A1A4H479	34	A1A4H521	34
A1A4H226	30	A1A4H480	34	A1A4H522	34
A1A4H227	30	A1A4H481	34	A1A4J5	29
A1A4H228	30	A1A4H482	34	A1A4J5-1 thru -52	29

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A1A4J12	30	A1A4P10	30	A1H145	24
A1A4J19	28	A1A4P11	30	A1H146	24
A1A4MP76	29	A1A4P18	29	A1H147	24
A1A4MP76E1	30	A1A4W1	30	A1H148	24
A1A4MP76H1	29	A1A4W2	30	A1H149	24
A1A4MP76H2	29	A1A4XA8	31	A1H150	24
A1A4MP76H3	29	A1A4XA9	31	A1H151	24
A1A4MP76H4	29	A1A4XA10	31	A1H152	24
A1A4MP76H5	30	A1A4XA11	31	A1H153	24
A1A4MP76H6	30	A1A4XA12	31	A1H154	24
A1A4MP76H7	30	A1A4XA13	31	A1H394	7
A1A4MP76H8	30	A1A4XA14	31	A1H395	7
A1A4MP76H9	30	A1A4XA15	31	A1H396	7
A1A4MP76H9A	30	A1A4XA16	31	A1H397	7
A1A4MP76H10	30	A1A5	24	A1H398	7
A1A4MP76H10A	30	A1A6	24	A1H399	18
A1A4MP76J3	29	A1A7	25	A1H400	18
A1A4MP76J3-1 thru -38	30	A1A8	25	A1H401	18
A1A4MP76J6	30	A1A9	25	A1H403	18
A1A4MP76J6-1 thru -11	30	A1A10	25	A1H404	18
A1A4MP76R10	29	A1A11	25	A1H407	18
A1A4MP76XA2	29	A1A12	27	A1H408	18
A1A4MP77	29	A1A13	27	A1H409	18
A1A4MP78	29	A1A14	25	A1H410	24
A1A4MP79	30	A1A15	25	A1H411	24
A1A4MP80	34	A1A16	25	A1H412	24
A1A4MP127	29	A1H31	7	A1H413	24
A1A4MP137	31	A1H32	7	A1H414	24
A1A4MP138	31	A1H33	7	A1H415	24
A1A4MP139	31	A1H47	7	A1H416	24
A1A4MP140	31	A1H133	24	A1H417	24
A1A4MP141	31	A1H134	24	A1H418	24
A1A4MP142	31	A1H135	24	A1H419	24
A1A4MP146	30	A1H136	24	A1H420	24
A1A4MP147	31	A1H137	24	A1H434	24
A1A4MP148	31	A1H138	24	A1H435	24
A1A4MP150	30	A1H139	24	A1H446	24
A1A4MP193	30	A1H140	24	A1H452	24
A1A4P7	30	A1H141	24	A1H453	24
A1A4P9	27	A1H142	24	A1MP75	24
A1A4P9-1 thru -12	27	A1H143	24	A1MP136	24
		A1H144	24	A2	34

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A2A1	44	A2A2C18	50	A2A2H308	48
A2A1A1	44	A2A2C20	50	A2A2H309	48
A2A1A2	45	A2A2C22	50	A2A2H310	48
A2A1A2A2	45	A2A2C24	49, 50	A2A2H311	48
A2A1A2C1	45	A2A2C26	49, 50	A2A2H312	53
A2A1A2C3	45	A2A2C28	50	A2A2H315	53
A2A1A2H298	45	A2A2C30	50	A2A2H316	53
A2A1A2MP86	45	A2A2C32	50	A2A2H317	53
A2A1A2MP87	45	A2A2C39	50	A2A2H318	53
A2A1A2MP89	45	A2A2C45	53	A2A2H319	53
A2A1A2P4	45	A2A2C46	48	A2A2H320	53
A2A1A2Q1	45	A2A2C47	48	A2A2H321	52
A2A1C1	44	A2A2C48	48	A2A2H322	52
A2A1C2	44	A2A2E1	53	A2A2H327	53
A2A1H287	44	A2A2E10	48	A2A2H328	53
A2A1H288	44	A2A2F1	53	A2A2H329	53
A2A1H289	44	A2A2H53	49	A2A2H330	53
A2A1H290	44	A2A2H54	49	A2A2H331	53
A2A1H291	44	A2A2H110	51	A2A2H332	53
A2A1H292	44	A2A2H182	50	A2A2H333	52
A2A1H293	44	A2A2H183	50	A2A2H334	52
A2A1H295	44	A2A2H184	50	A2A2H335	52
A2A1H296	44	A2A2H185	50	A2A2H336	52
A2A1MP82	44	A2A2H186	50	A2A2H337	53
A2A1MP83	44	A2A2H187	50	A2A2H338	53
A2A1MP84	44	A2A2H188	50	A2A2H339	53
A2A1MP133	44	A2A2H189	50	A2A2H340	53
A2A1MP134	44	A2A2H190	50	A2A2H371	49
A2A1MP172	45	A2A2H191	50	A2A2H372	49
A2A1MP204	44	A2A2H192	52	A2A2H373	49
A2A1P15	45	A2A2H193	52	A2A2H374	49
A2A1P15-1 thru -2	45	A2A2H194	52	A2A2H375	49
A2A2	47	A2A2H207	52	A2A2H376	49
A2A2A1	49	A2A2H208	52	A2A2H377	49
A2A2A2	50	A2A2H230	51	A2A2H378	49
A2A2A3	51	A2A2H231	51	A2A2H379	49
A2A2A4	51	A2A2H232	51	A2A2H380	49
A2A2A5	51	A2A2H233	51	A2A2H381	50
A2A2C3	49	A2A2H234	51	A2A2H382	50
A2A2C4	49	A2A2H305	48	A2A2H383	50
A2A2C14	50	A2A2H306	48	A2A2H384	50
A2A3C16	50	A2A2H307	48	A2A2H385	50

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A2A2H386	51	A2A2J4	52	A2A2Q1	49
A2A2H387	51	A2A2J15	48	A2A2Q1-6	49
A2A2H388	51	A2A2J15-1 thru -2	48	A2A2Q2	50
A2A2H389	51	A2A2J16	48	A2A2Q3	50
A2A2H390	51	A2A2J16-1 thru -3	48	A2A2Q4	50
A2A2H391	51	A2A2J17	49	A2A2Q5	50
A2A2H392	48	A2A2J17-1 thru -14	49	A2A2Q6	50
A2A2H523	52	A2A2K1	48	A2A2Q7	48
A2A2H528	51	A2A2MP73	49	A2A2XF1	53
A2A2H529	51	A2A2MP74	49	A2A2XF1MP102	53
A2A2H530	51	A2A2MP85	52	A2A2XF1MP103	53
A2A2H531	51	A2A2MP88	52	A2A2Z1	49
A2A2H532	51	A2A2MP91	49	A2A4	41
A2A2H533	51	A2A2MP92	53	A2A5	34
A2A2H534	51	A2A2MP97	52	A2A5A1	34
A2A2H535	51	A2A2MP100	53	A2A5A1R33	35, 36
A2A2H536	51	A2A2MP128	51	A2A5A2	36
A2A2H537	51	A2A2MP129	51	A2A5A2R6	38
A2A2H538	51	A2A2MP130	51	A2A5A2R7	39, 40
A2A2H539	51	A2A2MP131	51	A2A5A2R23	37
A2A2H540	51	A2A2MP132	51	A2A5A2R27	40, 41
A2A2H541	51	A2A2MP158	52	A2A5H115	36
A2A2H542	51	A2A2MP159	59	A2A5H116	36
A2A2H543	51	A2A2MP160	52	A2A5H123	34
A2A2H544	51	A2A2MP161	47	A2A5H124	34
A2A2H545	52	A2A2MP162	48	A2A5H125	34
A2A2H546	52	A2A2MP163	52	A2A5H126	34
A2A2H547	52	A2A2MP164	48	A2A5H159	36
A2A2H548	52	A2A2MP165	53	A2A5H160	36
A2A2H549	52	A2A2MP166	53	A2A5MP177	36
A2A2H550	52	A2A2MP167	53	A2A5MP191	36
A2A2H552	49	A2A2MP168	53	A2A5MP192	36
A2A2H553	49	A2A2MP169	48, 52	A2C1	47
A2A2H556	53	A2A2MP170	49	A2C2	46
A2A2H557	53	A2A2MP173	48	A2C3	46
A2A2H558	53	A2A2MP174	48	A2C4	46
A2A2H559	53	A2A2MP175	49	A2C6	41
A2A2H560	53	A2A2MP180	52	A2E1	46
A2A2H561	53	A2A2MP181	52	A2E2	42, 46
A2A2H562	53	A2A2P3	47	A2F1	46
A2A2H563	53	A2A2P3-1 thru -36	47	A2F1 SPARE	47
A2A2J1	52	A2A2P13	48	A2H55	47
A2A2J2	53	A2A2P14	48	A2H56	47

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
A2H78	47	A2H286	44	A2H567	42
A2H79	47	A2H299	46	A2H568	42
A2H161	42	A2H300	46	A2H569	42
A2H162	42	A2H301	46	A2J1	47
A2H178	44	A2H302	46	A2J2	47
A2H179	44	A2H303	46	A2K1	46
A2H180	44	A2H304	46	A2MP73	46
A2H181	44	A2H305	46	A2MP74	46
A2H248	34	A2H306	46	A2MP90	45
A2H249	34	A2H307	46	A2MP91	46
A2H250	34	A2H308	46	A2MP92	47
A2H251	34	A2H309	46	A2MP93	47
A2H256	34	A2H310	46	A2MP95	42
A2H257	34	A2H311	46	A2MP96	44
A2H258	34	A2H312	46	A2MP143	47
A2H259	34	A2H313	47	A2MP145	42
A2H260	41	A2H314	47	A2MP153	42
A2H261	41	A2H315	47	A2MP154	42
A2H262	41	A2H316	47	A2MP155	42
A2H263	41	A2H317	47	A2MP156	42
A2H264	41	A2H318	47	A2MP157	45
A2H265	41	A2H319	47	A2MP171	42
A2H266	41	A2H320	47	A2MP180	44
A2H267	41	A2H327	47	A2MP181	44
A2H268	41	A2H328	47	A2P3	47
A2H269	41	A2H329	47	A2P13	42
A2H270	41	A2H330	47	A2P14	42
A2H271	42	A2H331	47	A2P16	42
A2H272	42	A2H332	47	A2P16-1 thru -3	42
A2H273	42	A2H333	47	A2Q1	46
A2H274	42	A2H334	47	A2Q1-C	42
A2H275	42	A2H335	47	A2R1	47
A2H276	42	A2H336	47	A2XF1	46
A2H277	42	A2H337	47	A2XF1MP102	46
A2H278	42	A2H338	47	A2XF1MP103	46
A2H279	42	A2H339	47	A2Z1	42
A2H280	42	A2H340	47	H1	7
A2H281	42	A2H392	46	H2	7
A2H282	42	A2H393	46	H3	7
A2H283	44	A2H564	42	H4	7
A2H284	44	A2H565	42	H5	7
A2H285	44	A2H566	42	H6	7

SECTION V. INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER (CONTINUED)

Reference Designation	Page No.	Reference Designation	Page No.	Reference Designation	Page No.
H7	7	H348	7	W5	54
H8	7	H349	7	W6	54
H9	7	H350	7	W7	54
H10	7	H351	7	W8	54
H11	7	H352	7	W9	54
H12	7	H353	7	W10	54
H13	7	H354	7	W11	54
H14	7	H355	7	W12	54
H15	7	MP1	7	W13	54
H16	7	MP2	7	W14	54
H17	7	W1	53	W15	54
H18	7	W2	54	W16	54
H346	7	W3	54	W17	54
H347	7	W4	54	W18	54



Figure 1. Radio Set AN/ARC-116, Exploded View.



Figure 2. Radio Front, Exploded View.

Charts Transposed to

End of Volume.



Figure 1. R.F. Front End A1A3 (Serial No. 137 and On) Exploded View.



Figure 5. R.F. Front End A1A3 (Serial 1 to 136) Exploded View.



Figure 6. Wired Chassis A1A4, Exploded View.



Figure 9. Exciter Assembly A2A1, Exploded View.



Figure 10. Maintenance Accessories Kit MK-1192/ARM.



Figure 11 (1). Test Facilities Kit MK-1191/AR (Part 1 of 2).



Figure 11 (2). Test Facilities Kit MK-1191/AR (Part 2 of 2).



Figure 12. Test Facilities Kit MK-994/AR.



Figure 13. Resistance Boxes and VSWR Leads.

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-36 (qty rqr block no. 349) requirements for Direct/General Support avionics maintenance literature for the OH-6A aircraft.

☆U.S. GOVERNMENT PRINTING OFFICE: 1990 - 262-912/30539



Figure 3. Control, Frequency, Selector A1A1, Exploded View.



Figure 7. Radio Rear (Serial No. 1 to 186). Exploded View.



Figure 6. Radio Rear (Serial No. 137 and On), Exploded View.